

POSTAL PRODUCTS UNLIMITED, INC.™

Manufactured by Postal Products Unlimited, Inc.
Division 10

PARCEL DELIVERY MANAGEMENT LOCKERS



Optional
Expansion
Touch
Screen

CBU LICENSE #: 1CDSEQ-10-B-011/2017116



Wall Surface
Mounted



Free-Standing
Enclosure



Recessed Wall
Mounted

3 STYLES TO CHOOSE FROM!



Postal Products Unlimited, Inc.
500 W. Oklahoma Ave
Milwaukee, WI 53207-2649
1-800-229-4500


www.mailproducts.com

**We Can Assist Owners, Architects, General Contractors, Property
Managers, Dealers, and Distributors All Over North America and the World!**

WE MANUFACTURE FOR YOU!

Postal Products Smart Locker Management Systems Overview

Our parcel/delivery management system is an innovative, reliable, and intelligent locking solution for management of parcels, keys, food, books, etc. This unit becomes the perfect smart locker for any purpose and personal storage lockers for any type of delivery.



Compact

With dynamic locker assignment, our parcel management system removes the need for one locker per person and reduces capital expenditure and footprint.

User-friendly

Operating the system is simple using a clear, responsive user interface.

Discreet

All technical elements can be hidden to achieve an attractive, secure and sleek appearance.

Advanced

System management and data logging abilities offer a new level of control.

Secure

Our smart lockers offer high security for parcel and storage lockers to eliminate theft of packages, belongings, food, keys, books, etc.

Customizable

Our smart lockers are fully customizable to work for any purpose needed.

Designed from the ground up for reliability and ease of use and installation, our parcel management system is elegantly simple. There are no daunting electrical enclosures or complicated on-site wiring. Instead, each system comprises of just four elements, but can be customized with accessories listed in the later pages:

- A Touchscreen Terminal with fast, user-friendly software
- Robust E-Latches with best in class strength and performance
- Lock Boards to connect the latches to the terminal
- Power supply





Postal Products Unlimited has been producing, selling, and innovating centralized mail products for the USPS and private mail facilities for 40 years. The implementation of contemporary package systems, such as Smart Parcel Delivery Lockers, has been a natural progression for our company. Smart Parcel Delivery Lockers provide a simple, secure, cost-efficient, and modern way to adapt to increasing amounts of online orders and shipments to your building with its straightforward and accessible interface.

Eliminate crowded and disorganized mailrooms, restaurants, or facilities with a simplified and time-saving process that notifies package recipients immediately upon delivery, keeping their parcels or food in a secure location until pick up. This process eliminates the middleman and saves time for management and package recipients by streamlining all aspects of the shipment process from delivery to pick up. No more management inquiries or complaints due to missed or lost deliveries. Packages are easily tracked, and the lockers will accept packages from any delivery service such as Amazon, UPS, FedEx, DHL, grocery/food deliveries, flower shops, newspaper deliveries, and much more.

Get the convenience and 24/7 flexibility of receiving packages without the need for anyone to be present during drop-off. The package carrier simply uses a customizable login (password, QR code, IC card or drop off code) to securely place the parcel into the locker, allowing the recipient to open the locker at any time using their scannable pick-up code. This also enables social distancing by allowing a contact-free delivery. These smart lockers include an intelligent system that can utilize locker security cameras. This also includes other high-tech options such as QR code scanners, coin, cash and card acceptors, and much more. The heavy gauge durable reinforced aluminum construction and secure locks adds a higher level of break-in-resistant technology.

In addition to saving time and increasing satisfaction among users, Smart Parcel Delivery Lockers create a return on investment by modernizing your building and allowing the opportunity to increase rent or add parcel drop-off/pick-up fee charges for users. The amount of time saved by staff will also save costs and increase productivity. The contemporary design adds an aesthetically pleasing style to your building and the lockers are fully customizable with multiple door sizes for any size of package to choose from. They are designed to meet all your needs with the newest technological developments such as refrigerated or heated lockers to adapt for specific temperature deliveries.

Smart Parcel Delivery Lockers can be seamlessly integrated into your existing setup and specific security requirements. They're the perfect addition to mail centers, residential apartments, offices, stores, corporate buildings, universities, restaurants, libraries, hospitals, and anywhere packages are delivered or smart lockers are needed. Let our Smart Parcel Delivery Lockers manage your packages or merchandise so you can manage your business more efficiently.



Recessed Wall Mounted Parcel/Delivery Management Locker Systems



21 Recessed Models to choose from!

Perfect for any building. Made to color coordinate.

Features

- Recessed wall mounted systems
- 21 models to choose from
- Designed for indoor or semi-sheltered outdoor use
- Upgrades are available on an upgrade custom basis (call for a free quote)
- Aluminum parcel door and inner compartment construction
- Designed to match and color coordinate with 4C USPS Approved mailboxes
- Includes powder coated long-lasting doors and frames
- Ships fully assembled for easy installation per module
- Connecting multiple units requires minimal assembly
- Plugging of connector wire ends to distribution ports will effectively connect multiple modules
- Available in pre-numbered, standard (as shown above), parcel-door name plates. Engraved tags or fully engraved doors available.

See Engraving, pages 34-35

**Available in (5) standard colors
or custom colors upon request
(Upcharges may apply)**



Silver



Sandstone



White



Bronze



Gold

Available Upon Request

Custom colors
Custom vinyl wraps




Parcel/Delivery Locker Connector Tubes Kit

All standard modules are designed to be recessed directly into a wall, enclosure, or casing. Since most units are installed in a wall, our Connector Tubes kit is perfect for connecting multiple 4C Recessed units to create a clean and professional look. The connector is made of heavy-duty aluminum and flawlessly connects multiple units across a larger rough opening making the units flushed side-by-side. This kit eliminates the need for wood studs between mailboxes and creates a clean look by pulling the mailboxes together tightly without gaps. The Connector Tubes Kit is sold separately and comes with a full installation manual.



N1032117



Door Size Chart

Door Size

Door Size (W x H)	Inside Compartment Size (W x H)
12 $\frac{13}{16}$ " x 3 $\frac{3}{16}$ "	12" x 3 $\frac{7}{16}$ "
12 $\frac{13}{16}$ " x 6 $\frac{11}{16}$ "	12" x 6 $\frac{15}{16}$ "
12 $\frac{13}{16}$ " x 10 $\frac{3}{16}$ "	12" x 10 $\frac{7}{16}$ "
12 $\frac{13}{16}$ " x 11 $\frac{15}{16}$ "	12" x 12 $\frac{3}{16}$ "
12 $\frac{13}{16}$ " x 13 $\frac{11}{16}$ "	12" x 13 $\frac{15}{16}$ "
12 $\frac{13}{16}$ " x 15 $\frac{7}{16}$ "	12" x 15 $\frac{3}{4}$ "
12 $\frac{13}{16}$ " x 17 $\frac{3}{16}$ "	12" x 17 $\frac{7}{16}$ "
12 $\frac{13}{16}$ " x 20 $\frac{11}{16}$ "	12" x 20 $\frac{15}{16}$ "
12 $\frac{13}{16}$ " x 25 $\frac{15}{16}$ "	12" x 26 $\frac{3}{16}$ "
12 $\frac{13}{16}$ " x 27 $\frac{11}{16}$ "	12" x 27 $\frac{15}{16}$ "
12 $\frac{13}{16}$ " x 32 $\frac{15}{16}$ "	12" x 33 $\frac{3}{16}$ "
12 $\frac{13}{16}$ " x 53 $\frac{15}{16}$ "	12" x 54 $\frac{3}{16}$ "
27 $\frac{1}{8}$ " x 53 $\frac{15}{16}$ "	26 $\frac{1}{4}$ " x 54 $\frac{3}{16}$ "

Door w/Cut Out

Door Size (W x H)	Inside Compartment Size (W x H)
12 $\frac{13}{16}$ " x 10 $\frac{3}{16}$ "	12" x 10 $\frac{7}{16}$ "
12 $\frac{13}{16}$ " x 11 $\frac{15}{16}$ "	12" x 12 $\frac{3}{16}$ "




Recessed wall installation made easy!



Easy to Install


Recessed wall-mount installation is easy. With the help of a licensed electrician and installer, the unit slides into place. The recessed wall mount creates a seamless integration of the unit and your existing wall. Not only are you saving space on the parcels themselves, but you're also saving the space a freestanding or surface-mounted unit would take up.




Free-Standing Parcel/Delivery Locker Enclosures




Available in (5) standard colors
or custom colors upon request
(Upcharges may apply)



Silver



Sandstone



White



Bronze



Gold

Custom colors are available upon request

Custom vinyl wraps with images are also
available upon request



Features

- Free-Standing Enclosures come fully assembled in 15" or 24" depth units
- Designed for indoor or semi-sheltered outdoor use
- Upgrades are available on an upgrade custom basis (call for a free quote)
- Aluminum parcel door and inner compartment construction
- Outer housing enclosure available in aluminum
- Designed to match and color coordinate with 4C USPS Approved mailboxes
- Includes powder coated long-lasting doors and frames
- Ships fully assembled for easy installation per module
- Connecting multiple units requires minimal assembly
- Plugging of connector wire ends to distribution ports will effectively connect multiple modules
- Available in pre-numbered, standard (as shown above), parcel-door name plates. Engraved tags or fully engraved doors are available.

See Engraving, pages 34-35

N1031094

(Goes with N1029415
Order Mailboxes Separately)



24" Depth Enclosure



CAD Drawings available
free of charge at
www.mailproducts.com

**ALL ALUMINUM
CONSTRUCTION**

Available in 15" or 24" depth modules



15" Depth Enclosure

Door Size Chart

Door Size	
Door Size (W x H)	Inside Compartment Size (W x H)
12 13/16" x 3 3/16"	12" x 3 7/16"
12 13/16" x 6 1/16"	12" x 6 15/16"
12 13/16" x 10 3/16"	12" x 10 7/16"
12 13/16" x 11 15/16"	12" x 12 3/16"
12 13/16" x 13 1/16"	12" x 13 15/16"
12 13/16" x 15 7/16"	12" x 15 3/4"
12 13/16" x 17 3/16"	12" x 17 7/16"
12 13/16" x 20 1/16"	12" x 20 15/16"
12 13/16" x 25 15/16"	12" x 26 3/16"
12 13/16" x 27 1/16"	12" x 27 15/16"
12 13/16" x 32 15/16"	12" x 33 3/16"
12 13/16" x 53 15/16"	12" x 54 3/16"
27 1/8" x 53 15/16"	26 1/4" x 54 3/16"

Door w/Cut Out	
Door Size (W x H)	Inside Compartment Size (W x H)
12 13/16" x 10 3/16"	12" x 10 7/16"
12 13/16" x 11 15/16"	12" x 12 3/16"

Special order sizes also available on a custom order basis



Surface Wall Mounted Parcel/Delivery Management Locker Systems




Available in (5) standard colors
or custom colors upon request
(Upcharges may apply)



Silver



Sandstone



White



Bronze



Gold

Available Upon Request

Custom colors
Custom vinyl wraps

Features

- Surface-mounted enclosures come fully assembled for easy installation
- 15" depth units to allow surface wall mounting
- Designed for indoor or semi-sheltered outdoor use
- Upgrades are available on an upgrade custom basis (call for quote)
- Aluminum parcel door and inner compartment construction
- Outer housing enclosure available in heavy-duty aluminum
- Includes powder coated long-lasting doors and frames
- Available in pre-numbered, standard (as shown above), parcel-door name plates. Engraved tags or fully engraved doors are available.

See Engraving, pages 34-35




15" depth



Door Size Chart

Door Size	
Door Size (W x H)	Inside Compartment Size (W x H)
12 13/16" x 3 3/16"	12" x 3 7/16"
12 13/16" x 6 11/16"	12" x 6 15/16"
12 13/16" x 10 3/16"	12" x 10 7/16"
12 13/16" x 11 15/16"	12" x 12 3/16"
12 13/16" x 13 11/16"	12" x 13 15/16"
12 13/16" x 15 7/16"	12" x 15 3/4"
12 13/16" x 17 3/16"	12" x 17 7/16"
12 13/16" x 20 11/16"	12" x 20 15/16"
12 13/16" x 25 15/16"	12" x 26 3/16"
12 13/16" x 27 11/16"	12" x 27 15/16"
12 13/16" x 32 15/16"	12" x 33 3/16"
12 13/16" x 53 15/16"	12" x 54 3/16"
27 1/8" x 53 15/16"	26 1/4" x 54 3/16"



Door w/Cut Out	
Door Size (W x H)	Inside Compartment Size (W x H)
12 13/16" x 10 3/16"	12" x 10 7/16"
12 13/16" x 11 15/16"	12" x 12 3/16"


CAD Drawings available
free of charge at
www.mailproducts.com

ALL ALUMINUM
CONSTRUCTION

Optional Smart Locker Accessories and Replacement Parts


All-In-One Touchscreen PC's

**NEW - Large Format
32" Touch Screen
N1042877**



N1042817
21.5" All-in-one PC
(Capacitive Touchscreen + Android PC)

- Monitor and Android PC System all-in-one
- 21.5" LVDS Touch LCD Module with Capacitance
- Resolution 1920*1080 Android 5.1.1 System,
- ARM Mali-T764, CPU: 4CORE 1.8 Ghz
- 2G DDR3+8G Storage, 6USB/4GPIO/1HDMI



N1042816
15.6" All-in-one PC
(Capacitive Touchscreen + Android PC)

- Monitor and Android PC System all-in-one
- 15.6" LVDS Touch LCD Module with Capacitance
- Resolution 1920*1080 Android 5.1.1 System,
- ARM Mali-T764, CPU: 4CORE 1.8 Ghz
- 2G DDR3+8G Storage, 4USB/4GPIO/1HDMI



N1042815
10.1" All-in-one PC
(Capacitive Touchscreen + Android PC)

- Monitor and Android PC System all-in-one
- 10.1" LVDS Touch LCD Module with Capacitance
- Resolution 1280*800, Android 5.1.1 System,
- ARM Mali-T764, CPU: 4CORE 1.8 Ghz
- 2G DDR3+8G Storage, 4USB/4GPIO/1HDMI



N1042814
7" All-in-one PC
(Capacitive Touchscreen + Android PC)

- Monitor and Android PC System all-in-one
- 7" LVDS Touch LCD Module with Capacitance
- Resolution 1024*600, Android 5.1.1 System,
- ARM Mali-T764, CPU: 4CORE 1.8 Ghz
- 2G DDR3+8G Storage, 4USB/4GPIO/1HDMI

***Note: Computer can be purchased separately as a circuit board or enclosed PC if the All-in-one PC/touchscreen is not preferred**

Separate Touchscreens and PC's



N1042813
21.5" Capacitive Touchscreen LVDS LCD Module

- Resolution: 1920*1080
- 21.5" LVDS Touch LCD Module with Capacitance

***Note: This is the only touchscreen that does not have the PC built-in**



N1042812
Enclosed Android Industrial PC

- Android host, CPU 4CORE 1.8 Ghz, ARM Cortex-A17, 2G DDR3+8G Storage, A53 processor, the platform has the advantages of high performance, low power consumption and good scalability.
- 4 Com Port + 6 USB Port + 1 HDMI + 1 LVDS + 1 EDP + 4 GPIO
- + 4 Audio
- 1 TF Card Slot + 1 SIM Card Slot + v1 RJ45 Port
- Wifi, Bluetooth, 4G Model



N1042811
Android PC Board

- Android host, CPU 4CORE 1.8 Ghz, ARM Cortex-A17, 2G DDR3+8G Storage, A53 processor, the platform has the advantages of high performance and good scalability.
- 4 Com Port + 6 USB Port + 1 HDMI + 1 LVDS + 1 EDP + 4 GPIO
- + 4 Audio
- 1 TF Card Slot + 1 SIM Card Slot + v1 RJ45 Port
- Wifi, Bluetooth, 4G Model

Lock Control Boards



N1042804
Smart Food Locker Multi-Function Lock Control Board

- Operating voltage: DC24V
- Operating temperature: -40°C ~ +85°C
- Read lock feedback: Supported
- Unlock output time: 300ms
- Standby power consumption: < 1W
- Net Weight: 70.09 g
- Size: 125mm L x 80mm W
- Communication Interface: RS485 protocol
- Program Upgrade Interface: TTL serial port protocol
- Baud rate: 9600
- Drive lock current: Max. 3A
- Multi-Function: Can support heating, disinfection, lighting, indicator light, temperature, item detection



N1042802
12 CH Lock Control Board RS485 Protocol

- Operating voltage: DC12V/24V
- Operating temperature: -40°C ~ +85°C
- Read lock feedback: Supported
- Unlock output time: 300ms



N1042803
24 CH Lock Control Board RS485 Protocol

- Operating voltage: DC12V/24V
- Operating temperature: -40°C ~ +85°C
- Read lock feedback: Supported
- Unlock output time: 300ms

Electronic Locks and Accessories



N1042809A **N1042809B** **N1042809C**
1 Meter Lock Cable **1.5 Meter Lock Cable** **2 Meter Lock Cable**

- Cable for lock board and lock



N1042805
Food Locker Electronic Lock

- Dimensions: 70*56*13mm (+0.2)
- Current/Resistance: 2A/6
- Material: Carbon steel
- Power: DC12V2A
- Insulation Grade: Class B
- Lifetime > 100000 times
- Surface treatment process: electroplating
- Operating temperature: -30°C ~ 80°C



N1042806
Electronic Lock w/ Spring Pin (Large)

- Dimensions: 80*55*13.5mm (+0.2)
- Current/Resistance: 2A/6
- Power: DC12V2A
- Insulation Grade: Class B
- Surface treatment process: electroplating
- Operating temperature: -30°C ~ 80°C



N1042807
Electronic Lock w/ Spring Pin (Small)

- Dimensions: 55*40*12.4mm (+0.2)
- Current/Resistance: 2A/6
- Power: DC12V2A
- Insulation Grade: Class B
- Surface treatment process: electroplating
- Operating temperature: -30°C ~ 80°C

***For more information on Smart Locker accessories, contact us anytime**

Optional Smart Locker Accessories and Replacement Parts

Advanced Login Accessories



N1042818
IC/RFID Card Reader



N1042820
QR Code Scanner



N1042860
Fingerprint Reader

Cash, Coin, Credit Card and Debit Card Acceptors



N1042855
POS Terminal



N1042854
Banknote Acceptor



N1042852
Coin Acceptor



N1042861
Coin Change Machine

Power Supplies and Accessories



N1042826
Current Protection Switch



N1042824
Fans



N1042835
Electrical Cable for Kiosk



N1042834
Wiring Installation Panel Channel



N1042827
Power Adapter



N1042822
75W Industrial
Power Enclosure



N1042823
150W Industrial
Power Enclosure



N1042832
Kiosk Accessory Installation
Side Panel

N1042833
Kiosk Accessory Installation
Back Panel

Printers and Speakers



N1042819
Printer
(Supports 58mm Receipt Paper)



N1042825
Speakers

Security Cameras and Accessories



N1042797
2MP IP IR Dome Camera
25/30 fps @ 1080p
2.8mm, metal



N1042798
5MP IP IR Dome Camera
15 fps @ 5MP (2592x1944)
25 fps @ 4MP (2592x1520)
2.8mm, metal



N1042857
5MP IP IR Dome Camera
25/30 fps @ 5MP (2592x1944)
25/30 fps @ 4MP (2592x1520)
2.8mm, metal



N1042830
Web Camera
3.7mm Lens, 1.0MP,
128 GB TF Card



N1042828
Pinhole Camera
3.7mm Lens, 1.0MP



N1042831
Web Camera
3.7mm Lens, 2.0MP,
128 GB TF Card

N1042829
Pinhole Camera
3.7mm Lens, 2.0MP



N1042799
4CH NVR (Network Video Recorder)
with 4CH POE Port



N1042800
WD Security HDD (4TB)




N1042801
Security Camera Bracket

Network Accessories




N1042796
4G Module for locker system computer

Locker Canopies and Bases



N1042792
Kiosk Canopy for Outdoor Use
• High quality galvanized steel 1.0mm



N1042793
Sub Cabinet Canopy for Outdoor Use
• High quality galvanized steel 1.0mm



N1042794
Locker Base A




N1042795
Locker Base B

***For more information on Smart Locker accessories, contact us anytime**

Optional Smart Locker Accessories and Replacement Parts

Food Locker Accessories



N1042836
Heating Pad

- 45°C - 60°C/113°F - 140°F
- Power: DC24V .625A



N1042837
LED Indicator Light


- 6 LED indicator lights
- Power: DC24V
- Color Options: Orange, Blue and White



N1042838
Ultraviolet Disinfection Lamp

- Power: DC24V

Smart Locker Light Bar



N1042862
Smart Locker Light Bar

Optional light bars are available for all Smart Lockers. The light bar can be mounted on the top of the lockers or on a wall mount.

Optional Smart Locker Accessories and Replacement Parts

Touchscreen Enclosure Options



N1042858

Pedestal Enclosure for Touchscreens

The pedestal enclosure works with 7" and 10.1" touchscreens.



N1042859

Wall Enclosure for Touchscreens

The wall enclosure works with 7", 10.1", and 15.6" touchscreens. The 21.5" can be used upon special request.

Smart Parcel/Delivery Locker Touchscreen Management Systems

Our parcel/delivery management system is an innovative, reliable, and intelligent locking solution for management of parcels, keys, food, books, etc. This unit becomes the perfect smart locker for any purpose and personal storage lockers for any type of delivery.

Compact

With dynamic locker assignment, our parcel management system removes the need for one locker per person and reduces capital expenditure and footprint.

User-friendly

Operating the system is simple using a clear, responsive user interface.

Discreet

All technical elements can be hidden to achieve an attractive, secure and sleek appearance.

Advanced

System management and data logging abilities offer a new level of control.

Secure


Our smart lockers offer high security for parcel and storage lockers to eliminate package theft of packages, belongings, food, keys, books, etc.

Customizable



Our smart lockers are fully customizable to work for any purpose needed.

Designed from the ground up for reliability and ease of use and installation, our parcel management system is elegantly simple. There are no daunting electrical enclosures or complicated on-site wiring. Instead, each system comprises of just four elements, but can be customized with accessories listed in the later pages:

- A Touchscreen Terminal with fast, user-friendly software
- Robust E-Latches with best in class strength and performance
- Lock Boards to connect the latches to the terminal
- Power supply



Smart Parcel/Delivery Locker Touchscreen Management Systems (Cont.)



Unified hardware and software that are developed to effortlessly work simultaneously.


Parcel Delivery Lockers are units that contain one system made of electronic locks, a power supply, lock boards, and a touchscreen tablet to hold and secure deliveries. Our units feature a wide variety of door sizes and over 100 configurations are available to choose from. They are also available in freestanding enclosures, recessed wall mount, and wall mount options.

Smart Parcel/Delivery Lockers

Powerful Hardware

A streamlined user experience

Clear, easy-to-use menus are designed to make every interaction fast and intuitive. Parcel Deliveries can be delivered and collected in seconds without any prior training. Email and SMS text notifications are great parcel delivery notification options. The system supports multiple languages.



Sophisticated management tools


System settings are controlled through an administrator menu on the terminal. User data and access permissions can be imported easily from PC files. Usage logs are available for audit purposes.



Unique branding and customization

The software has been designed to support custom branding and color schemes, which can be applied on a system-by-system basis. Further customization is also available by request. Let us know your individualized requirements and our software engineers will assist and do the rest.





Touchscreen Tablet (7" to 32")

The tablet is mounted flush to the inside of the locker door, or to a pedestal or wall mounted enclosure. On the inside, the cables connect to the back of the tablet which controls the locks and powers the device. The screen provides a clear and bright view for the public to see and offers a user-friendly access process. The tablet controls the lock/unlocking of each of the lockers connected.

Sizes - 7" - 24.97" x 7.58"

10.1" - 6.69" x 10.07"

15.6" - 9.42" x 15.45"

21.5" - 12.84" x 20.80"



Food Locker Lock Board



**12 Channel
Lock Board**



**24 Channel
Lock Board**


Lock Board

All the cables that control the locks are connected to the lock distribution board which also connects cables to the tablet to transfer information. The lock board is placed in the master locker with the tablet often attached to the door in the kiosk unit. For any additional units, the lock distribution board can be affixed in a locker or to the back of the unit and daisy-chained to the power supply of the kiosk unit to allow for extra locker space.



Electronic Lock (24 Volt)
(for Food Lockers)

Size - 2.75" x 2.2" x 0.51"



Electronic Lock with Spring Pin
(for Standard Lockers)

Available in Small (12V) and Large (24V) Sizes
Small Size - 2.16" x 1.73" x 0.48"
Large Size - 3.14" x 2.16" x 0.53"

Electronic Lock

The electronic lock is connected to the lock distribution board by a cable and then to the tablet, which will release the door so it can be opened. There are two different lock options to choose from. The food locker electronic lock is seen in the top left image. The standard locker electronic lock has a spring pin (seen in the top right image above) feature that pushes the door open for easier access. Our locks allow for emergency access for quick entry in case of user errors, security, and power failure. All locks have a manual unlock option along with the electronic option.



How Parcel Delivery Lockers Work



Smart Parcel Delivery Locker systems offer easy access to packages, food, keys, and parcels of all kinds while eliminating the need for staff regarding parcel management. Users can receive a package at any time. Their package is delivered into a secure smart locker, and after a delivery is completed, users can expect to receive a delivery notification via email or SMS text in real-time.

Once your space is equipped with the Smart Parcel Delivery Locker system your users will be able to shop anytime, put in their pick-up code to receive their parcel, and remove staff from the package equation. This is mainly due to the user-friendly interface built into the Parcel Delivery Locker's touchscreen. Each user will receive a unique pick-up code upon parcel delivery to make receiving packages and collecting them easy.

Parcel Delivery Lockers also function as drop-off rental or storage receptacles and are all-around, all-purpose, delivery hubs. Products and services range from prescription deliveries to contactless food delivery and anything in between. The Smart Parcel Delivery Locker system is customizable and easy to use.



117a

Jane Doe

Address: 500 W Oklahoma Ave
Milwaukee, WI 53207 Mobile: 234-567-8911

Name: Jane Doe Email: JaneDoe@ID.com

Please verify pick up code

Please enter or scan the pick up code

 **Please pick up parcels**

The locker is opened

4

Please pick up parcels and close door


 **Thank You**

Your order is being processed


Parcel Pick-Up Instructions

Language Note: Select the top corner of the screen to choose your preferred language on the touchscreen. We can preprogram the language requested.

Example: English is seen abbreviated by EN




Click the "Pickup" button



Input the Pick-Up Code or quickly scan the QR Code from the delivery notification text message or email.

Click the "Confirm" button.

Examples of Delivery Notifications via Email and Text



The indicated locker door will open, and the recipient can pick up and remove the parcel.

Close the locker door securely.



Click the "Continue" button to pick up additional parcels or click the "Home" button to return to the home page.




Note: A security photo of the recipient can be enabled to be taken upon parcel pick up.

Collect A Deposit/Return Instructions

How to Pickup a Returned Parcel as a Staff or Courier:


Note: Customer Deposit & Return is for returning a parcel to the sender or for dropping off a parcel for a different recipient. This function must be enabled on the Super Admin Menu.



Click "Customer Deposit & Return".



Click the preferred Deposit & Return login method (Password, IC Card, Fingerprint, QR Code or Pick-Up Code).




If a Password is the preferred Deposit & Return login method, type in the Pick-Up Password and Door No. (Number). Click "Confirm".

Note: Password is assigned in the customer/employee directory on the Locker Backstage Manager



If an IC Card is the preferred Deposit & Return login method, place the programmed IC Card near the IC sensor.



If Fingerprints are the preferred Deposit & Return login method, place your programmed Fingerprint near the Fingerprint Reader.



If QR Codes are the preferred Deposit & Return login method, place your programmed QR Code near the QR Code Scanner.

Collect A Deposit/Return Instructions (Cont.)


Examples of Delivery Notifications via Email and Text



If a Pick-Up Code is the preferred Deposit & Return login method, type the Pick-Up Code or quickly scan the QR Code from the delivery notification text message or email.

Click "Confirm".

Note: After the parcel is deposited, the Locker Backstage Management Software will automatically send the recipient the pick-up code by email or text message if the contact information has been inputted. This is an example of the delivery notice/pick-up code text and email.



The indicated locker door will open, and the recipient can pick up the parcel.


Close the locker door securely.

Click "Continue" to pick up the additional parcels or click "Home" to return to the home page.


Parcel Deposit Instructions

How to Deposit a Parcel as a Customer/Recipient:


Note: Customer Deposit & Return is for returning a parcel to the sender or for dropping off a parcel for a different recipient. This function must be enabled on the Super Admin Menu.



Click "Customer Deposit & Return".



Click the preferred Deposit & Return login method. (Password, IC Card, Fingerprint, QR Code or Pick-Up Code)




If a Password is the preferred Deposit & Return login method, type in the Password that is assigned in the customer/employee directory on the Locker Backstage Manager.

Click "Confirm".



If an IC Card is the preferred Deposit & Return login method, place the programmed IC Card near the IC sensor.



If Fingerprints are the preferred Deposit & Return login method, place your programmed Fingerprint near the Fingerprint Reader.



If QR Codes are the preferred Deposit & Return login method, place your programmed QR Code near the QR Code Scanner.

Parcel Deposit Instructions (Cont.)

3e

4a

4b

If a Pick-Up Code is the preferred Deposit & Return login method, type the recipient's order #, mobile phone #, or email.
Click "Confirm".

Note: This screen will also occur if other login methods are used so enter the order #, mobile #, or email for all login methods

Click the Locker Box Type (Normal, Hot, Cold) if the food function is enabled.

Note: The food function can be enabled or disabled

Click the appropriate Locker Box Size. (Small, Medium, Large and X Large)

Note: You can also select the Locker Box Number instead of Locker Size.

If you prefer to select the Locker Box Number instead of Locker Box Size, click the icon on the top right of the screen that has a hand and 9 squares.

Click the appropriate Locker Box Number if needed.

5a

5b


The selected locker door will open.
Insert the package/parcel.
Close the locker door securely.
Confirm locker door is latched completely.

Click "Continue" to drop off the additional parcels or click "Home" to return to the home page.

Parcel Delivery Instructions

Language Note: Select the top corner of the screen to choose your preferred language on the touchscreen. We can preprogram the language requested.

Example: English is seen abbreviated by EN



Click "Staff/Courier Drop Off & Recall".

Note: Courier Login can be enabled or disabled. If allowed, couriers can create their own unique login by clicking the human/pencil icon on the top right corner of the screen.

2a



Click a preferred option for courier login. (Password, QR Code Scan, IC Card or Drop Off Code)

Enter courier login information. For password login (as seen in the image above), a username can be a name, phone, email address or route code. If not using a phone number as a username, please remove the international code to login.

2b



This is the QR Code Scanner screen that appears if the QR Code login method is selected. Place the QR Code under the scanner to login with the QR Code method.

2c



This is the IC Card Scanner screen that appears if the IC Card login method is selected. Place the IC Card under the scanner to login with the IC Card method.

2d



This is the Drop-Off Code screen that appears if the Drop-Off Code login method is selected.

Type the Drop-Off Code to login with the Drop-Off Code method, then click the "Login" button.

Parcel Delivery Instructions (Cont.)

After a courier has logged in, the courier selects the preferred courier function:


Recharge is for adding funds to a courier account if there is a cost associated with courier delivery

Delivery Packages is for delivery of all packages/parcels

Book & Delivery Packages is for the Merchant System Book Box function for book delivery

Retrieve is for staff or couriers who dropped off parcel/s by mistake to retrieve, recall or redeliver parcel/s

Note: These features can be turned on and off as needed by the Administrator



To deliver packages/parcels, click the "Delivery Packages" button.



If the manual method is preferred, enter Order #, Mobile # or Email to indicate a recipient, then click the "Confirm" button. Mobile # or Email is required to alert the customer of delivery and provide a necessary pick-up code.




If the customer directory method is preferred, click the "Search" button on the top right corner of the previous screen. Type in the first name of the recipient and click the "Search" button.

Click the recipient's name to highlight it, then click the "Select" button to indicate a recipient.

Note: Courier can deliver by manually entering customer information or by quickly searching in the customer directory.

Note: Enable the customer directory in the Super Administrator Mode.




Click the Locker Box Type (Normal, Hot, Cold) if the food function is enabled.

Note: The food function can be enabled or disabled

Click the appropriate Locker Box Size (Small, Medium, Large, and X Large).

Note: You can also select the Locker Box Number instead of Locker Size.



If you prefer to select the Locker Box Number instead of Locker Box Size, click the icon on the top right of the screen that has a hand and 9 squares.


Click the appropriate Locker Box Number.



The selected locker door will open. Insert the package/parcel.



Close the locker door securely. Confirm the locker door is latched completely.

Parcel Delivery Instructions (Cont.)



Click the “Continue” button to deliver another package or click the “Home” button to go to the home page. The courier screen will automatically revert to the Home screen based on the timer on the top left corner of the screen for security.

Examples of Delivery Notifications via Email and Text




Note: After the parcel is delivered, the Locker Backstage Management Software will automatically send the recipient the pick-up code by email or text message if the contact information has been inputted. This is an email example of the delivery notice/pick-up code message.


Smart Parcel/Delivery Lockers provide a simple, secure, cost-efficient, and modern way to adapt to increasing amounts of online orders and shipments to your building with its straightforward and accessible interface.

Eliminate crowded and disorganized mailrooms, restaurants, or facilities with a simplified and time-saving process that notifies package recipients immediately upon delivery, keeping it in a secure location until pick up. Packages are easily inserted into the lockers and will accept packages from any delivery service such as Amazon, UPS, FedEx, DHL, groceries, food delivery, flower shops, newspaper delivery and much more!
















The delivery carrier simply uses a preferred login method to securely place the parcel into the locker, allowing the recipient to open the locker at any time using their pick-up code. These smart lockers include an intelligent system that allows coordination with security cameras and other high-tech options such as heating/cooling, IC cards, cash, coin and card acceptors, ultraviolet disinfection, speakers, printers, lights, 4G, and QR codes. Its heavy gauge durable reinforced aluminum construction and secure electronic locks adds a higher level of break-in resistant technology and developments to prevent package or parcel theft.






Door and Compartment Sizes		
Reference Number	Door Size	Inside Compt. Size
3PL	12 ¹³ / ₁₆ "W x 3 ³ / ₁₆ "H	12"W x 3 ⁷ / ₁₆ "H x 15"D
6PL	12 ¹³ / ₁₆ "W x 6 ¹¹ / ₁₆ "H	12"W x 6 ¹⁵ / ₁₆ "H x 15"D
10PL	12 ¹³ / ₁₆ "W x 10 ⁷ / ₁₆ "H	12"W x 10 ⁷ / ₁₆ "H x 15"D
11PL	12 ¹³ / ₁₆ "W x 11 ¹⁵ / ₁₆ "H	12"W x 12 ³ / ₁₆ "H x 15"D
13PL	12 ¹³ / ₁₆ "W x 13 ¹¹ / ₁₆ "H	12"W x 13 ¹⁵ / ₁₆ "H x 15"D
15PL	12 ¹³ / ₁₆ "W x 15 ⁵ / ₁₆ "H	12"W x 15 ³ / ₄ "H x 15"D
17PL	12 ¹³ / ₁₆ "W x 17 ⁷ / ₁₆ "H	12"W x 17 ⁷ / ₁₆ "H x 15"D
20PL	12 ¹³ / ₁₆ "W x 20 ¹¹ / ₁₆ "H	12"W x 20 ¹⁵ / ₁₆ "H x 15"D
25PL	12 ¹³ / ₁₆ "W x 25 ⁵ / ₁₆ "H	12"W x 26 ³ / ₁₆ "H x 15"D
27PL	12 ¹³ / ₁₆ "W x 27 ¹¹ / ₁₆ "H	12"W x 27 ¹⁵ / ₁₆ "H x 15"D
32PL	12 ¹³ / ₁₆ "W x 32 ¹¹ / ₁₆ "H	12"W x 33 ³ / ₁₆ "H x 15"D
53PL	12 ¹³ / ₁₆ "W x 53 ¹⁵ / ₁₆ "H	12"W x 54 ³ / ₁₆ "H x 15"D
53DC	27 ¹ / ₈ "W x 53 ¹⁵ / ₁₆ "H	26 ¹ / ₄ "W x 54 ³ / ₁₆ "H x 15"D





Door and Compartment Sizes

Reference Number	Door Size	Inside Compt. Size
3PL	12 ¹³ / ₁₆ "W x 3 ³ / ₁₆ "H	12"W x 3 ⁷ / ₁₆ "H x 24"D
6PL	12 ¹³ / ₁₆ "W x 6 ¹¹ / ₁₆ "H	12"W x 6 ¹⁵ / ₁₆ "H x 24"D
10PL	12 ¹³ / ₁₆ "W x 10 ³ / ₁₆ "H	12"W x 10 ⁷ / ₁₆ "H x 24"D
11PL	12 ¹³ / ₁₆ "W x 11 ¹⁵ / ₁₆ "H	12"W x 12 ³ / ₁₆ "H x 24"D
13PL	12 ¹³ / ₁₆ "W x 13 ¹¹ / ₁₆ "H	12"W x 13 ¹⁵ / ₁₆ "H x 24"D
15PL	12 ¹³ / ₁₆ "W x 15 ⁵ / ₁₆ "H	12"W x 15 ³ / ₁₆ "H x 24"D
17PL	12 ¹³ / ₁₆ "W x 17 ³ / ₁₆ "H	12"W x 17 ⁷ / ₁₆ "H x 24"D
20PL	12 ¹³ / ₁₆ "W x 20 ¹¹ / ₁₆ "H	12"W x 20 ⁵ / ₁₆ "H x 24"D
25PL	12 ¹³ / ₁₆ "W x 25 ⁵ / ₁₆ "H	12"W x 26 ³ / ₁₆ "H x 24"D
27PL	12 ¹³ / ₁₆ "W x 27 ¹¹ / ₁₆ "H	12"W x 27 ¹⁵ / ₁₆ "H x 24"D
32PL	12 ¹³ / ₁₆ "W x 32 ⁵ / ₁₆ "H	12"W x 33 ³ / ₁₆ "H x 24"D
53PL	12 ¹³ / ₁₆ "W x 53 ¹⁵ / ₁₆ "H	12"W x 54 ³ / ₁₆ "H x 24"D
53DC	27 ¹ / ₈ "W x 53 ¹⁵ / ₁₆ "H	26 ¹ / ₄ "W x 54 ³ / ₁₆ "H x 24"D







12¹³/₁₆"W x 3³/₁₆"H




12¹³/₁₆"W x 6¹¹/₁₆"H




12¹³/₁₆"W x 10³/₁₆"H




12¹³/₁₆"W x 11¹⁵/₁₆"H




12¹³/₁₆"W x 13³/₁₆"H




12¹³/₁₆"W x 15⁷/₁₆"H




12¹³/₁₆"W x 17³/₁₆"H




12¹³/₁₆"W x 20¹/₁₆"H




12¹³/₁₆"W x 25¹⁵/₁₆"H



12¹³/₁₆"W x 27¹¹/₁₆"H



12¹³/₁₆"W x 32¹⁵/₁₆"H




12¹³/₁₆"W x 53¹⁵/₁₆"H

Door and Compartment Sizes


Reference Number	Door Size	Inside Compt. Size
3PL	12 ¹³ / ₁₆ "W x 3 ³ / ₁₆ "H	12"W x 3 ³ / ₁₆ "H x 15"D
6PL	12 ¹³ / ₁₆ "W x 6 ¹¹ / ₁₆ "H	12"W x 6 ¹⁵ / ₁₆ "H x 15"D
10PL	12 ¹³ / ₁₆ "W x 10 ³ / ₁₆ "H	12"W x 10 ⁷ / ₁₆ "H x 15"D
11PL	12 ¹³ / ₁₆ "W x 11 ¹⁵ / ₁₆ "H	12"W x 12 ³ / ₁₆ "H x 15"D
13PL	12 ¹³ / ₁₆ "W x 13 ¹ / ₁₆ "H	12"W x 13 ¹⁵ / ₁₆ "H x 15"D
15PL	12 ¹³ / ₁₆ "W x 15 ⁷ / ₁₆ "H	12"W x 15 ³ / ₁₆ "H x 15"D
17PL	12 ¹³ / ₁₆ "W x 17 ³ / ₁₆ "H	12"W x 17 ⁷ / ₁₆ "H x 15"D
20PL	12 ¹³ / ₁₆ "W x 20 ¹ / ₁₆ "H	12"W x 20 ⁵ / ₁₆ "H x 15"D
25PL	12 ¹³ / ₁₆ "W x 25 ¹⁵ / ₁₆ "H	12"W x 26 ³ / ₁₆ "H x 15"D
27PL	12 ¹³ / ₁₆ "W x 27 ¹¹ / ₁₆ "H	12"W x 27 ⁵ / ₁₆ "H x 15"D
32PL	12 ¹³ / ₁₆ "W x 32 ¹⁵ / ₁₆ "H	12"W x 33 ³ / ₁₆ "H x 15"D
53PL	12 ¹³ / ₁₆ "W x 53 ¹⁵ / ₁₆ "H	12"W x 54 ³ / ₁₆ "H x 15"D
53DC	27 ⁷ / ₈ "W x 53 ¹⁵ / ₁₆ "H	26 ⁴ / ₁₆ "W x 54 ³ / ₁₆ "H x 15"D

Door with Cut Out


Reference Number	Door Size	Inside Compt. Size
10PLH	12 ¹³ / ₁₆ "W x 10 ³ / ₁₆ "H	12"W x 10 ⁷ / ₁₆ "H x 15"D
11PLH	12 ¹³ / ₁₆ "W x 11 ¹⁵ / ₁₆ "H	12"W x 12 ³ / ₁₆ "H x 15"D



12¹³/₁₆"W x 10³/₁₆"H




12¹³/₁₆"W x 11¹⁵/₁₆"H




27⁷/₈"W x 53¹⁵/₁₆"H

Administrator Settings Instructions



On the Smart Locker's home screen, click the top left corner and then the top right corner to access the Administrator Mode.



Type the preset password "123456" for login.


Note: The password can be changed.



Now you are at the Smart Locker's Administrator Mode home screen.


Choose one of thirteen Admin settings to customize the Parcel Delivery Locker. The thirteen Administrator settings that assist in customization are:

Admin Password Change



The Smart Locker allows administration to reset their customizable password for a new one if needed.

Customer Directory



1. Device
2. Password
3. Language
4. Locker/s
5. Camera
6. Picture
7. Coin
8. Cash
9. Change
10. POS
11. Fresh (Food)
12. Finger (Print)
13. Printer

The Smart Locker Backstage Management software allows users to be entered into the system for Delivery and Pick-Up. An admin can upload an Excel directory file or manually enter the user's first name, surname, address, phone number, email address, password and delivery code

Note: Enable the customer directory in the Super Administrator Mode.

Administrator Settings (Continued)

The Smart Locker Admin Menu and Backstage Manager allows administration to view what lockers are currently in use. The Smart Locker also allows administration to unlock and open all lockers as well as lock all lockers, both on-site and remotely.

Locker Access (On-Site)

The On-Site Locker Access screen displays a grid of locker status. The grid has columns for Door No., Board No., Locker No., and Storage. Below the grid are buttons for 'Open Locker', 'Check Locker', 'Open All Empty', and 'Open All Full'. At the bottom, there is a 'Confirm' button and a date/time display.

On-Site Locker Access Screen (Above)

1.) For individual locker access or testing onsite, click the specific Locker Number (No.), then click "Open Locker".

2.) For access to all lockers or testing onsite, click "Open All Empty" or "Open All Full" (Lockers).

Locker Access (Remote)

The Remote Locker Access screen shows a detailed table of locker status. The table includes columns for Status, Door No., Door Size, Storage Status, Bin Type, Board No., Locker No., and Operation. The 'Operation' column contains icons for lock, unlock, and refresh.

Status	Door No.	Door Size	Storage Status	Bin Type	Board No.	Locker No.	Operation
Active	1	Big	Locked	Normal	1	1	🔒 🔓 🔄
Active	2	Normal	Locked	Normal	1	2	🔒 🔓 🔄
Active	3	Normal	Locked	Normal	1	3	🔒 🔓 🔄
Active	4	Big	Locked	Normal	1	4	🔒 🔓 🔄
Active	5	Big	Locked	Normal	1	5	🔒 🔓 🔄
Active	6	Normal	Locked	Normal	1	6	🔒 🔓 🔄
Active	7	Small	Locked	Normal	1	7	🔒 🔓 🔄
Active	8	Small	Locked	Normal	1	8	🔒 🔓 🔄
Active	9	Small	Locked	Normal	1	9	🔒 🔓 🔄
Active	10	Small	Locked	Normal	1	10	🔒 🔓 🔄
Active	11	Small	Locked	Normal	1	11	🔒 🔓 🔄
Active	12	Normal	Locked	Normal	1	12	🔒 🔓 🔄
Active	13	Normal	Locked	Normal	1	13	🔒 🔓 🔄
Active	14	Big	Locked	Normal	1	14	🔒 🔓 🔄

Remote Locker Access Screen (Above)

Lockers can be remotely locked or unlocked with the Smart Locker Backstage Manager. Click the "Unlock/Lock" icon on the right column under operation. You can also reset the lockers by clicking the refresh icon.

Note: Courier Login can be enabled or disabled. If allowed, couriers can create their own unique login by clicking the human/pencil icon on the top right corner of the screen

Courier Login

The Courier Login screen features a 'Login' button and a 'Please Enter Password' field. It also includes a 'Please Enter Mobile/Email' field and a 'Please Enter Password' field. The screen displays the date and time at the bottom.

Courier Directory (Remote)

The Remote Courier ID Creation screen shows a table of courier information. The table includes columns for Status, ID, Name, Password, Mobile, Email, Card, Amount, Address, and Remarks. The 'Remarks' column contains icons for lock, unlock, and refresh.

Status	ID	Name	Password	Mobile	Email	Card	Amount	Address	Remarks	Operation
Active	1	Flowers	123456	+1234567890	Delivery@Flowers.com	0	0			🔒 🔓 🔄
Active	2	Newspapers	123456	+1234567890	Delivery@Newspapers.com	0	0			🔒 🔓 🔄
Active	3	Food Delivery	123456	+1234567890	Delivery@Food.com	0	0			🔒 🔓 🔄
Active	4	Amazon	123456	+1234567890	Delivery@Amazon.com	0	0			🔒 🔓 🔄
Active	5	UPS	123456	+1234567890	Delivery@UPS.com	0	0			🔒 🔓 🔄
Active	6	RedX	123456	+1234567890	Delivery@RedX.com	0	0			🔒 🔓 🔄
Active	7	USPS	123456	+1234567890	Delivery@USPS.com	0	0			🔒 🔓 🔄

Remote Courier ID Creation Screen (Above)

Delivery Company ID's/logins can be inserted on the smart locker or remotely via the Locker Backstage Manager for quick secure deliveries and ease of use.

Simply select a preferred option for courier login. (Password, QR Code Scan, IC Card, Drop-Off Code, or Fingerprint)

Courier Directory (On-Site)

The On-Site Courier ID Creation screen features a 'Confirm' button and fields for *ID, *Name, *Password, *Mobile, *Email, and *Card. The screen displays the date and time at the bottom.

On-Site Courier ID Creation Screen (Above)

Administrator Settings (Continued)

Email/Text Delivery Notifications

The Smart Locker allows for both email and text message delivery notifications with unique and secure pick-up codes. The delivery notification function can be fully customized in the Backstage Locker Manager based on your individual locker needs. The email notification can be sent from a property manager's custom email address so customers easily recognize the notifications.

Delivery notifications via email also include a QR pick-up code for locker access with a QR Code Scanner.

Examples of Delivery Notifications via Email and Text




Type the Pick-Up Code or quickly scan the QR Code from the delivery notification text message or email.

Click the "Confirm" button.

Note: After the parcel is deposited, the Locker Backstage Management Software will automatically send the recipient the pick-up code by email and/or text message if the contact information has been inputted. This is an email and text example of the delivery notice/pick-up code message.

Customize the notification settings on the Locker Backstage Manager for the desired notification event (Drop-Off, Pick-Up, Return, and Recall), notification recipient (Customer, Employee, and Admin), and notification type (Email, Text Message, or both).




Administrator Settings (Continued)

Language Settings:

Administrators can select up to 7 different languages that can be easily switched by customers. Languages include English, Italian, Spanish, Romanian, Japanese, Chinese (standard), and Chinese (traditional).



Administrators select the preferred language/s.



A customer can set a temporary language by clicking the language abbreviation (EN) on the top right corner of the screen and rotating to the desired language.

Note: Additional languages are available upon request

Smart Locker Server Access Screen

Network Settings:

The Smart Lockers can be connected to the internet via WiFi, ethernet or 4G for remote locker access, customer/employee data input, security monitoring, programming and more.

Locker Backstage Manager


	Status	Door No.	Door Size	Storage Status	Box Type	Boxed No.	Locker No.	Operation
1	Active	1	Big	Normal	Normal	1	1	🔍 ⚙️ 🗑️
2	Active	2	Normal	Normal	Normal	1	2	🔍 ⚙️ 🗑️
3	Active	3	Normal	Normal	Normal	1	3	🔍 ⚙️ 🗑️
4	Active	4	Big	Normal	Normal	1	4	🔍 ⚙️ 🗑️
5	Active	5	Big	Normal	Normal	1	5	🔍 ⚙️ 🗑️
6	Active	6	Normal	Normal	Normal	1	6	🔍 ⚙️ 🗑️
7	Active	7	Small	Normal	Normal	1	7	🔍 ⚙️ 🗑️
8	Active	8	Small	Normal	Normal	1	8	🔍 ⚙️ 🗑️
9	Active	9	Small	Normal	Normal	1	9	🔍 ⚙️ 🗑️
10	Active	10	Small	Normal	Normal	1	10	🔍 ⚙️ 🗑️
11	Active	11	Small	Normal	Normal	1	11	🔍 ⚙️ 🗑️
12	Active	12	Normal	Normal	Normal	1	12	🔍 ⚙️ 🗑️
13	Active	13	Normal	Normal	Normal	1	13	🔍 ⚙️ 🗑️
14	Active	14	Big	Normal	Normal	1	14	🔍 ⚙️ 🗑️

Total 14 Records Total 1 Pages 300 records / Page Current Page 1 Previous Page Next Page

Smart Locker Backstage Manager For Remote Access

Administrator Settings (Continued)

Note: The Smart Locker Administrator Mode is for basic settings, while the Super Administrator Mode is for more advanced setting changes and programming new accessories.



Administrator Menu



Super Administrator Menu

Click the "System" button to view the Super Administrator Menu.

Additional Settings:

The Smart Locker has additional settings on both the basic and super administrator menu screens (seen above) to allow for additional accessories such as security cameras, coin, cash and debit/credit acceptors, change machines, fingerprint scanners, QR code scanners, integrated circuit (IC) card/RFID readers, food locker heating pads and cooling compressors, printers, lights, ultraviolet disinfection lamps and speakers.

Note: Check to see if additional Admin settings needed

Key Drop-Off and Pick-Up (Car Keys, Hotel Keys, Tool Keys, Etc.)

*Deliver Keys**Pick-Up Keys**Return Keys*

Keys can be securely linked with IC/RFID Cards for identification

*Smart Key Locker*

The key drop-off and pick-up function can be used to increase efficiency and reduce labor costs associated with coordinating key access and return for hotels, car rental companies, car dealerships, tool rental companies, property management and other businesses.

Book Pick-Up and Return

The book pick-up and return function can be used to increase efficiency and reduce labor costs associated with coordinating the pick-up and drop-off of books for libraries, schools, businesses and more.

*Deliver/Return Keys**Pick-Up Books**Smart Book Locker*

Smart Locker Revenue/Income Generation

Outstanding Money:

If the administrator would prefer to charge money for parcel pick up or delivery as a way to generate revenue or income for the property owner, then the outstanding money function can be enabled as needed. Another benefit of this function is that if the parcel order payment has been paid and needs to be collected before customer pickup, the courier can input a pickup cost value when they make the parcel drop off.



Payment

Please input money outstanding from guest

\$

Confirm

Outstanding Payment Screen

Any custom amount can be inputted as a requirement for parcel pickup or delivery

What is a Smart Parcel Delivery Locker?

Smart Parcel Delivery Lockers consist of flexible software for a fully automated self-service experience in package and merchandise management. Parcel Delivery Lockers contain multiple sized compartments to ensure that packages/parcels of any kind will be accommodated. The smart locker system ensures that packages are stored safely and can be retrieved with a pick-up code that is automatically sent to the intended recipient via email, text or both.

Our smart locker touchscreens are available in flexible ADA compliant free-standing enclosures, pedestals or in wall mounted enclosures. Our Parcel Delivery Lockers have been developed from our USPS 4C approved mailboxes. They come standard with reinforced doors to secure inbound and outbound packages. The smart lockers are easy to use and will save you time and money in parcel management.



Pick-Up a Parcel

The recipient can simply enter the 6-digit pick-up code or scan the QR code supplied by your notification email or text message. The smart locker will open and you can retrieve your package

Deliver a Parcel

The courier can simply select the recipient, the size of package, and secure the parcel in the locker. Courier login can be enabled and required if preferred.

Deposit a Parcel for Return

The recipient can simply login with a preferred login method, enter the recipient's contact information, select the locker size and deposit a parcel for return.

Collect a Parcel for Return

After a package is returned, the courier is alerted in real time via email or text message. The courier can simply login with a preferred login method and pick-up the parcel/s for return.

Where Can You Benefit from a Smart Parcel Delivery Locker?


Smart Parcel Lockers are an easy and seamless way to deliver goods. Not only do they maximize space, but they also reduce employee hassle regarding packages/parcels and the services listed below.

Primary Uses

- Small & Large Apartments
- Multi-Family Residential Communities
- Condominiums
- Corporate Fortune 1000 Companies
- Retail/Shopping Malls
- Retail Lockers for BOPIS order fulfillment
- Universities/Schools/Colleges
- Office Buildings/Warehouses
- Libraries and Book Stores
- Mail Center Facilities
- Workplaces/Corporate
- Public Storage Facilities
- Day Use Lockers
- Military Gear Lockers
- Hotels/Motels/Resorts
- Dry Cleaners/Laundromats
- Military Facilities
- Logistics Companies
- Airbnb
- Car Rental Facilities
- E-Commerce Platforms
- Express Companies
- Restaurants/Fast Food/Ghost Kitchens
- Cafeterias or Food Courts
- Supermarkets/Grocery Stores
- Businesses of all kinds
- And Many Other Locations!

Other Uses

- Data Centers
- Recreation Centers/Swimming Pools
- Prison Visitation Areas
- Law Enforcement Facilities
- Assisted Living/Nursing Homes
- Evidence Lockers
- Tool Security (Check-In/Check-Out)
- Key Exchange for Visitors
- Conference Centers
- Unattended Safety Deposit Boxes
- Security Use
- Government Buildings
- Hospitals/Clinics/Medical Facilities
- Secure Storage Transfer Points
- Amusement Parks, Festivals, Fairs
- Health/Fitness Clubs and Spas
- Car Dealerships and Repair Centers
- Bus and Train Stations
- Gun/Ammo Stores
- Shooting Ranges
- Vending Companies
- Valet Services
- Golf Courses
- Museums
- Airports
- Pharmacies
- Laboratories
- Paperwork
- Parks
- Banks
- Camps
- And so much more!



What Can Be Delivered?

Any deliverable item that fits in a 27 1/8" W x 53 15/16" H door or smaller can be delivered to smart parcel lockers. The user-friendly interface allows intuitive access and instant notification of your package's arrival. Call us for a free quote on oversize or custom sized smart lockers.

- Packages/Parcels of All Kinds
- Food Delivery/Groceries/Meal Kits
- Flowers/Gifts
- Wine/Beer/Spirits
- Medication/Prescriptions
- Door Dash/Uber Eats
- Dry Cleaning/Laundry
- Newspapers
- Tools
- Safety Equipment
- Electronics



Who Can Deliver to a Parcel Delivery Locker?

- Food Delivery
- FedEx
- UPS
- USPS
- DHL
- Amazon
- Staples/Office Supply
- Dry Cleaning/Laundry
- Laser Ship
- Office Max
- Pharmacies
- Local Couriers/Deliveries of any kind



Efficiency

Postal Products has been producing, selling, and innovating centralized mail technology for the USPS and private mail facilities for 40 years. This innovation has led to the development of smart parcel lockers that aim to solve package problems every step of the way, especially when it comes to obtaining the most efficient last-mile fulfillment. Eliminate the middleman and dramatically reduce labor costs from package delivery, sorting, and management by implementing our simple, easy-to-use Smart Parcel Locker System. According to a study conducted by the National Multifamily Housing Council (NMHC), 68% of property managers spend 1 to 4 hours a week on package management. When Smart Lockers are implemented, they provide a highly efficient rapid parcel delivery solution allowing management to focus on other tasks and eliminating the wasted space of a mail room or unclaimed packages lying around. Smart lockers eliminate wasted time spent on package pick-ups since recipients are immediately notified when a package is delivered. From the seamless integration to the flexibility, these smart lockers are a perfect easy-access way to solve the package problem that so many small and large businesses/institutions face on a daily basis due to the constant rise in online orders. The smart lockers provide an attractive modern aesthetic as well as high security in the design proving to be a great way to meet tenant's needs as well as a return on investment.

Benefits

- Reduces labor costs associated with the delivery, sorting and management of packages/parcels
- Cuts down on time waiting for package pick-up
- Helps reduce the number of packages sitting around
- Provides more time for management to do productive work
- Eliminates the "middleman" as the package goes directly from delivery to the recipient
- Recipients get notified immediately via email and text when the package is delivered
- Eliminates the need for a mailroom and provides more space
- Simple, easy to use interface with customizable software
- Last-mile fulfillment solutions with our smart delivery lockers
- Secure and ideal parcel/package delivery solutions for big or small communities
- Solve delivery problems easily both on site and remotely
- Generates additional income/revenue for property owners and developers with customizable delivery or pickup fees
- Property developers want a return on their investments. "Smart lockers" not only increase delivery efficiency but can be used to charge residents/users with a one-time fee for the service or by adding the cost to rent. Additional charges are up to the property managers
- Rapid parcel delivery
- Easy delivery by couriers
- Easy package pick-up by customers/recipients
- Seamless integration in any environment
- Flexible solutions for all deliveries
- Aesthetically pleasing lockers
- Solves all package issues
- Heat, refrigerate or freeze the lockers for efficient food delivery
- Securely provides keys, tools, etc.
- Smart vending



Benefits of Parcel Lockers

There are many ways to benefit from Smart Parcel Lockers, making them the most flexible, efficient, secure, convenient, and smartest long-term solution to package delivery. Investing in this technology will advance your building's success and will improve worker and customer satisfaction. Safely securing parcels with a smart locker until the recipients are ready for pick up will make crowded mail rooms, lost packages, complaints, and multiple delivery attempts problems of the past. Managing over-flow or high volumes of packages is streamlined so you can accommodate more deliveries and reduce operational costs simultaneously. Pick-up flexibility is achieved by immediately notifying the recipient that the package is delivered and providing a secure 24/7 automated self service that allows for anytime pick-up as well as social distancing with contact-free delivery. This also eliminates the need for management to act as the middle man or provide constant inquiries back and forth, therefore saving time and money for everyone involved. The lockers come in a variety of door sizes, are conducive to all kinds of packages, and will accept delivery from any company. Take advantage of the customization and new technologies such as refrigerated, frozen or heated lockers, cash and card acceptors, advanced login methods or package tracking. This all makes it simple to receive any type of parcel option including hot and cold food, groceries, flowers, medicine or other special deliveries. Allow our Smart Locker Parcels to manage your packages so you can run your business more efficiently and profitably.

From this...



...to this




General Benefits

- Frees up crowded mail rooms
- Helps maintain social distancing
- Makes picking up packages much more convenient
- Ensures packages do not get lost or stolen
- Reduce the number of management inquiries
- Cut down wasted time – increases time for other duties
- Increase pick-up flexibility
- Invest in smart technology (makes buildings more advanced)
- Variety of door sizes for all sizes of packages
- Improves customer and worker satisfaction
- Eliminates multiple delivery attempts
- Notifies recipient as soon as it's delivered
- Refrigerated, frozen or heated lockers to adapt for temperature sensitive deliveries
- Track packages
- Smart vending
- Key and tool rental
- Any delivery from any company can be placed in the parcel locker
- 24/7 automated self service
- Saves time and money for staff
- Helps manage overflow/high volume of packages
- Fully customizable to fit your requirements
- We manage your package which lets you run your business
- Our system is loved by delivery carriers – Amazon, UPS, Fed EX, DHL, Door Dash, Food, Grocery, Flower Couriers, and many others
- Long term parcel delivery solution
- Package delivery and retrieval is simple and secure
- Reduces operational costs
- Increases resident satisfaction
- Accommodate more deliveries
- Retrieval of packages is quick, convenient, and available 24/7
- Easy, secure, contact-free delivery and pickup
- Remote and on-site administrator access for locker access
- High security storage

Package/Mail Theft/Safety

Secure packages around the clock 24/7 with high-security break-in-resistant Smart Parcel Lockers. Packages will no longer have to sit out in the open and can now be securely placed by mail carriers into the lockers with recipients being notified of their delivery in real-time. This provides greater overall package security and flexibility of deliveries, even when no one is around. Increase security by coordinating your locker system with locker cameras and advanced login methods. The smart lockers will always allow for social distancing with contact-free deliveries. The durable heavy gauge materials provide added security and peace of mind when it comes to accepting high-value deliveries.




Heavy Gauge Materials

Break-in resistant locker doors are reinforced and durable. Secure and strong locks are used.



Contact-Free

Our lockers help maintain social distancing and eliminate multiple delivery attempts.



Touchscreen Software

Our smart, intelligent system can coordinate with your locker cameras. Our locker notifies recipients of package delivery in real-time. Advanced courier and recipient login methods can be enabled.



Ease of Mind

Our lockers offer around the clock 24/7 package security to eliminate missing or stolen packages. Carriers can deliver packages securely when no one is around and prevent packages from sitting out.

- Secure package delivery when no one is around
- Coordinate our system with your locker cameras
- Around the clock 24/7 secured lockers
- Notifies recipients of delivery in real time via email and text
- Eliminate packages sitting out
- Packages securely placed by mail carriers
- Social distancing ability
- Smart, intelligent system
- Heavy gauge materials
- Break-in resistant
- No more resident complaints due to carrier misdelivery
- Contact-free pick-up and delivery options
- Greater overall package security
- Handsfree locker
- Reinforced lockers and locks
- Durable lockers

Buy Online Pick Up In Store - BOPIS

Smart Retail/Exchange Parcel Lockers offer a convenient solution for both consumers and retailers in the online shopping process. The smart parcel locker is ideal for retailers looking to provide a hassle-free experience for busy customers who still want to physically pick up their purchases. Smart Retail Lockers eliminate shipping costs and enhance the buy online, pick up in store (BOPIS) service.

Compared to traditional BOPIS interactions, smart retail lockers offer greater convenience as they allow customers to retrieve their orders quickly and efficiently at anytime. The electronic parcel locker system speeds up the process and wait times, making it easy for customers to pick up their order on their way home or during lunch breaks. Additionally, for those who prefer to avoid store interactions, the buy online and pick-up locker service provides a seamless and hassle-free experience. Our smart lockers allow safe, contact-free pickup and drop-off options for both customers and employees.

Smart Retail/Exchange Parcel Lockers are also more efficient, as the smart locker system automates the most time-consuming aspects of the order process. The store associate's role is limited to retrieving the order and entering it into the system, leaving the rest to be fully automated. Automated returns for orders or parcels is even possible with our smart lockers.

Retailer Benefits

- More options for consumers creates more purchases for retailers
- Most consumers prefer stores with a BOPIS option
- Easily identify current inventory as sold items can be delivered for pickup
- Competitive smart locker functions (heating, cooling and freezing)
- No last-mile shipping costs (shipping to a distribution center is far less expensive than to a residential address)
- Easy to use software for parcel delivery and pickup


- Advanced secure login methods available (Password, IC card/RFID reader, QR code scanner, pick-up code, fingerprint)
- Contact-free delivery

Retailer Requirements


- An online and physical presence
- A physical pick-up location
- A system to manage inventory and display real-time availability

Step by Step:

Examples of Delivery Notifications via Email and Text



Customer Pick-Up



How It Works:



BUY ONLINE PICK UP IN STORE



Consumers purchase products through your website/app and choose the store and time of the pick-up



Retailer fulfills consumer orders, placing them into the parcel locker and sending a confirmation text/email



Consumers pick-up orders at the designated smart parcel locker contact-free

Consumer Benefits

- Contact-free parcel pickup
- Easy to use software for parcel pickup
- Saves time and money
- No shipping fees
- No waiting for shipping times
- No need for going through a store to find products
- Provides more convenience and quicker service for the customer
- Customer knows product is secure and available right away
- Quick returns without having to involve shipment
- Heated, refrigerated and frozen lockers available for temperature sensitive products (food, flowers, groceries, etc.)

Heavy Duty Powder Coat Finish Options

Recessed Wall-Mounted



Silver



Black



White



Postal Grey



Free-Standing Enclosure



Silver



Black



White



Postal Grey



Surface Wall-Mounted



Silver



Black



White




Postal Grey



Color Options



Heavy Duty Powder Coat Finish Options Cont.



Custom-Match Powder-Coat Program

Postal Products Unlimited offers a custom-match powder-coat program to aesthetically fit Parcel Delivery Lockers with your existing facilities an color scheme. We carry a wide array of powder-coat colors and are glad to quote custom colors upon request. Our in-house graphics department specializes in vinyl wrap 4-color powder-coated surface as well. Our units feature state-of-the-art powder-coat technology and use exact specifications from our USPS-approved 4C mailboxes. For the best color match, we recommend sending images of your existing facility/décor. Please call at any time for assistance at 1(800) 229-4500.



Custom Message Vinyl Wraps



4 Color Custom Vinyl Wraps are Now Available for All 3 Styles of Parcel/Delivery Lockers

- Free-Standing Enclosures
- Recessed In-Wall Mounted Units
- Surface Wall Mounted Units

It is Easy to Customize

Choice of Color or Custom Wrap to Match A Wide Variety of Aesthetics or Brand for Every Building and Facility Color Scheme and Company Branding



Parcel/Delivery Door Nameplate Options

A Standard Format

The standard configuration option is a metal plaque with painted numbers that is available on our CBU/4C units if there is no other requested customization.



Standard Parcel
Door Name Plate




(Actual Size Shown)




B Door Engravings (Options for Custom Numbers and Special Order)

Our engraved door labels are in the USPS Standard US Block. The engraving is $\frac{3}{4}$ " high and can hold up to 12 characters per line on the Parcel Delivery door. Custom engraving on the face of the door is available. It is available in black filled, normal, 4B+, or black door engravings with white font. Our mailboxes will ship in one week or less. This option is not available for the Quick Ship Program, only for Custom and Special Orders.


Normal Engraving



Black Filled Engraving



Black Door Engraving



Enter the sequence (ex. 1-50 or 1A, 3A, 1B, 3B, etc.) in the text box and the corresponding quantity in the "Qty" box.

Engraving



Enter the sequence (ex. 1-999 or 11A, 13A, 11B, 13B, etc.) in the text box and the corresponding quantity in the "Qty" box.



(Optional Engraving into Aluminum Door)

Custom engraving deluxe ID tag has black fill numbering and is $\frac{3}{4}$ " tall. All engraving can include up to 4 numbers per tag.

Font Choices

1234567890-A
US BLOCK

1234567890-A
MODERN

1234567890-A
ROCKWELL


1234567890-A
CONTEMPORARY

1234567890-A
PLAYFUL

1234567890-A
TECHNICAL

C Adhesive Vinyl Decals


Customize your Parcel Delivery Locker with our weatherproof door decals! Display your tenant address information with these easy to apply self-adhesive vinyl decals. Up to 3 numbers can be printed in black print on these silver labels. Call for your custom engraved number placards as well.



Parcel/Delivery Door Nameplates Continued




Brushed Copper/Black



Smooth Silver/Black

Laser Engraved Plastic Decals

Choose from our many engraved plastic decals for your mailbox units. With a multitude of colors and several different effects and finishes, you will surely find the decal that matches your mailbox needs. They are suited for interior or exterior applications and the micro surfaced coating allows for highly detailed and quality engraving. Please specify name and color when ordering.



European Gold/Black




Deep Bronze/Black




Matte Black/Silver




Matte Black/Gold




Brushed Silver/Black




Brushed Gold/Black



White/Black



Black/White



Custom Sizes Available



Other sizes are available upon request. Please call for details and provide your preferences.



N1031083
Custom Engraved
Numbering Plate

Upgrade unit with laser
engraved numbering plates

Deluxe ID Tags



Number Decals


Custom your Parcel Delivery Locker with our weatherproof door decals! Make your tenant address information with these easy to apply self-adhesive vinyl decals. Up to 3 numbers can be printed in black print on these silver labels. Call for your custom engraved number placards as well.



**Parcel Delivery
Door Handle**



**Master Key Slot Plug
for Management
Access to Locker
Door at Anytime**



**Wire Feeder Holes
are Professional and
Easy to Maintain**

Special Order Wood and Laminate Housings

Custom-matched wood enclosures/housings are available on a special-order basis. Match almost any wood finish stain to flow with your existing aesthetic. Enclosures made from commonly used laminate finishes are also available.

Please attach an image of the facility that you intend to place the enclosure in. This will help us find the correct wood or laminate match. We look forward to quoting you on this special-order basis.




Laminate Housing



Wood Housing



Wood Housing



Laminate Housing

First Name

Email

Last Name

Phone

Company

State

Industry / Market

Questions / Concerns

Send form to: 500 W Oklahoma Ave. Milwaukee, WI, 53207

ADA Compliant Smart Parcel Lockers - 1 Door Additions

Eight parcel locker units comply with the ADA standards. The 1-Door and 2-Door additions can be wall-mounted, freestanding, or surface-mounted. This applies for both 15" and 24" depth.

**All eight models are additions to existing parcel locker systems*

N1032833

Freestanding 24"



1 Door Addition

N1032812

Freestanding 15"



1 Door Addition

N1032790

Recessed Wall-Mount 15"



1 Door Addition

N1032855

Surface-Mount 15"



1 Door Addition

2010 ADA Standards for Accessible Design, Department of Justice Code of Federal Regulations, ADA CHAPTER 2: SCOPING REQUIREMENTS, 228.2 Mailboxes: Where mailboxes are provided in an interior location, at least 5 perfect, but no fewer than one, of each type shall comply with 309. In residential facilities, where mailboxes are provided for each residential dwelling unit, mailboxes complying with 309 shall be provided for each residential dwelling unit required to provide mobility features complying with 809.4.

The full text can be found at: https://www.ada.gov/2010ADAstandards_index.htm

ADA Compliant Smart Parcel Lockers - 2 Door Additions

Parcel Delivery Management Lockers are constructed of heavy gauge aluminum with stainless steel components for maximum durability suitable for indoors and outdoors with a shelter. The corrosion resistant, weatherproof powder-coat finish protects from the elements. The Parcel Delivery Management Lockers meet the USPS requirements and comply with ADA standards.

**If installation is outdoors, it is recommended to use a rain shield/lip, or sheltered housing*

N1032829

Freestanding 24"

N1032808

Freestanding 15"

N1032786

Recessed Wall-Mount 15"

N1032851

Surface-Mount 15"



2 Door Addition



2 Door Addition





2 Door Addition



2 Door Addition

Following ADA Installation Requirements

Make sure to seek advice from local building officials and consider codes for accessibility requirements that could have an impact on any mailbox projects. Regulations may differ depending on facility type or government jurisdiction.



Freestanding Enclosure Installation

***The Electronic Parcel Locker Unit comes installed in the freestanding enclosure**

1. Remove the Electronic Parcel Locker Unit from the enclosure by opening the Master Load Doors and removing the connecting screws.

2. Move the enclosure to the desired location and mark locations on the bottom of the enclosure to drill holes for mounting. Concrete anchors are recommended for anchoring the enclosure to the floor (If a contractor has an alternative method for anchoring or installation, please use best practices).


3. Prepare for electrical installation following local installation codes and providing room for the incoming power cable (we recommend the connection set up being done by a licensed electrician).

***Before re-installing the unit back into the enclosure, ensure all power cords are organized and plugged into a power receptacle**

4. Open the Master Load Doors and reinstall the connecting screws. Close the unit.

5. Power and test the unit.

***To connect multiple units, please call for technical assistance**



Surface Wall Mounted Enclosure Installation

***The Electronic Parcel Locker Unit comes installed in the wall-mount enclosure**

1. Remove the Electronic Parcel Locker Unit from the enclosure by opening the Master Load Doors and removing the connecting screws.

2. Place the enclosure at the desired wall location and required height (a minimum height, from the finished floor to the interior bottom shelf aligns with the USPS requirements). Use the mounting screws to mount the enclosure to the wall through the slotted holes on the back of the enclosure (the screws must penetrate wall studs to provide proper and secure installation).


3. Prepare for electrical installation following local installation codes and providing room for the incoming power cable (we recommend the connection set up being done by a licensed electrician).

***Before re-installing the unit back into the enclosure, ensure all power cords are organized and plugged into a power receptacle**

4. Open the Master Load Doors and reinstall the connecting screws. Close the unit.

5. Power and test the unit.

***To connect multiple units, please call for technical assistance**



Recessed Wall-Mount Installation

***Wall studs and framing need to be completed by installers before mounting the Electronic Parcel Locker Unit. Power strips and receptacles should also be installed behind the wall to provide power to the units before installation**

1. Prepare for electrical installation following local installation codes and providing room for the incoming power cable (we recommend the connection set up being done by a licensed electrician).

***Before re-installing the unit back into the enclosure, ensure all power cords are organized and plugged into a power receptacle**

2. Open both Master Load doors once the unit is set in position.

3. Anchor the unit onto the studs using screws by drilling through the sides of the unit into studs and close the Master Load Doors.

4. Open the Master Load Doors and reinstall the connecting screws. Close the unit.

5. Power and test the unit.

***To connect multiple units, please call for technical assistance**



Parcel/Delivery Locker Connector Tubes Kit


All standard modules are designed to be recessed directly into a wall, enclosure, or casing. Since most units are installed in a wall, our Connector Tubes kit is perfect for connecting multiple 4C Recessed units together to create a clean and professional look. The connector is made of heavy-duty aluminum and flawlessly connects multiple units across a larger rough opening so they are flushed side by side. This kit eliminates the need for wood studs in between mailboxes and creates a clean look by pulling the mailboxes together tightly without gaps. The Connector Tubes Kit is sold separately and comes with a full installation manual.

Easy to Install

Recessed wall-mount installation is easy. With the help of a licensed electrician and installer, the unit slides into place. The recessed wall mount creates a seamless integration of the unit and your existing wall. Not only are you saving space on the parcels themselves, but you're also saving the space a freestanding or surface-mounted unit would take up.



N1032117



Parcel Delivery Management Lockers



Postal Products' indoor locker systems are designed and engineered specifically for your property. Regardless of the available space or design of your area, our talented engineering team will collaborate with your staff to create an electronic locker solution that maximizes the space you have available. Additionally, we work with your team to choose the designs and colors that go best with the other elements of your location.

Package Management Made to be Economical and Easy to Use!

Maintain and keep your valuable employees running your properties, not incoming parcels and deliveries.



Freestanding Enclosure
15" or 24" Depth



Recessed Wall Mount
15" Depth



Surface Mounted Enclosure
15" Depth

Stucco Parcel Delivery Locker Enclosure

With the Stucco enclosure, you get the convenience of a Parcel Delivery Locker along with a high-end custom decorative style that compliments your neighborhood design and becomes the focal point for mail deliveries. This Stucco enclosure serves those who are looking for a more elegant take on a Parcel Delivery Locker by converting a standard locker unit into a more refined and attractive centralized mail delivery kiosk (that is primarily for outdoor use). The exterior-grade surface of the enclosure is painted to match the color of the Parcel Delivery Locker, adding a “curb appeal” to both residential and commercial areas. The finish provides lasting durability in all types of weather and the surface looks great after years of use. The unit is ready to install and features a stucco column that is manufactured from an easy-to-handle foam core. It’s safe, durable, and will collapse upon high impact reducing injuries from collisions. Everything including all of the mail is accessed from the front of the mailbox. This unit is available in black, bronze, slate gray, sandstone, or unpainted. The unpainted option is for those who would like to paint the unit to match a subdivision, for example.



Color Options - Minimums and upcharges may apply.



Sandstone



Bronze



Black



Slate
Grey



Burnt
Tuscan



Unpainted

Spec. Pages can be found in the Spec. Booklet


Choose from 3 modules of the Smart Parcel Locker unit!




There are 84 configurations total and 21 per module.

See the Spec. Booklet for exact measurements and installation assistance.


N1032770 Recessed Wall Mount 15" Parcel Locker - 9 Door




N1032843 Surface Mount 15" Parcel Locker - 27 Door



N1032843 Freestanding 15" Parcel Locker - 9 Door



N1032821 Freestanding 24" Parcel Locker - 7 Door



Chilled/Freezer Parcel Delivery Locker



***Please call for a quote and spec. measurements**

Store fruits, vegetables, and even wet groceries in chilled/freezer parcel delivery lockers using the locker's integrated chiller system. The software allows for dry, chilled, and frozen lockers on one tablet-like interface screen. Monitor the temperature remotely in real-time to ensure all lockers are set to your preferred temperatures.

Chilled



33.8°F - 39.2°F

Freezer



1.4°F - -9.4°F

Features



Multi Temperature



Modular



Smart Unlock



Antifreezing



Customizable



Easy Integration



Low Consumption



Remote Diagnostics



ALL ALUMINUM
CONSTRUCTIONQUICK
SHIP PROGRAM

4C Horizontal Business Boxes

4C Standard Mailboxes are constructed of heavy gauge aluminum with stainless steel components for maximum durability both indoors and out with a shelter. Corrosion-resistant, weatherproof powder coat finish protects the units from the elements, while the riveted shelves and concealed hinges limit pry points for extra security. These features helped the units pass rigorous USPS security tests. The carrier access door provides easy access for Postal Letter Carriers to release the master loading doors. Tenant doors meet the new compartment minimum size requirement of 3"H x 12"W x 15"D. Most units meet the USPS requirement for 1:10 parcel locker to tenant compartment ratio and meet the USPS 4C requirements which comply with ADA standards. Units feature the new USPS-1172 910A lock and include 3 keys. All units include a weather protected receptacle for outgoing mail; an optional rain drip shield at the top of the unit is also available. If installation is outdoors, we recommend using a rain shield/lip or shelter housing. Per the USPS, the 4C Standard Mailboxes are mandatory on all new construction and major renovation projects as of October 2006.

	Model #	# of Tenant Doors	# of Parcel Doors	RO Width	Actual Width	Actual Height	Weight
A	N1033999	7	2	54"	31 1/2"	56 1/2"	118 lbs.
B	N1033995	7	0	43 5/16"	17 1/2"	44 1/4"	56 lbs.
C	N1033996	12	1	43 1/2"	31 1/2"	44 1/4"	120 lbs.

Outdoor or Indoor Installation!

Optional 4C Enclosures for Surface Mount or Freestanding Units are also available.

Refer to www.mailproducts.com

4C Standard Mailbox Features


- Heavy Gauge Aluminum Construction
- Anodized Aluminum Powder Coat Finish
- Riveted Shelves
- Concealed Hinges
- Weatherproof Outgoing Mail Slot
- Ada Compliance Guidelines On Website



N1033999



N1033995




N1033996



N1032665



N1029444



N1029448



N1029449

Optional Colors (Call For Availability)



Silver



Sandstone



Bronze




Gold

4C Wall Mounted Installation




USPS INSTALLATION REQUIREMENTS:

1. AT LEAST ONE CUSTOMER COMPARTMENT SHALL BE POSITIONED LESS THAN 48" FROM THE FINISHED FLOOR.
2. NO PARCEL LOCKER COMPARTMENT (INTERIOR BOTTOM SHELF) SHALL BE POSITIONED LESS THAN 15" FROM THE FINISHED FLOOR.
3. NO PATRON (TENANT) LOCK SHALL BE LOCATED MORE THAN 67" ABOVE THE FINISHED FLOOR.
4. NO CUSTOMER COMPARTMENT (INTERIOR BOTTOM SHELF) SHALL BE POSITIONED LESS THAN 28" FROM THE FINISHED FLOOR.
5. THE USPS ARROW LOCK SHALL BE LOCATED BETWEEN 36" AND 48" ABOVE THE FINISHED FLOOR



4C UNITS FEATURE TRIM DESIGNED TO MATE (NO GAP BETWEEN UNITS) FLUSH WHEN A SINGLE STUD IS USED BETWEEN UNITS

WALL MOUNTING SHOULD CONSIST OF TWO STUDS ON OUTSIDE OF EVERY UNIT



SEE R3 FOR IMPORTANT INFORMATION THAT WILL DETERMINE THE HEIGHT OF THE UPPER AND LOWER CROSS MEMBERS. *CONTACT POSTAL PRODUCTS FOR "ROUGH OPENING" DIMENSIONS SPECIFIC TO THE UNIT(S) YOU ARE PURCHASING.

(WALKING SURFACE)

For full installation instructions:

<http://www.mailproducts.com/PDF/Instructions/STD4C-118.pdf>

USPS Delivery Parcel Lockers 4B+

**USPS ALLOWED FOR 4B+
REPLACEMENTS ONLY.**
**NO NEW CONSTRUCTION
ALLOWED**
POSTMASTER APPROVAL REQUIRED.
INSTALL TO POSTAL SERVICE REGULATIONS ONLY.



N1029436
Small Parcel Locker
13½"W x 17"D x 11¼"H



N1029437
Large Parcel Locker
13½"W x 17"D x 17"H



N1029140
2 Door Parcel Locker



N1029139
3 Door Parcel Locker



N1029435
13 Large Door Front load
27½"W x 17"D x 39"H



For New Construction Projects, Please See New 4C Horizontal Mailboxes, Pages ?? - ??
For Other Configurations or Custom Units, Please Refer to Pages ?? - ??

Please note that one door will be used as a USPS master door and cannot be used as a tenant door.



N1025949
Steel (Silver)



N1025949
Gold



N1025949
Bronze w/
Black Speckle

High Security Keykeeper

Provide access to lobby entrance keys or entry keycards while maintaining building security. Mount the stainless steel Keykeeper box to the outside wall close to a building entrance. Carrier will open the keykeeper via the arrow lock and open the front entrance door. The housing is constructed of 1/16" stainless steel and the face is 1/8" stainless steel. Door closes flush to the wall, minimizing pry points. The High Security Keykeeper comes in Gold, Silver polished steel, Black Speckle, or Bronze finishes. The Keykeeper accepts the Postal Arrow Lock. The Arrow Lock is protected by a raised collar and the carriage bolts are counter sunk for additional security. The Keykeeper also has the added option of a Retractable Reel Key Chain.

Model #	Description	Color	Size (W x D x H)	Weight
N1025949	High Security Keykeeper	Steel	6 1/2"x2 1/8" x 5"	3 lbs.
N1025949	High Security Keykeeper	Gold	6 1/2"x2 1/8" x 5"	3 lbs.
N1025949	High Security Keykeeper	Bronze w/ Black Speckle	6 1/2"x2 1/8" x 5"	3 lbs.
N1025949	High Security Keykeeper with Removable Retractable Reel Chain	Steel	6 1/2"x2 1/8" x 5"	3 lbs.
N1025949	High Security Keykeeper with Removable Retractable Reel Chain	Gold	6 1/2"x2 1/8" x 5"	3 lbs.
N1025949	High Security Keykeeper with Removable Retractable Reel Chain	Bronze w/ Black Speckle	6 1/2"x2 1/8" x 5"	3 lbs.



Color Options



Steel



Bronze w/
Black Speckle



Gold

Standard Security Keykeepers

Locking the front lobby of a multi-unit building is easy with a Keykeeper installed. The Keykeeper safely stores the door key, while allowing your postal carrier access using the U.S. Postal Service Arrow Lock. Available in a variety of styles to fit your application.

- Loose key - Key rests inside Keykeeper
- Retractable Reel Chain - Secure key with a retractable chain to Keykeeper.

Model #	Description	Color	Size (W x D x H)	Weight
N1004649	Recessed Loose Key Keykeeper	Anodized Aluminum	6 3/4" x 2 3/8" x 6 1/4"	4 lbs.
N1004649	Recessed Loose Key Keykeeper	Gold	6 3/4" x 2 3/8" x 6 1/4"	4 lbs.
N1004653	Surface Mount Loose Key Keykeeper	Anodized Aluminum	6 3/4" x 2 3/8" x 6 1/4"	5 lbs.
N1004653	Surface Mount Loose Key Keykeeper	Gold	6 3/4" x 2 3/8" x 6 1/4"	5 lbs.
N1004651	Retractable Reel Chain Keykeeper	Anodized Aluminum	6 3/4" x 2 3/8" x 6 1/4"	4 lbs.
N1004651	Retractable Reel Chain Keykeeper	Gold	6 3/4" x 2 3/8" x 6 1/4"	4 lbs.

Color Options



Anodized
Aluminum



Gold



Dark
Bronze
(Special Order)



N1004649
Anodized



N1004649



Front View
N1031999

Rear Loading - Front View of Double Column Unit Displayed



Rear View
N1031999

Rear Loading - Rear View of Rear Access Doors Displayed



N1032158
Upgraded Locking Hasp

Parcel Drop Boxes for Secure Delivery

Our home parcel boxes can accept large packages and will safeguard them until you get home to make sure you never miss another parcel delivery. This unit features an easy pushbutton lock to lift the lid for easy access. To use the box, simply leave the door closed and unlocked until the delivery person places a package into it and locks it (simple delivery instructions printed on parcel box). This parcel drop box is built from thick, heavy-gauge galvanized steel and is weatherproof. An optional security cable (PCSB-cable) is available along with a mounting bolt kit.



A. Medium Drop Box: N1031820
Maximum Parcel Size: 15" x 16" x 10"
Delivery Box: 18" W x 20.5" H x 12.75" D

B. Large Drop Box: N1031821
Maximum Parcel Size: 19" x 20" x 13"
Delivery Box: 22" W x 24.75" H x 17" D



N1031821
Packages stay secure



N1031820
Additional Security Cable available

Simple delivery
instructions printed
on Parcel Box



N1031820
Extra large capacity

PARCEL DELIVERY?

1. Put Parcel in Box
 2. Close Box Lid
 3. Push Button Lock
- Delivery Address:


Personal Privacy Lockers Ideal for Cell Phones, Wallets, and Keys

The Guardian Lockers are perfect for schools, offices, restaurants, or anywhere employees need to store their personal items or supplies. The Guardian Lockers offer an attractive, space saving, economical way to add storage space to your work place. Available in four different compartment sizes and three different mounting options, the Guardian Lockers are sure to meet all of your storage or security needs. Made of a tough 22-gauge steel cabinet, with thick polycarbonate doors, the Guardian Lockers can be conveniently added to any table top surface, floor mounted (with optional 6" base), or installed in the wall for greater space saving. Comes standard with 5-pin tumbler key lock with 1,000 key changes.


Model #	Description	Overall Size (W x H x D)	Weight
UVLOC24A	"A" Size Doors - Personal Privacy Lockers	22" x 26" x 16"	70 lbs.
UVLOC16B	"B" Size Doors - Personal Privacy Lockers	22" x 52" x 16"	65 lbs.
UVLOC08C	"C" Size Doors - Personal Privacy Lockers	22" x 26" x 16"	50 lbs.
UVLOC04D	"D" Size Doors - Personal Privacy Lockers	22" x 26" x 16"	48 lbs.
UVLOCBASE-BLK	Optional Base	22" x 16" x 6"	10 lbs.
UV3953	Standard Key Replacement Lock		1 lb.
UV2023MKEY	Master Key Option		

For quality pricing, call for quote.


UVLOC16B
with Silver Doors -
(optional upcharge)
2 Lockers stacked
on top of each other
and optional base




"A" Size Doors
3 3/8"W x 6 1/4"H



"B" Size Doors
5 1/2"W x 6 1/4"H



"C" Size Doors
11"W x 6 1/4"H



"D" Size Doors
11"W x 12"H

Lock Options



UV2023MKEY
Master Key & Lock



UV2024
Standard
Hasp Lock
(Padlock NOT Included)

UV2156
Thumb
Latch




UV3960
Combo
Lock



UV23953
Standard
Key Lock



UVLOC24A-BLK-HSP
with UVLOCBASE-BLK



Labeling Options



Clear Cover for Name Slot



Clear Vision Window
Contents of box can be seen
through clear window

Options Privacy Lockers *Indicates upcharge.



Cabinet Color



Black



Door Color Options (Custom Colors available with minimum order)



Black



Silver*

Clear Door Secure View Locker

- Reduce theft and discourage hiding contraband
- See-thru, polycarbonate doors
- 20 gauge steel housing
- Choose between Key or Hasp Lock options
- Units ship fully assembled
- Door size: 11" W x 12" H x 18" D



Units are stackable!



UV25986
with Key Lock Option



UV25986
with Hasp Lock Option

Model #	Description	Size (W x H x D)	Weight
UV25986	3 Tier	11 1/2" x 38" x 18"	35 lbs.



UV26641
Putty
Single Tier



UV26642
Grey
Double Tier



UV26643
Putty
Triple Tier



UV26644
Grey
Six Tier

Steel Lockers

- Secure lockers for students, employees, or clients
- Constructed of prime grade steel
- Stainless steel and aluminum components
- Locks with padlock (padlocks not included)
- Instructions and hardware included
- Ships knocked-down (ships assembled for an additional upcharge)
- Choose Grey or Putty exterior
- Choose single, double, triple, or six tier locker
- All lockers are 13" W x 18" D x 78" H

Model #	Description	Weight
UV26641	Single Tier	35 lbs.
UV26642	Double Tier	70 lbs.
UV26643	Triple Tier	69 lbs.
UV26644	Six Tier	70 lbs.



Wood Framed and ABS Cell Phone Lockers

Our cell phone lockers are space saving and are made for long lasting dependability. Units can mount on the wall, be placed on any flat surface, and can easily stack on top of each other. Available in Cherry, Light Oak, or Walnut wood frame with 4" depths or Black ABS plastic with 4" depths. The units ship fully assembled. Comes in 4 door or 8 door cabinets. Hasp and Keyed Lock (with master) options.



UVQ1046

Black Frame 5" x 6" Black Doors with
Keyed Lock & 4" Depth



14 15
Tabs for Cell Phone
Lockers numbered 1-25




N1025182

Standard Hasp Lock
(Padlock NOT Included)



UVQ1032

Walnut Frame four 5" x 6" Black Doors
with Hasp Lock & 4" Depth



UV2023MKEY


Master Key for
5-Pin Tumbler Lock
Opens standard
Keyed Lock Door

Model #	Description	Overall Size (W x H)	Depth
UVQ1030	Walnut Frame, Black Door, 4 Door, Keyed Lock	12" x 13 1/2"	4"
UVQ1031	Walnut Frame, Grey Door, 4 Door, Keyed Lock	12" x 13 1/2"	4"
UVQ1032	Walnut Frame, Black Door, 4 Door, Hasp Lock	12" x 13 1/2"	4"
UVQ1033	Walnut Frame, Grey Door, 4 Door, Hasp Lock	12" x 13 1/2"	4"
UVQ1034	Walnut Frame, Black Door, 8 Door, Keyed Lock	24" x 13 1/2"	4"
UVQ1035	Walnut Frame, Grey Door, 8 Door, Keyed Lock	24" x 13 1/2"	4"
UVQ1036	Walnut Frame, Black Door, 8 Door, Hasp Lock	24" x 13 1/2"	4"
UVQ1037	Walnut Frame, Grey Door, 8 Door, Hasp Lock	24" x 13 1/2"	4"
UVQ1022	Light Oak, Black Door, 4 Door, Keyed Lock	12" x 13 1/2"	4"
UVQ1023	Light Oak, Grey Door, 4 Door, Keyed Lock	12" x 13 1/2"	4"
UVQ1024	Light Oak, Black Door, 4 Door, Hasp Lock	12" x 13 1/2"	4"
UVQ1025	Light Oak, Grey Door, 4 Door, Hasp Lock	12" x 13 1/2"	4"
UVQ1026	Light Oak, Black Door, 8 Door, Keyed Lock	24" x 13 1/2"	4"
UVQ1027	Light Oak, Grey Door, 8 Door, Keyed Lock	24" x 13 1/2"	4"
UVQ1028	Light Oak, Black Door, 8 Door, Hasp Lock	24" x 13 1/2"	4"
UVQ1029	Light Oak, Grey Door, 8 Door, Hasp Lock	24" x 13 1/2"	4"
UVQ1038	Cherry, Black Door, 4 Door, Keyed Lock	12" x 13 1/2"	4"
UVQ1039	Cherry, Grey Door, 4 Door, Keyed Lock	12" x 13 1/2"	4"
UVQ1040	Cherry, Black Door, 4 Door, Hasp Lock	12" x 13 1/2"	4"
UVQ1041	Cherry, Grey Door, 4 Door, Hasp Lock	12" x 13 1/2"	4"
UVQ1042	Cherry, Black Door, 8 Door, Keyed Lock	24" x 13 1/2"	4"
UVQ1043	Cherry, Grey Door, 8 Door, Keyed Lock	24" x 13 1/2"	4"
UVQ1044	Cherry, Black Door, 8 Door, Hasp Lock	24" x 13 1/2"	4"
UVQ1045	Cherry, Grey Door, 8 Door, Hasp Lock	24" x 13 1/2"	4"
UVQ1046	Black Frame, Black Door, 4 Door, Keyed Lock	12" x 12 1/2"	4"
UVQ1047	Black Frame, Black Door, 4 Door, Hasp Lock	12" x 12 1/2"	4"
UVQ1048	Black Frame, Black Door, 8 Door, Keyed Lock	24" x 12 1/2"	4"
UVQ1049	Black Frame, Black Door, 8 Door, Hasp Lock	24" x 12 1/2"	4"
UVQ1050	Black Frame, Grey Door, 4 Door, Keyed Lock	12" x 12 1/2"	4"
UVQ1051	Black Frame, Grey Door, 4 Door, Hasp Lock	12" x 12 1/2"	4"
UVQ1052	Black Frame, Grey Door, 8 Door, Keyed Lock	24" x 12 1/2"	4"
UVQ1053	Black Frame, Grey Door, 8 Door, Hasp Lock	24" x 12 1/2"	4"

Options Privacy Lockers *Indicates upcharge.



Housing Colors



Walnut Light Oak Cherry Black



Door & ABS Housing Colors



Black



Charging Station

These cell phone lockers feature USB plug ins that will conveniently charge phones in each locked compartment. Each individual door has its own set of keys and the whole unit comes with a master key for the administrator. Our charging stations are perfect for bars, airports, sporting events, trade shows, malls, restaurants, and much more. Improve your customers experience by eliminating their search for outlets or having to stay next to their phones while it charges. Provide these charging stations as a courtesy for your customers or to prevent your employees from worrying about confusion or theft while looking after property. The charging station has one plug that charges all of the USB ports and is situated on the bottom left; either on the back, bottom, or side of the unit. The station can be placed on a stable surface up against the wall or easily mounted to the wall with the mounting holes on the back. In order to mount to the wall, simply mark where the holes are on the wall and drill through.

Features:

- (4) Single USB Lockers
- Comes in Black
- Constructed out of heavy impact resistant plastic
- One size

Model #	Size (W x H x D)	Opening Size (W x H x D)
UVQ1070USB	12 1/2" x 25" x 4"	10" x 5" x 3"



UV25182
3 Door Locker



UV25183
6 Door Locker

Quiet Economy Lockers

Features:


- Reduce noise from opening and closing with no metal-on metal contact
- 20 gauge powdercoated steel housing
- 1/4" thick polycarbonate doors
- Locks with padlock (padlocks not included)
- Stackable units
- Recessed number tags included
- Units ship fully assembled
- Optional base available



Units are stackable!



Door Sizes



Model #	Description	Size (W x H x D)	Door Size (WxH)	Weight
UV25182	3 Door Locker	11 1/2" x 18" x 38"	11" x 12"	35 lbs.
UV25183	6 Door Locker	11 1/2" x 18" x 38"	11" x 6 1/4"	38 lbs.
UV25953	6" Base	11 1/2" x 18" x 6"	-	5 lbs.
UV3953	Key Lock	-	-	1 lb.
UV26115	4 Ring Combination Lock	-	-	1 lb.



Work Floor Mobile Lockers

A portable bank of lockers, primarily designed for storage of personal items and company issued tools, while conveniently on the workroom floor. Mobility allows supervisors to position in the most convenient and accessible places to the workers. Each door individually keyed and in two sizes.

Features:

- 15" depth compartments
- Doors can be numbered
- Administrator key provided
- Different door configurations available
- Individual keys for all doors
- Comes with 4 wheels, 2 of which are locking



ALL SKU VARIATIONS
OF THIS PRODUCT CAN
BE UPLOADED TO YOUR
ECOMMERCE SITE AND
MARKETING MIX

Model #	Description	Size (W x H x D)	Weight
UVECT32	32 Cell Phone Doors	16" x 52" x 22"	130 lbs.
UVECT242	24 Cell Phone Doors + 2 Purse Doors	16" x 52" x 22"	130 lbs.
UVECT1642	16 Cell Phone Doors + 4 Laptop/2 Purse Doors	16" x 52" x 22"	130 lbs.
UVECT16	16 Laptop Doors	16" x 52" x 22"	130 lbs.
UVECT64	6 Purse Doors + 4 Laptop Doors	16" x 52" x 22"	130 lbs.



Heavy Duty Mobile Lockers

Some buildings require cell phones to be locked away before entering, as you may experience upon entering a courthouse or federal building. Testing for college entrance exams disallow cell phones, backpacks, or purses further than the lobby, and to prevent disruptions at lectures, cell phones must be silenced or stored away. The Mobile Locker Tower is a portable cabinet with lockable compartments to accommodate these requirements. Each door has its own key that goes with the patron after stowing their personal items. Administrators have a master key if door keys are lost or contents were not retrieved. There are two standard size doors; one that is 15" deep that can easily accommodate a cell phone, keys, and small personal items. The other: a backpack / purse compartment.

The mobile feature is useful in two ways. Move the tower within the facility to where an event is occurring that requires items to be locked up, and position the tower in open spaces near entranceways for visibility and ease of use. The side panels feature either a magnetic dry erase or snap frames. Utilize the dry erase panels to provide instructions for using towers or wayfinding to direct patrons to the event. Snap frame can support advertisements, directions or event information.

Features:

- 15" depth compartments
- Different door configurations - Doors can be numbered
- Administer key and individual keys for all doors
- Comes with 4 wheels, 2 of which are locking

Model #	Description	Size (W x H x D)	Weight
UVCT322	32 Cell Phone Doors + 2 Purse Doors	26" x 68" x 26"	195 lbs.
UVCT40	40 Cell Phone Doors	26" x 68" x 26"	195 lbs.
UVCT2822	28 Cell Phone Doors + 2 Laptop Doors & 2 Purse Doors	26" x 68" x 26"	195 lbs.
UVCT20	20 Laptop Doors	26" x 68" x 26"	195 lbs.

UVCT322

28 Cell Phone Doors, 2 Purse Doors
Side panels surface is magnetic porcelain to communicate instructions or directions

Multi Sided Dry Erase Boards

Portable and Pedestal towers are a special type of visual communication board because they do not require wall space to use. Locate on workroom floors, manufacturing plants, or in warehouses to display production goals, safety procedures, injury awareness, notices, or upcoming events, all in one convenient location. The 3 or 4 sided towers pack the same amount of usable surface as some 4' x 8' wall mount boards and can be placed anywhere. When choosing the best version for your facility, you have choices. Each tower type has the option of dry erase panels, fabric cover tack boards, preprinted tracking panels, or CI (Continuous Improvement) production and TCard boards.

The Portable Tower has casters on each foot and is completely movable. Lock the casters to keep in place, unlock to rotate or position in a different area. The Pedestal version stands on a base, and the 3 or 4 sided panels rotate as needed.

Features:

- Freestanding tower on locking casters (Portable)
- Pedestal base with rotating panels (Pedestal)
- 3 sided and 4 sided versions
- Pricing includes choice of standard options: magnetic dry erase, magnetic dry erase with preprinted 1" grid lines, dry erase with weekly calendar and fabric covered tack panel

Portable Tower
rolls where
needed



Model #	Description	Size (W x H)
UVRT31848	3 Sided Rotating	18" x 48"
UVRT41848	4 Sided Rotating	18" x 48"
UVRT32448	3 Sided Rotating	24" x 48"
UVRT42448	4 Sided Rotating	24" x 48"
UVPRT32448	3 Sided Mobile	24" x 48"
UVPRT42448	4 Sided Mobile	24" x 48"
UVPRT42448S	4 Sided Mobile w/ Optional Storage	24" x 48"

Specialty Towers

Magnetic Dry Erase Panels can come with any preprinted design, such as Monthly Safety Tracker, Days Without Injury, and Production Tracker. Workstation panel options include Pen, Magnet Circles Binder Holder, T-Card Holder, T-Card Racks, and 2 Ring Shop Ticket Holders. Indicate options required, and a layout will be created with pricing.

Standard Panels

Alternate Panels




Pedestal Tower
with holes
in base for
mounting



Dry Erase
Magnetic




Fabric
Covered
Tackboard



Dry Erase
Grid
Magnetic



Dry Erase
Weekly
Calendar
Magnetic



Monthly
Safety
Tracker



T-Card
Panel



Dry Erase
Monthly
Calendar
Magnetic



Production
Tracker



Workstation
Panel

Pedestal Tower
with holes
in base for
mounting



Single Pedestal Outdoor Personal Property Locker

This unit includes 35 lockers that are arranged five doors wide by seven doors tall constructed in an aluminum housing. 34 out of the 35 locker doors are used while the last one is mainly for admin access and each door has an individual key. It comes with a weather protective hood as this is an outdoor unit. This product is offered on a single pedestal however, it can be wall mounted (please inquire for wall mounting rail kit).

Features:

- 35 Doors
- 5' wide and 7' high
- Compartment doors are 5" high x 6" wide x 8" deep
- Engraved adhesive number plates applied to doors
- Weather protection hood
- Private master lock and 5 pin cylinder cam locks

UV1004629-35DOOR

Model #	Size	# of Doors
UV1004629	34" x 40" x 14"	35



Temporary Locker System

This Temporary Locker System is for customers to safely lock items for a one-time use. Primarily, this system is a way for no contact device repair drop off/pick up with a code that is only used one time. The code is set when the person drops off the item and is reset after they pick their item up. There are eight electronically locked secure that will fit almost any small electronic device. It comes with a cut out for a 19" informational video screen and another cut out for an iPad which the products are not included. The panels on the side can be customized to show any graphics or logos on them.

Features:

- 1 P.O.S. & 1 iPad - not included
- 1 19" Informational video screen
- - not included
- 8 Electronically locked secure lockers fit almost any small electronic device
- Completely contactless service

Model #	Description	Case Dimensions
UVKL8	Kiosk	22 1/4" x 64" x 15 3/4"
UVKL14	Locker Version	22 1/4" x 64" x 15 3/4"
UVLOCBASE	Base	22 1/4" x 16" x 16"

Curbside Collection Box (Private Delivery Only)

These units are made for private use only - no exceptions. Excellent for bill payment drop off, night depository, video, or book drop. Recommend use indoors placed in lobby, doorway, or under sheltered enclosure. Standard colors are grey and white (custom colors available at an extra charge - excluding Blue; additional charges may be incurred for an exact PMS color match; please call our Customer Service Department for details on custom colors). Custom color drop boxes are not returnable. Each unit comes standard with a 5-pin tumbler lock and two keys.

Model #	Description	Weight
UV4687	Rounded Top Collection Box	95 lbs
UV1037001	Flat Top Collection Box	95 lbs
UV4689	Custom Color for Box	-



UV4687-WHITE
White Curbside
Collection Box

Custom Vinyl

Personalize these sturdy curbside collection boxes with your own custom logo or message. High-quality decals are printed on durable vinyl in shop. Our Thermal Printer Roll offers a 4-color printing process.

Overall Dimensions:

- 22 1/2" W x 48" H x 23" D

Dimensions for Printing:

- Slot Panel: 17 1/2" W x 15 1/2" H (with 3 1/4" ledge)
- Front Door: 17 1/4" W x 18 1/4" H
- Side Panels: 22" W x 35 3/4" H (curves at 20 3/4" H with semicircle radius of 15")
- Back Panel: 22" W x 48" H with top curve

If artwork cannot be submitted in the formats listed, your order may be subject to a custom artwork processing fee.

Signage Artwork Requirements

To ensure you receive the best product available, we require that all artwork submitted must be in VECTOR formats. We accept artwork from the following programs in order of preference:

1. Adobe Illustrator

- CS5 or lower
- Type converted to outlines
- Acceptable file types are .AI, .EPS, or .PDF

2. Adobe InDesign

- CS5 or lower
- Type converted to outlines

3. Adobe Photoshop

- CS5 or lower
- Acceptable file types are .EPS, .PDF, .TIF, .JPG
- 300 DPI or higher resolution at true size

4. Corel or Freehand

- Files will be assessed in a case-by-case basis, but most likely will be processable.

Please also submit color separations in your file.

If artwork cannot be submitted in the formats above, your order may be subject to a processing fee.



Options Vinyl Lettering *Indicates upcharge.



Vinyl Lettering

Other colors are available. Please call for information.



White



Vivid
Blue



Black



Cardinal
Red



Green



Yellow

**UV26001-CHERRY-BLACK**Cherry Finish
Black Door**Document Drop Box**

This wall mountable document drop box features top slot entry for mail, documents, money, checks, or other personal property. Our document drop box has an 11" x 12" door and two keys included. The entry door is made of durable polycarbonate plastic made for years of reliable use.

Features:

- 11" x 12" locking door, bottom hinged
- ABS Black Plastic Frame or Hardwood housing
- Mount through back panel to wall

Model #	Description	Size (W x H)	Depth
UV26001	Wood Frame	11" x 12"	4"
UV26000	ABS Black Frame	11" x 12"	4"

**UV26000-BLACK-CLEAR**Black Finish
Clear Door**UV26000-WALNUT-BLACK**Walnut Finish
Black Door

8" Depth Available Upon Request for an Up-Charge. Other Smaller or Larger Sizes are Available Upon Request. Please Call for more Information.



ALL SKUs AVAILABLE FOR INSTANT UPLOAD
OFFER ALL OF OUR VISUAL COMMUNICATION PRODUCTS: EXPAND YOUR MIX AND GENERATE SALES

Pedestal Drop Boxes

- Collect electronics, keys, suggestions, mail, donations or express checkout sheets
- Place boxes near entrances/exits, elevators, front desks, etc.
- Features a 3/8" W x 4" L slot at the top of the box for drop
- Black cabinet, door and pedestal



Retrieve contents by unlocking protective door.




Money, hotel keys, mail, and paper fit easily in the 3/8" x 4" L slot.

**UVDB611**
11" x 6" Door**UVDB56**
5 1/2" x 6" Door**UVDB1112**
11" x 12" Door

Model #	Size (W x H x D)	Overall Height	Weight
UVDB56	5 1/2" x 6 1/4" x 12"	42 1/2"	16 lbs.
UVDB611	11 1/2" x 6 1/4" x 12"	42 1/2"	17 lbs.
UVDB1112	11 1/2" x 12" x 12"	48 1/2"	20 lbs.
ADD LTR	For Vinyl Lettering	-	-

Five Standard Decals Available:
-Key Drop (KD)
-Express Checkout (EXC)
-Suggestions (SG)
-Mail (ML)
-Donations (DT)

Options Vinyl Lettering *Indicates upcharge.**Wood Frame Colors****Door Colors**



Cluster Box Units

- Heavy duty extruded aluminum
- Stainless steel hinges
- Corrosion resistant components, durable powder-coat finish
- Approved for use throughout the U.S. in all weather conditions
- Front-entry master door with a built-in hold open device
- Five-pin cylinder cam lock with three keys (USPS designed 910 lock for maximum security)
- 11 3/4" W x 3/4" H slot
- Resistant to mail theft and vandalism



UV1031042
Type II CBU
Bronze



UV1031543
Type III CBU
Black



UV1029597
Type IV CBU
Sandstone



UV1029594
Type I CBU
Sandstone

Model #	Description	# of Tenant Doors	# of Panel Doors	Size (W x H x D)	Weight
UV1029594	Type I CBU with Pedestal	8	2	30 1/2" x 62 x 17 7/8"	137 lbs
UV1031042	Type II CBU with Pedestal	12	1	30 1/2" x 62 x 17 7/8"	139 lbs
UV1031543	Type III CBU with Pedestal	16	2	30 1/2" x 62 x 17 7/8"	174 lbs
UV1029597	Type IV CBU with Pedestal	13	1	30 1/2" x 62 x 17 7/8"	169 lbs

In Stock



Sandstone



Bronze



Black



UV1034011



UV1029416



UV1029415

4C Standard Mailboxes

- Heavy gauge aluminum with stainless steel components
- Stainless steel hinges
- Corrosion resistant components, weatherproof powder-coat finish
- Units pass rigorous USPS security test
- All units include a weather protected receptacle for outgoing mail
- If installation is outdoors, we recommend using a rain shield/lip or shelter housing

Optional Colors



Silver



Sandstone



Bronze



Gold

Model #	# of Tenant Doors	# of Panel Doors	RO Width	Actual Width	Actual Height	Weight
UV1029415	20	2	30 1/2"	30 1/2"	56 1/2"	142 lbs.
UV1029416	9	1	16 1/4"	17 1/2"	56 1/2"	76 lbs.
UV1034011	10	2	36 1/2"	31 1/2"	37 1/2"	130 lbs.



UV4221HK2335-LABEL
60 Keys with sequenced labels

Locking Key Cabinet

This is a wall mount, aluminum frame key cabinet, with hooks for each individual key; 30 or 60 in all. Door is locking and has a clear window for viewing which hooks are vacant. There is alpha numeric standard labeling A1-F60, or simple 1-30 / 1-60 numbering. Custom labeling or unlabeled also available.

Features:

- Labeled or unlabeled
- Great for organization and security
- Lockable doors mounted on full-length piano hinges

Model #	Description	Size (W x H)	Depth	Weight
UV4221HK2335	60 Key Hooks	23" x 35"	3 1/8"	18 lbs.
UV4221HK2320	30 Key Hooks	23" x 20"	3 1/8"	12 lbs.



UV4221HK2335-LABEL
60 Keys with alpha numeric labels



UV4221HK2335-LABEL
60 Keys without labels



UV4221HK2335-30-LABEL
30 Keys with sequenced labels



Key Cabinet

This secure, lightweight key cabinet features a space-maximizing design that offers storage space for up to 70 keys. The anodized aluminum construction and acrylic window provide superior durability as well as allow for easy wall hanging. Ideal for valet services, auto repair shops, storing route keys, ID cards and more.

Features:

- All-aluminum construction
- Clear acrylic window
- Locking
- 70 key compartment
- 3 1/4" depth
- 1" wide main frame
- 1 1/2" door frame

Model #	Size (W x H x D)	Viewable Area (WxH)	Weight
UV1005634	22 3/4" x 34 3/4"	17 3/4" x 29 3/4"	25 lbs.




UV1005634
70 compartments behind locking door for keys, tags and 10 cards

Welded Wire Storage Units




Our Welded Wire Storage Lockers are ideal for multi-family buildings, apartment complexes, military bases, academic institutions, municipalities, or condominiums. They are constructed of high-grade industrial materials and will store resident's personal items in an efficient and secure way. The modular design of the lockers allows you to choose from single or double-tiered options to get the most out of your storage space whether you are using single or multiple units. The double-tiered option is typically used when a large number of tenants need to store their belongings in a limited space. The units are easy to install and are made to support existing lighting and ventilation and will work with your existing fire suppression systems. The low cost of the lockers and installation make it possible to recoup your costs for the storage in less than 12 months by renting them out to tenants. Additional options such as shelves or ceiling, back, and bottom/floor panels are available for further customization.



- All steel or sheet metal lockers, constructed of industrial-grade materials
- Multi-family buildings, apartment complexes, local municipalities, schools, military buildings, universities
- Strong and secure, simple
- Custom-fit, individual units or in a group
- Efficiently eliminates clutter, allows for more aisle space in common areas
- Three-point lock
- Re-coup project cost in less than 12 months by renting storage lockers to tenants
- Easy to install
- Lowest total cost of ownership

- Modular design that is easy to layout, ability to mix styles within a group
- Welded wire allows for field modification (it will not affect the structural integrity of the storage locker panels)
- Padlock lugs, with door strikes standard

Sheet Metal Option



Available Options

Single-Tier Walk-In Lockers


Single-tier, walk-in-style lockers are perfect for storing tenants' out-of-season belongings.

Double-Tier Lockers

Double-tier lockers are ideal for buildings with limited space but a large number of residents. The double-tier has the same width and depth as the single-tier with a height of 3' 9"

Choose Dimensions

3' Wide	4' Wide	5' Wide
3' 0" Deep x 7' 6" High	3' 0" Deep x 7' 6" High	3' 0" Deep x 7' 6" High
4' 0" Deep x 7' 6" High	4' 0" Deep x 7' 6" High	4' 0" Deep x 7' 6" High
5' 0" Deep x 7' 6" High	5' 0" Deep x 7' 6" High	5' 0" Deep x 7' 6" High



Single or Double Tier

Choose from Special Meshes, Sheet Metal and Polycarbonate

10 gauge wire in a 2" x 2" square welded wire mesh

This mesh is welded into a 1 1/4" x 1 1/4" x 13 gauge rolled formed angle

The most common configuration is the single-tier walk-in type with a 3' 0" or 4' 0" wide door, and of 3' 0", 4' 0" or 5' 0"

Standard Option



2" x 2" 10 Gauge Welded Mesh

Other Available Options




1/2" center-to-center square
12 gauge woven
(3/8" square opening)



1 5/8" center-to-center square
8 gauge woven
(1 1/2" square opening)



2 1/4" center-to-center square
6 gauge woven
(2" square opening)



2 1/2" x 1 1/4"
10 gauge woven



3/4" center-to-center square
10 gauge woven
(5/8" square opening)



Expanded Metal
3/4" 9 gauge or
1 1/2" 13 gauge




16 gauge sheet metal



1/4" Clear Polycarbonate Panels

Additional Add-ons



Ceilings

Constructed of the same material as the standard locker



Shelves / Bottoms

16 GA formed galvanized steel



Back Panels

16 GA galvanized sheet metal or
2" x 2" 10 GA Welded Wire

Bicycle Storage Solutions

Bike Stacker

Save space with staggered bike trays. Bike Stacker holds bikes upright and securely in roughly 8 ft. of space. Clearance between bikes allows easy access and the ability to lock bikes to the trays. Beneficial for condominiums, apartments, high-rise buildings, and institutions. Offers easy, secure storage for green commuters.

- Maximize storage - 8-14 bikes in about 8 ft. of space
- Double tiered
- Strong and built to last - 14 & 16 gauge steel
- Simple to use - Slide tires into bike trays
- Almost any bike fits - exception of tandems
- Staggered space between bikes for easy use
- Residential, institutional, and commercial use
- Ability to lock bike to the trays
- Horizontal 14 gauge steel formed channel
- Optional stop pins

Installation requires only standard hand tools

Bike Stacker Sizing Options

Bike Stacker Dimensions & Capacity

Part Number	Description	Depth	Width
BK58	6 Bike Storage Rack	5'-8"	5'-0"
BK610	10 Bike Storage Rack	5'-8"	6'-0"
BK712	12 Bike Storage Rack	5'-8"	7'-0"
BK814	14 Bike Storage Rack	5'-8"	8'-0"

*Note: An 8' ceiling height is required to store full size bicycles on the upper level raised bike trays



Bike Wall Rider

Quickly declutter your common spaces filled with thrown bikes. Bike Wall Riders are storage brackets that make for fast, secure, safe bike storage and access in residential, commercial, institutional, and family homes. Single brackets are great for single garages, while multiple brackets turn unused wall space into secure bike storage. Heavy-duty 11 gauge (1/8" thick) steel supports upright bike storage. A cable loop at the top of the bracket allows for easy lockability. The bracket itself is coated with a clear vinyl finish to protect the finish of the bike. All bikes are supported by the Bike Wall Rider except for tandems.

- Additional revenue source - Rent out spaces
- Safe, secure, fast access
- Heavy-duty 11 gauge (1/8" thick) steel
- Locking ability
- Clear vinyl coating protects bike's finish
- Two predrilled holes for easy wall mounting
- Residential, institutional, commercial, and individual garages
- Heavy duty 1/4" aircraft quality 5' cable
- Vinyl sleeve on hanger helps prevent wheel rim scuffing or scratching

Installation requires only standard hand tools and is easy with two predrilled holes for mounting



The Industry Standard In Commercial and Residential Mailboxes and Parcel/Delivery Lockers

Visit our website to learn more about the information below: www.MailProducts.com

- Corporate information and Package/Parcel Locker product videos
- Shopping cart
- Volume discounts
- Website specials - discounted prices
- Chat online/Who's on Chat
- Architectural, updates for drawings & other specific resources
- Secure online 24-hour ordering
- Order confirmation and tracking/ history of orders
- Company history/information
- Request CAD assistance
- Request quotes
- Product specifications, technical drawings, and more
- Frequently asked questions
- Download PDFs, information, and specific forms
- Product installation instructions for most units
- Quick Ship Program



Learn How We Manufacture Parcel Mailboxes for Package Delivery
Click On These Informative Videos

See our Production Facilities and Manufacturing Process with Powder Coating at our Video Center.



Visit Our Website To View All Our Videos:
www.mailproducts.com/productioncentral.asp




Scan QR Code
with Phone to View

3 Postal Products Unlimited Locations

- **Milwaukee, WI** - National Headquarters
Manufacturing, Distribution & Factory Showroom
- **Chicago, IL**
Manufacturing & Production, CBU/4C USPS
Approved Mailboxes
- **Dallas, TX**
4B+ Manufacturer

Architectural Design Assistance



Design & Architect Resources

Postal Products Unlimited design engineers are accessible to architects, specification writers, and individuals involved in the design of mail distribution facilities, commercial buildings, and apartment complexes. Our website provides an Architect Resources section that contains technical drawings, product information, detailed specifications, installation instructions, and Auto CAD Drawings for download.

Visit www.mailproducts.com for more information.



Architect Resources On-Line

- Auto CAD Drawings
- Installation Instructions
- Color Samples Request Information
- Detailed Specifications
- ADA Compliant Mailboxes are Available
- Product Information
- Technical Drawings
- BIM Models/ 3D Revit

Please Visit Our Website at www.mailproducts.com



4C Mailbox and Parcel Mailbox Delivery Locker Configuration

Call our Parcel Mailbox designer and we'll assist you with configuring a separate unit in order to complete the optimal number of parcel lockers and mailboxes based on your specific requirements. We will also be able to provide you with files for your project including PDF, Word, Excel, and AutoCAD drawing files. Requesting a quote and finding products online is easy and convenient.

For ADA Compliant Mailboxes see pages 43-45.

We Manufacture Mailboxes and Parcel Delivery Lockers For You!




375,000 Square Foot Manufacturing Facility



Watch us manufacture our Parcel Delivery Lockers at:
[youtube.com/user/postalproductsinc](https://www.youtube.com/user/postalproductsinc)

The Manufacturing Process



Laser Press for Precise Mailbox Housings




Turret Press



Press Brake



Punch Press



Robotic Welder

Watch us manufacture our mailboxes at: **[youtube.com/user/postalproductsinc](https://www.youtube.com/user/postalproductsinc)**

Postal Products Manufacturing Quality Products

Postal Products Unlimited Inc. has been a leading manufacturer and distributor of quality postal products for over 31 years. We have strived to produce superior products that go through a variety of processes (stamping, welding, powder coating, assembly, machining, packaging, and shipping) in our manufacturing facilities located in Milwaukee, WI, and Chicago, IL. Our distribution centers have thousands of residential and commercial mailboxes as well as Parcel Delivery Management Lockers that ship as soon as 48 hours from receipt. Our ISO 9001:2015 quality system allows us to efficiently produce all of our products to meet and exceed necessary requirements for our customers throughout the country.

Postal Products Unlimited, Inc is registered to ISO9001:2015, an internationally recognized Quality System standard, requiring controlled processes to promote continual improvement and enhance customer satisfaction.



The Manufacturing Process

- Shipping
- Packing
- Stamping
- Shearing
- Assembling
- Robotic Welding
- CNC Machines
- Press Brakes
- Powder Coating
- Turret Presses
- Waterjet Cutting
- Milling
- Sawing



Watch us manufacture our mailboxes at: [youtube.com/user/postalproductsinc](https://www.youtube.com/user/postalproductsinc)

Go Direct and Order Directly From Our Factory!

Powder Coating Process



Assembly Process



One of the largest manufacturing facilities in the industry. Order factory direct.

History of our Manufactured Mail Related Products

CBU Manufacturing and Assembly with 4C Horizontal Mailboxes and 4B+ Horizontal Mailboxes

Postal Products Unlimited is one of the select few companies approved by the Postal Service to manufacture F-Spec Outdoor Cluster Box Unit (CBU) mailboxes. PPU is the only manufacturer certified by the U.S. Postal Service for two versions of its 4C-specification Indoor Horizontal Mailboxes (a standard version meeting USPS specifications) and a high-security version (well-exceeding requirements for facilities with high-security requirements/areas considered high risk for mail theft). Postal Products Unlimited manufactures all Cluster Box units/STD-4C units to rigorous standards set by the United States Postal Service (USPS-B-1118 CBU Specification and USPS-STD-4C Specifications and associated Technical Data Package drawings). By meeting and exceeding these standards our units live up to the 20+ years lifecycle goal set by the Post Office.

F-Spec CBUS

Cluster Box Units offer extensive designs that guarantee ease of use as well as overall security and protection against vandalism. These units are designed for all weather conditions ensuring postal customers receive the industry's safest mailboxes. The front-loading outdoor Cluster Box Units provide safe personal mail delivery for years on end.

High-security cluster mailboxes also include a pedestal and the following features:

- Stainless Steel & Aluminum Corrosion-Resistant Construction
- Reinforced Lock Cam
- Larger Outgoing Mail Slot
- Reduced Pry Points
- Improved and Stronger Tenant Gaps
- 360° Wrapped Hinges for Extra Security
- Powder Coat Finish to Resist the Elements and Protects Against Vandalism
- Upgraded Security Locks Developed by the USPS
- Master Doors Overlap when Shut To Prevent Theft
- Locks Have Dust/Rain Shield and 3 Keys Each
- ADA Compliance



16 Door - 2 Parcel Lockers

Parcel/Delivery Management Lockers

Postal Products Unlimited's CBU manufacturing plan is based on and encompasses many of the same attributes as the 4C. This includes quality, manufacturing output, capacity, machinery requirements, and floor space. Our ISO guidelines, workmanship standards, pass/fail standards, traceability, Failure Mode Effect Analysis, and testing of critical parameters are implemented to the requirements of the USPS technical guidelines package. We have cut tooling for the 19+ profiles required to make the CBU. These extrusions are verified, updated, and certified to the technical package and have been put into production to extrude the CBU profiles. Our HAAS Vertical Milling machines cut holes and slots into the aluminum profiles. High volume stamping dyes has been made and put into production.

Our CBU manufacturing and assembly utilizes the following machinery:

- CNC HAAS Vertical Milling Center
- Amada CNC Brake Press
- Motoman Dual Robotic Welding Center
- 200 Ton Punch Press/Feedline
- Amada Laser Pulsar
- CNC Turret Punch Amada PEGA
- CNC Turret Punch Load/Unload System
- Assembly Line Conveyors/Systems



8 Door - 2 Parcel Lockers

Primary CBU Components Include:

CBU Outer Shell

- Aluminum coil is purchased from our raw material supplier
- Materials are fabricated in our Chicago, IL location
- Finished shells are sent to powder coating for painting
- Manufacturer's tags are supplied

Inner Shelves

- Aluminum coil is purchased from our raw material supplier
- Progressive tooling has been purchased/manufactured to punch and form shelves by our Chicago, IL location.

Locks

- Locks are purchased from our lock manufacturer
- Lock cam is punched and formed by a progressive dye at the Chicago, IL location.

Inner Side Panels

- Aluminum Sheet Blanks are purchased from our raw material supplier
- Materials are turret punched by our Chicago, IL location.

Extrusions

- Extrusions have been purchased in standard lengths to the technical package
- Extrusions have been cut to size and machined in our Chicago, IL location
- Finished parts are sent to powder coating for painting

Decals

- Tenant number plates, manufactures plate, and USPS decals are purchased from our contract manufacturer

Pedestal

- Extrusions are purchased from our metal extrusion contract manufacturer
- Extrusions are cut to size with top and bottom plates assembled in Chicago, IL location
- Finished pedestals are sent to powder coating

Packaging

- Our own packaging supply company prepares parcels for optimal quality control
- Packaging analysis is conducted to ensure units are properly protected during shipping and verified against technical data package

Assembly

- Assembly and packaging is completed at our locations in Milwaukee, WI and Chicago, IL
- After final inspection, assembly and packaged units are shipped to our distribution center
- Product arrives at our Distribution Center boxed and ready to ship



A follow up quality check is performed upon receipt of products in accordance with Postal Products Unlimited Quality procedures 8.2.3 Measurement & Testing.

Security Testing

To be approved by the United States Postal Service to be a Cluster Box Unit/STD4-C unit manufacturer, construction methods and materials used were required to go through rigorous testing processes (as outlined in documents USPS-B-1118 and USPS-STD-4C). Testing included security, construction material, and operational factors.

A summary of the testing methods used to determine the security of the units is explained below:

A Security Test – Units were tested for resistance to tampering, and unauthorized entry through the use of tools (such as screwdrivers, flat plates, knives, pry bars, vise grips, pliers, chisels, and punches) for 3 minutes for each feature tested. No pry tools exceeded 18 inches in length. Because of the critical nature of the master-loading door and the Arrow lock (outgoing mail) compartment, a hammer was used in tandem with the other tools during the tests of these items. The head weight of any hammer used did not exceed 3 pounds. In addition, the Arrow lock compartment door was also subjected to a 2-minute torch test using a commonly available micro torch kit.

B Customer Compartment/Parcel Compartment Customer Access Locks – Customer lock plugs withstood a minimum of 70 pounds of force when slowly applied inward. Load forces were also applied to the key entrance side of the lock. The lock and door remained closed and locked after each test. In addition, the locks were tested using vise grips and other tools in an attempt to turn the lock with the parcel door in the closed position. These tests did not allow access to the parcel compartment.

C Customer Compartment Doors – Gaps and seams around the perimeter of the customer compartment doors were tested using the pry tools listed in test (A) for 3 minutes to ensure that access to the compartment could not be gained. The lock-mounting hole in the door shall withstand 100 foot-pounds of torque applied in the plane of the door, preventing the lock from being turned in the door allowing unauthorized entry into the compartment.

D Parcel Compartment Door – Gaps and seams around the perimeter of the customer compartment doors were tested using the pry tools listed in test (A) for 3 minutes to ensure that access to the compartment could not be gained.

E Master Loading Door – Gaps and seams around the perimeter of the Master Loading door were tested using the pry tools listed in test (A) for 3 minutes to ensure that access to the compartment could not be gained. A 3-pound hammer was used for 1 minute in tandem with the other tools during the tests of the master-loading door. Access could not be gained.

F Arrow Lock Compartment Door – Gaps and seams around the perimeter of the Arrow Lock Compartment doors were tested using the pry tools listed in test (A) for 3 minutes to ensure that access to the compartment could not be gained. A 3-pound hammer was used for a time period of 1 minute in tandem with these other tools during the tests of the Arrow Lock Compartment door. Access could not be gained. Seams and gaps around the perimeter of the Arrow lock compartment door and the structural integrity of the door itself did not allow access to the receptacle under test conditions. In addition, the Arrow lock compartment door was subjected to a 2-minute torch test using a commonly available microtorch kit. (Note: These tests were not performed on the same test door.) Access was not granted.

G Outgoing Mail Slot – Gaps and seams around the perimeter of the Outgoing Mail Slot were tested using the pry tools listed in test (A) for 3 minutes to ensure that access to the compartment could not be gained. A 3-pound hammer was used for a time period of 1 minute in tandem with these other tools during the tests of the Outgoing Mail Slot. Access could not be gained. In addition, a pry bar 18 inches in length was inserted into the mail slot in an attempt to gain access to deposited mail in the compartment. Access was not gained.

H Parcel Compartment Access into Arrow Lock Compartment (Type I Only) – The Arrow lock compartment was tested for pry resistance by attempting to access through the typically open parcel compartment directly below it using the pry tools listed in test (A) for 3 minutes. Seams and gaps between the horizontal structural member (that is between the Arrow lock compartment door and the customer compartment door) and the front edge of the Arrow lock compartment's shelf did not allow access to the Arrow lock compartment under test conditions.

Cluster Box Units (CBUs) (LICENSE #1CDSEQ-10-B-011/2017116):

In 2010, Postal Products Unlimited was awarded license 1CDSEQ-10-B-0011 to manufacture F-Spec Cluster Box Units (CBUs). Extensively engineered to all USPS Specifications, CBUs are one of the standards for multi-home delivery for the USPS. Postal Products Unlimited Licenses 4 designs from the USPS: The Type I-8 Door CBU, the Type II-12 Door Unit, the Type III-16 door unit, and the Type IV-13 Door unit. Postal products Unlimited actively participates in the rigorous testing process by the USPS-Engineering in order to obtain permission to manufacture and sell CBUs under the USPS License. Postal Products Unlimited and its manufacturing division completed the testing process by demonstrating the ability to manufacture and deliver CBUs to the Quality Standards set forth by the USPS. Obtaining this license allows us to manufacture and sell USPS-Approved Cluster Box Units to the private sector. Since obtaining the manufacturing license, Postal Products Unlimited has sold thousands of F-Spec Cluster Box Units across the country and pays a royalty fee of 3% on all commercial sales of CBU's.



CBU

8 Door - 2 Parcel Lockers

Postal Products Unlimited, Inc. is Officially Licensed by the U.S.P.S. to Manufacture Cluster Box Units (CBUs)

Our Cluster Box Units (CBUs) are manufactured to U.S.P.S. "F" specifications and are an officially licensed product of the U.S. Postal Service for centralized mail delivery.

License #: 1CDSEQ-10-B-011/2017116



CBU

12 Door - 1 Parcel Locker

Postal Products Unlimited, Inc. is Officially Licensed by the U.S.P.S. to Manufacture Cluster Box Units (CBUs)

Our Cluster Box Units (CBUs) are manufactured to U.S.P.S. "F" specifications and are an officially licensed product of the U.S. Postal Service for centralized mail delivery.

License #: 1CDSEQ-10-B-011/2017116



CBU

16 Door - 2 Parcel Lockers

Postal Products Unlimited, Inc. is Officially Licensed by the U.S.P.S. to Manufacture Cluster Box Units (CBUs)

Our Cluster Box Units (CBUs) are manufactured to U.S.P.S. "F" specifications and are an officially licensed product of the U.S. Postal Service for centralized mail delivery.

License #: 1CDSEQ-10-B-011/2017116



USPS Approved Horizontal Mailboxes: High Security and Standard:

We are proud to be the only company with two 4C U.S. Postal Service Approved Mailboxes. We are approved to produce a Standard aluminum version of the 4C Mailbox (STD-4C) and a High-Security steel version of the 4C Mailbox.



STD-4C

20 Door - 2 Parcel Lockers



STD-4C

9 Door - 1 Parcel Locker



High Security 4C

16 Door - 2 Parcel Lockers

USPS Approved Horizontal Mailboxes: 4B+ Mailboxes:

Postal Products Unlimited, Inc. produces 4B+ mailboxes at American Eagle Manufacturing in Dallas, TX. American Eagle is a USPS-approved manufacturer of Horizontal Mailboxes used in renovations and remodeling projects.



20 Door **4B+**



27 Door **4B+**



34 Door **4B+**

Guardian Series Private Distribution

Horizontal Mailboxes, Cell Phone Lockers and Standard Lockers

Postal Products Unlimited has developed and manufactures one of the world's most cost-effective and versatile series of high-security, rust-proof private distribution horizontal mailboxes, standard lockers, and cell phone lockers under its Guardian series line.



Guardian
30 Door Unit



Free Standing
60 Door Roll-A-Bout



Free Standing
32 Door Roll-A-Bout



Guardian
Stackable 6 Tier Unit

The Guardian series features a simple, modular design. 4 different door sizes can be mixed and matched in a virtually unlimited number of unique combinations. The doors are constructed of an impact-resistant, 1/4" injection molded polycarbonate material (see Injection Molding manufacturing section for additional details). Doors can be manufactured in a number of different colors through additives to the material during the injection molding process. A number of different door labeling options are available, depending on the customer's application: solid doors with name tags and a clear viewing window are the most common. The doors are available with a number of different locking options, the most popular of which is a keyed lock (designed by our company) which features a special bent cam that prevents prying open of the doors; rotary combination locks, dial combination locks, padlock hasps, and thumb latches are also options. Our company maintains a number of different door molds for the various door size/labeling/locking options.

Every two to six doors (depending on the door size) are housed in a module with vertical sides, horizontal sides, and vertical dividers between the doors. The horizontal and vertical sides are formed of a 20-gauge galvanized steel which is stamped and formed (as described in our manufacturing section). Galvaneel is a hot dipping process designed to make the coated steel highly resistant to oxidation (rust). The vertical dividers, like the Guardian doors, are manufactured of impact-resistant 1/4" polycarbonate material. The horizontal/vertical sides and vertical dividers feature a slotted and tabbed design for easy interlocking construction. The slotted and tabbed design also allows each two-to-six door module to be interlocked with additional modules. The construction of a particular order can be expanded to as many doors as needed by the customer. Locks are secured to door frames with hex nuts. Doors are secured to steel door hinges with screws. Frame sections are riveted together, using hand tools, jigs, and fixtures.

The finished product can be recess wall-mounted, placed into a freestanding/rotary enclosure, or can be freestanding on a base. Rear covers and trim are also available options.

USPS Approved Curbside Residential Mailboxes

Postal Products Unlimited has sold commercial and residential mailboxes to the private sector for over 20 years. During that period, a trend had developed, reflected in requests. Customers want consistency throughout the design of curbside mailboxes, street light posts, street signs, and driveway lights. Popular feedback has suggested the look and flavor of cast iron gaslights, circa 1800.

As the demand for this type of decorative mailboxes grew, so did competition. To help maintain a competitive advantage, our company responded to the desires of its customer base and began developing a more cost-effective, user-friendly, USPS-approved mailbox/post system.

Our answer: the 1812 mailbox. Our solution-orientated design approach has eliminated many of the complaints centered on installation and long-term use of these products, generating exceptional feedback.



1812 Mailboxes

The 1812 mailbox line has seen incredible growth in its two years of production. As previously noted, all of the components are modular, allowing our company to produce numerous configurations.

We offer:

- Front, side or top mount assemblies
- Single, double, triple and quadruple configurations
- Six standard colors
- Washington posts or driveway light posts are used as the mailbox posts
- Accessories: Sunday size newspaper tubes, scrolls with address plates, address plates
- Direct burial installation
- Salt spray upgrade for coastline installations
- Copper or Brass 1812 – actual material, not painted or plastic.

Assembly

Components are model specific but generally consist of:

- Mailboxes
- Mounting Brackets
- Rail Kits
- Post Caps
- Posts
- Bases
- Mounting Poles
- Newspaper Tubes
- Address Plates
- Scrollwork

Assembly instructions are model-specific but involve trimming excess material grinders and plane saws and edge smoothing by flaming to remove potential burrs. Holes are drilled with templates and components secured with self-tapping screws, nyloc nuts, and bolts with hand and power tools, fixtures, and jigs. All metal hardware is stainless steel.

The Molding Process – Before our product, most mailboxes built for the residential market were manufactured in cast aluminum. In that molding process, mailboxes are manufactured in parts, then welded together. Because of this process, the mailboxes tend to leak. Rain or melting snow seeps through the seams into the box, damaging the mail. **Our company developed tooling used during the molding process that allows the 1812 mailbox to be manufactured in ONE PART via rotational molding.** This tooling not only eliminates all seams, and therefore leaks, its aesthetic design resembles its cast-iron counterparts. This proved a difficult, but not insurmountable challenge for our company. At the same time, solving the molding challenge was meaningful only if we maintained the elegant appearance of the product line. Steadily growing sales figures document the success of our efforts on both fronts.

Maintenance – When contractors finish installing light posts, street signs and mailboxes in their developments, the common assumption is that the job has been completed and that additional service will NOT be required. Unfortunately, the finish on cast aluminum posts is primarily wet-painted, allowing salt, fertilizer corrosion, and lawn care equipment to damage the surface of the posts. The posts that we manufacture are made from the same material as the 1812 mailboxes – polyethylene. This eliminates the need for finishing of the posts, thus eliminating corrosion problems. The polyethylene resin has colorant throughout. Once molded, the surface will always maintain the color, even if scratched. If lawn equipment hits the post, or fertilizer splashes onto it, there is no bright aluminum underneath to show through. After switching to the Postal Products Unlimited product line, contractors have been delighted to discover that calls for repainting mailbox and light posts have ended.

USPS Approval – Many manufacturers have skipped the USPS approval process for curbside mailboxes, either because their boxes did not meet the parameters of the USPS Standard 7B, or they did not want to invest the time, effort, and money into properly developing a mailbox. This shortcut has had repercussions. When detected, mail delivery was suspended and developers were inundated with distress calls from homeowners. Aggrieved contractors have sought a quick solution. The 1812 mailbox has provided that solution. Contractors can rest assured that with these USPS-approved boxes, this issue will never arise again. The 1812 mailbox line is current with all parameters of Standard 7B, including the quality manual outline. The approval process included visits from USPS quality inspectors and submission of our company manual and will be updated to meet any future changes in USPS requirements.

Cost Effectiveness – Cost is always a primary factor in a customer's decision to purchase. These cast-aluminum alternatives range in price from \$100 to \$200 retail per mailbox. Thanks to our unique molding process, we have been able to produce a mailbox that looks like cast iron but sells at half the price. Our customer base now has an approved box that fits high-end developments and remains economical.

Vandal Resistance – Imagine paying a premium for your mailbox, only to have it destroyed by vandals – some cost in excess of \$200 for the mailbox alone, not including the post. In many rural areas across the United States, mailboxes need to be able to withstand impact from a baseball bat, to be considered a viable option. Vandals assault tens of thousands of mailboxes yearly. Our customer base requested a mailbox that could stand up to a reasonable amount of abuse, without resembling an armored car at their curbside. The 1812 has been tested to take the impact from a 4", 1.5" x 1.5" steel angle iron pipe, swung at full force. The mailbox is only slightly affected by the blow, and still remains functional and intact.

Ease of Installation – The best mailbox features become meaningless if the mailbox cannot be readily installed. Creating concrete pads with 'J' bolts for installation is a time-consuming process for contractors. Again, the 1812 mailbox performs to our customer's needs. Every 1812 mailbox series configuration comes from a direct burial system. Protruding from the base is a 4" x 4" x 13" stem inserted directly into the ground. The stem has a hole pattern that allows poured concrete to flow into the base, solidifying the installation. It's just that simple. Our customers frequently compliment our company on this design feature.

Flexibility of Ordering – Most mailboxes on the market today are mass-produced, it is rare to find a supplier that offers special colors in small quantities. Our unique production process mailboxes are manufactured one at a time, allowing us to produce mailboxes to the precise color favored by our customers. (The color, of course, must be an available resin.) Coupled with our modular design, customers can choose from dozens of configurations.



Birmingham



Eastport

Illuminated
Beaumont

Lawrence



Visby

Curbside
Locking



June 22, 2005

Mr. Brian Nelson
500 West Oklahoma Avenue
Milwaukee, WI 53207-2649

475 L'Enfant Plaza SW
Washington, DC 20260
WWW.USPS.COM

Dear Mr. Nelson,


On behalf of the U.S. Postal Service (USPS), we want to express our appreciation for your participation on the consensus committee to revise the USPS STD-4C, the Postal Service standard for wall-mounted centralized mail receptacles.


Your work on the committee was voluntary and included significant sacrifice in time, travel, and effort so that the general public could benefit. The resulting improvement in wall-mounted centralized mail receptacles addressed changes in how today's customers use the mail and anticipated changes in the mail and package industry in the future. Your work, and the changes you fostered, will enhance the mailing experience for millions of people across the country well into the twenty-first century.

In July of 1775, the Second Continental Congress agreed, "A line of posts be appointed under the direction of the Postmaster General" and with those first "lines of posts", a communications service for the colonies was born. Today, the USPS continues to provide universal communications service that has bound our nation together for over 200 years. Your workgroup has helped enhance that tradition. Like the work of Louise Nevelson, the new generation of wall-mounted centralized mail receptacles is a legacy that will endure. You can be proud of your service.

We thank you for your contribution.

Sincerely,


 William P. Galligan
Vice President
Delivery and Retail


 Michael F. Spates
Acting Vice President
Consumer Advocate


Engineering

Delivery & Retail Systems

July 30, 2009

Brian P. Nelson - President
Postal Products Unlimited, Inc.
500 W. Oklahoma Ave.
Milwaukee, WI, 53207-2649

8403 Lee Highway
Merrifield, VA 22082-8150
Tel: 703-280-7050
Fax: 703-280-8402

Dear Mr. Nelson,

In accordance with USPS-STD-4C, the final review and security testing of your recent 20-compartment, Type II, wall-mounted mail receptacle is complete. It has been determined that this item is in compliance with the requirements of USPS-STD-4C. Therefore, with this notification, you are authorized to manufacture and market this mail receptacle as approved by the United States Postal Service (USPS).

The drawing set provided by your company to the USPS as part of the submittal package shall represent the baseline for this product's design. Please note that these drawings are to be maintained at your facility for documentation control and USPS quality control. Any future changes to these drawings must be reviewed and approved by the USPS prior to production implementation. Implementing changes to the approved design without notification and approval of those changes by the Postal Service may affect your approval. In addition, as stated in section 7.2.3.1 of USPS-STD-4C, the USPS must be notified of any substantive changes in the operation and management of your company as it applies to your USPS approved product line.

Sincerely,



Victoria K. Stephen
(A) Manager

POSTAL PRODUCTS ACHIEVEMENTS - Registered ISO9001:2015

POSTAL PRODUCTS CERTIFICATIONS

- ISO 9001: 2015 Certified Quality Management System
- U.S. Postal Service Approved 7B Standard Curbside Mailbox Manufacturer (1812, 10092 Series Residential Mailboxes)
- U.S. Postal Service Approved 4C Standard and High Security Horizontal Mailbox Manufacturer
- Licensed by USPS to manufacture F Specification Cluster Box Unit (CBU) Outdoor Mailboxes
- United States Postal Service Uniform Certification Program Licensed Personnel Identification Badge Manufacturer. Certification Numbers PRC-3907 and PRC-3908 issued by U.S. Department of the Navy (Nattick, MA).
- USPS Electronic Data Interchange (EDI) Compliant. Certified in 1997 by USPS EDI Management (San Mateo CA).
- USPS Postal Service Bill of Landing (PSBL) Creation. Certified by USPS Freight Traffic Management Systems in 2001.

SUPPLIER AWARDS

- 2009 U.S. Postal Service Quality Supplier Award Winner
- 2006 Industry Award Recipient, presented at the 2006 National Postal Forum
- 2005 U.S. Postal Service Quality Supplier Award Winner
- 1997, 1998, and 1999 Future 50 Awards. Presented by Metropolitan Milwaukee Association of Commerce.
- 2014 AbilityOne Program Outstanding Distributor
- 2013 AbilityOne program Outstanding Distributor
- 2012 AbilityOne Program Outstanding Distributor
- 2015 U.S. Department of Defense ESGR Patriotic Employer Award



CERTIFICATE OF REGISTRATION

ICM CORPORATION

D.B.A – Postal Products Unlimited

D.B.A. – American Postal Manufacturing

UNITED VISUAL PRODUCTS

500 West Oklahoma Street

Milwaukee, Wisconsin 53207

...has demonstrated that their Quality Management System complies with the requirement of

ISO 9001:2015

The scope of registration includes:

Design, manufacture, and resale of supplies and equipment for postal, public, private, and residential mail delivery; packaging and material handling; visual communication; crowd management; personal and public storage; graphic and web design; and educational markets.

Certificate Number: 2004-009

Date of Original Registration: June 17, 2005

Date of Current Registration: June 17, 2017

Date Registration Expires: June 17, 2020

Caren B Canfield
Director of Operations



American Management Technology, Inc.

1106 Kathy Court
Fontana, Wisconsin 53125 USA

Our Staff



Brian P. Nelson

President

(414) 290-1002

briann@postalproducts.com



Victor Frangopoulos

Purchasing Manager

(414) 290-1050

victorf@postalproducts.com



Tom Ronco

National Sales Manager - Postal

(414) 290-1003

tomr@postalproducts.com



Quentin Nelson

Web Director

(414) 290-1014

quentinn@postalproducts.com



Joel Herringa

National Government Account Manager

(414) 290-1007

joelh@postalproducts.com



Carter Davis

Information Services Manager

(414) 290-1127

carterd@postalproducts.com



James Hess

CFO

(414) 290-1025

jamesh@postalproducts.com



Frank Vecchione

*National Sales Manager - Mailboxes,
Parcel Management, Columbariums, Niches*

(414) 290-1023

frankv@postalproducts.com



Adam Meitz

Sales Support

(414) 290-1054

adammm@postalproducts.com



Cha Vang

CAD Engineer

(414) 290-1172

chav@postalproducts.com





Paul Tennessen

Graphic Director
(414) 290-1103
pault@postalproducts.com



Miles Nelson

Customer Support
(414) 290-1102
milesn@postalproducts.com



Butch Kuehneman

Engineer
(414) 290-1051
butchk@postalproducts.com



Jon Ludwig

Product Design
(414) 290-1004
jonl@postalproducts.com




Mike Kelly

Controller / Credit Approval Support
(414) 290-1024
michaelk@postalproducts.com



Mike Clemens

Customer Support
(414) 290-1065
mikec@postalproducts.com



Juana Vasquez

Vinyl Wrap Graphics
(414) 290-1081
juanav@postalproducts.com



Tom Doberstein

Silk Screen
(414) 290-1151
tomd@postalproducts.com

HR

Heather McMichael
(414) 290-1114
heatherm@postalproducts.com

Kari-Lyn Lannert
(414) 290-1118
kari-lynl@postalproducts.com

Transportation

Randy Mielke
(414) 290-1070
randym@postalproducts.com

Sales

Brian Reich
(414) 290-1006
brianr@postalproducts.com

Paul Orta
(414) 290-1093
paulo@postalproducts.com

Jessyca Sanchez
(414) 290-1109
jessycas@postalproducts.com

Kimberly Rudnicki
(414) 290-1049
kimberlyr@postalproducts.com

Case Studies - Stories of Success



Frank Vecchione
National Sales Manager - Mailboxes

"I have been in the mailbox/parcel-delivery business my entire career. I have worked with the largest mailbox manufacturer in the world for over 25 years. I am privileged to be associated with Postal Products Unlimited and its family of companies. PPU produces mailboxes, cluster mailboxes (CBUs), parcel management lockers, employee lockers, visual communication boards, and so much more. Mostly I am proud that we can create custom applications and projects across the entire United States for our customers."



Freestanding Enclosure
15" or 24" Depth



Recessed Wall Mount
15" Depth



Surface Mounted Enclosure
15" Depth



Jon Ludwig
Product Design

"As president of United Visual and because I have assisted Postal Products previously with their product development for the USPS, I was asked to review their new Parcel Management System. I can say they have designed an extensive product line that can adapt to each delivery requirement nationwide. I like the parcel management's ability to scale in different modules and its adaptability to multiple install types. This will be the most efficient and economical system on the market."

Get Started Today - Request More Information

Questions about Parcel Delivery Lockers?

If you're a new customer interested in more information about Parcel Delivery Lockers or an install at your place of business, please see the form below.

First Name

Email

Last Name

Phone

Company

State

Industry / Market

Questions / Concerns

Send form to: 500 W Oklahoma Ave. Milwaukee, WI, 53207



Quotes available at any time - Get your custom application parcel delivery locker quote today!

Learn why our company is a leading provider of package delivery management solutions for commercial, residential, corporate, and higher education locations. Let us help you. From a quick 10 minute conversation, we can help you develop solutions to your package management challenges.

Call today! 1(800) 229 - 4500



500 W Oklahoma Ave.
Milwaukee, WI 53207
Phone: 1-800-229-4500
Fax: 1-800-570-007

Distributor/Dealer Application For Credit

1. Information Needed to Set Up Your Account

Date		Anticipated Purchase and/or Amount Item		Your E-mail Address	
Is Your Organization Sales Tax Exempt? ☐ Yes ☐ No		If Yes, please attach a copy of your Sales Tax Exempt Certificate		Sent By	
Full Legal Name/Business Entity		Doing Business As:		Business Fax Number	
Street Address		City		State	
Billing Address (if different than above)		City		State	
If Subsidiary, Name of Parent Company, Street Address, City, State, Zip					
Person To Contact Regarding the Account		Duns #		Annual Sales	
No. of Employees				In Business Since	
☐ 1-4 ☐ 5-9 ☐ 10-19 ☐ 20-49 ☐ 50-99 ☐ 100+					
Business Type (please check one)		70 ☐ Business Services (Advertising, Data Processing, Personal, Security)		82 ☐ Education/Schools	
80 ☐ Medical/Health		60 ☐ Finance		83 ☐ Social Services	
81 ☐ Legal Service		63 ☐ Insurance		86 ☐ Membership Organizations	
87 ☐ Engineering/Architecture/Consulting		65 ☐ Real Estate		91 ☐ Government	
87 ☐ Accounting				99 ☐ Other	
				20 ☐ Manufacturing/Printing	
				40 ☐ Transportation/Communications/Utilities	
				15 ☐ Construction/Contractors	
				50 ☐ Wholesale Trade	

2. References for Your Business

Bank Name		Contact		Checking Account Number	
Bank Address		City		State	
				Zip Code	
Trade Name		Account #		Phone	
				Fax	
Trade Name		Account #		Phone	
				Fax	
Trade Name		Account #		Phone	
				Fax	

Please include your company Standard Trade Credit Reference Form if available.

3. Signature(s) Required

a. _____ Check here if incorporated for more than one (1) year and sign below. If you have not been incorporated for more than one year, please refer to 3b below.

Principle Authorized Officer (type/print) _____ Title _____

Officer or Authorized Signature _____ Date _____

b. _____ Check here if incorporated for less than one (1) year, a sole proprietorship, or a partnership and sign below.

Personal credit information/guaranty:

Must be completed by a corporation in business less than one (1) year, an unincorporated business, a sole proprietorship, or a partnership.

I agree that if my business has been incorporated for less than one (1) year, is unincorporated, is a sole proprietorship, or is a partnership, I authorize Postal Products Unlimited, Inc. or its agent to investigate my personal credit financial records, including banking records. It is understood that my personal credit bureau may be requested by the company to assist in the investigation of my financial records and I personally guarantee the repayment of the debt. If my business has been incorporated for one (1) year or more it is understood that my personal financial records will not be investigated without my prior authorization.

First Name	Initial	Last Name	Social Security No.
Present Home Address (Number and Street)			Home Phone Number
City		State	Zip Code

Principle Authorized Officer (type/print) _____ Title _____

Authorized Signature _____ Date _____

The above information is herewith submitted for the purpose of opening an account. By signing above, I do hereby certify this information to be true. All information provided will be used by Postal Products Unlimited, Inc. employees to determine credit worthiness and/or effect collections. Applicant agrees to pay any collection fees incurred to collect the balances owed including reasonable attorney's fees.



500 W Oklahoma Ave.
Milwaukee, WI 53207
Phone: 1-800-229-4500
Fax: 1-800-570-007

CUSTOMER CONTACT SHEET

BUSINESS CONTACT INFORMATION

Title	
Company Name	
Phone Fax	
Website	
Email	
Tax ID#	
Registered company address City, State, ZIP Code	

ADDITIONAL CONTACT INFO

A / P Contact(s):	A / P Email Address:
A / R Contact(s):	A / R Email Address:
Shipping / Receiving Contact(s):	Shipping / Receiving Email:
Purchasing Contact(s):	Purchasing Email:

SHIPPING & BILLING PREFERENCES

Preferred Shipping Method	Account Numbers / Instructions	Preferred Invoicing Method	Email Address / Instructions
☐ UPS Your Account ☐ UPS ☐ Carrier ☐ Call for P / U ☐ Other		☐ Email ☐ Mail ☐ Supplier Portal ☐ Other	

SIGNATURES

Signature	
Name and Title	
Date	



**Check out our website for the latest
product news and pricing at:**

**www.mailproducts.com
1-800-229-4500**

Download CAD drawings and specs at www.mailproducts.com. Just click on the CAD Drawings banner and you'll be directed to our Resource Center. Our online Resource Center caters specifically to architects, engineers or contractors looking to spec quality engineered mailboxes.

**Call about our Distributor and
Contractor Discount Program**



**Visit Us at
mailproducts.com**



**Refrigerated
Parcel Lockers**
Page 45



Bike Storage
Page 53



Wire Storage Units
Pages 51-52

***Manufacturing and distributing mailboxes and lockers
to satisfied customers worldwide for over 22 years!***

© Copyright 2021 Postal Products Unlimited, Inc™ All rights reserved



500 W. Oklahoma Ave.
Milwaukee, WI 53207-2649

1-800-229-4500 Toll Free Phone
1-414-290-1500 Phone In WI
1-800-570-0007 Toll Free Fax
1-414-290-1515 Fax In WI

**info@postalproducts.com
www.mailproducts.com**

Catalog Number

21AMP

Customer Priority Code

PRESORTED
BOUND PRINTED MATTER
U.S. POSTAGE
PAID
ICM CORP.



ATTENTION MAILROOM DEPT: If the person on the address label is no longer with your firm or organization, please give our catalog to their replacement or to your individual responsible for purchasing. Thank you for your assistance.