



www.TimberForm.com

TimberForm® Site Complements Catalog



Profile™



Broadway™



Craftsmen®



Manor®



Renaissance™



Restoration™



For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

www.TimberForm.com

Contents



Parkway™



Planters



CycLoops®



Custom Site Furnishings

Index	4
Introduction	5-6
TimberForm Craftsmen	7-14
TimberForm Restoration	15-19
TimberForm Antigo	20-22
TimberForm Spartan	22-23
TimberForm Palomar	25-30
TimberForm Renaissance	31-36
TimberForm Broadway	37-40
TimberForm Profile	41-49
TimberForm Manor	50-55
TimberForm Willow	56-58
TimberForm Boulevard	59-61
TimberForm Skyline	62-65
TimberForm Plaza	66-70
TimberForm Madison	71-73
TimberForm Arbor	74-76
TimberForm Parkway	77-80
TimberForm Greenway	81-84
TimberForm Tables	85-99
TimberForm Chairs and Seats	100
CycLoops Bicycle Management	101-103
TimberForm Metal Bollards	104-106
TimberForm Pipeleaner & Signs	107
TimberForm Timber Bollards	108-109
Custom Site Furnishings	110-111
Playground Equipment	112-113
Outdoor Fitness Systems	114
Mounting Options and Colors	115

By Model Number

Model No.	Page No.	Model No.	Page No.
2001	22	2626-2627	39
2002-2004	23	2629	40
2006-2007	79	2632	39
2010	24	2633	40
2016-2017	78	2636-2637	39
2026-2027	78	2641-2643	29
2028-2029	79	2644-2646	27
2041	79	2647-2649	28
2042	80	2651-2654	30
2044	79	2660-2661	11
2045	80	2663-2664	10
2050-2055	87	2667-2668	12
2056-2057	88	2669	13-14
2058-2059	87		
2060-2065	88	2711-2731	68
2070-2073	89	2741	69
2074-2077	90	2751	67
2086-2090	80	2752	69
2095	99	2761	67
		2770-2774	70
2107-2108	19	2781	58
2111	63	2783	57
2113-2115	64	2786-2788	58
2117	63		
2118-2119	17	2802	34
2120-2121	21	2806-2807	33
2122	22	2808	34
2123	18	2809	33
2126-2127	24	2811	35
2136-2137	65	2812	36
2139	84	2814-2815	35
2140-2041	82	2816-2817	36
2148	84	2820	54
2151	84	2822	53
2153	82	2824-2827	52
2155	82	2829	53
2157	84	2831	54
2162-2169	91	2834-2835	55
2170-2176	103	2842-2843	73
2180-2186	107	2846-2849	72
2190-2199	105	2850-2851	73
		2861-2865	43
2201-2202	74	2880-2881	44
2205-2206	75	2882-2883	47
2208	76	2884-2885	43
2241-2242	92	2886-2887	46
2243-2244	93	2888-2889	45
2252	76	2891-2894	48
2541-2545	106	2900-2901	100
2551	105	2902-2907	95
2553	108	2910-2911	100
2560-2599	109	2912-2917	96
		2920-2921	100
2602	60	2922-2927	97
2609	94	2930-2931	100
2611-2613	60	2932-2937	98
2615-2618	61	2940-2941	100
2619	94	2942-2944	99
2620-2621	38	2960-2961	100
2622	39		
2623	40		
2624-2625	38		

By Product Type**Product and Page Number(s)**

Ash Receptacles,
Perforated steel, 61
Recycled plastic surround, 80
Steel, 36, 55, 58,
Welded wire, 48
Wood surround,
19, 24, 65, 70, 80

Bandshell, 110**Benches,**

Arched back, 52
Cast iron, 10, 17,
21-23, 63, 110
Curved, 33, 45-46,
53, 69
Double, 63, 78
Memorial, 33
Perforated steel, 27-
28, 60
Steel, 27-28, 33-34,
38, 52, 57
Steel & recycled
plastic, 39, 72, 78, 82
Steel & wood, 27-28,
39, 67, 72, 78, 82
Timber, 74-76
Wall-mount, 83
Welded wire, 43, 45,
46
With intermediate
armrest(s), 10, 17,
21, 23, 33, 38-39,
43, 45-46, 72, 82-83
With plaque mounting
plate, 33

Bicycle racks, 103**Bicycle lockers, 103****Bollards,**

Bicycle, 103
Cast iron, 105
Directional, 105, 108
Metal, 105-106
Metal with wood, 105
Timber, 108-109

Chairs,

Perforated steel, 100
Steel, 57, 100
Welded wire, 100

Checker, chess board, 99**Custom products,
110-111**

Drinking Fountains,
Accessible, 12, 24
Cast iron, 12
Steel, 24
With pet bowl, 24

Fences, 111**Fitness systems, 114****GameBoard, 99****Product and Page Number(s)****Gazebo, 110****Leaners, 107****Litter Containers,**

Cast iron, 12
Hinged-lid, 30
Perforated steel, 30,
61
Recycled plastic
surround, 73, 80
Side opening, 35-36,
40, 55
Steel, 35-36, 40,
54-55, 58
Tilt-out, 30
Welded wire, 48
Wood surround, 19,
24, 65, 70, 73, 76, 80

Mounting details, 115**Picnic Tables,**

Accessible, 88-94
Perforated steel, 94
Steel & recycled
plastic, 88-91
Steel & wood, 88-91
Timber, 92-93

PipeLeaner, 107**Planter,**

Cast iron, 13-14
Round, 13
Square, 14

**Playground Equipment,
112-113****Sculptures,**

Wood, 109

Seats,

Cast iron, 11, 18, 22,
64
Concave, 79
Curved, 47

Product and Page Number(s)**Seats (continued)**

Double, 68-69
Perforated steel, 29,
60, 100
Platform, 79
Sectional, 44, 47
Steel, 29, 34, 38,
53, 58, 100
Steel & recycled
plastic, 39-40, 73,
80, 84
Steel & wood, 29, 39-
40, 68, 73, 79, 84
Timber, 74-76
Wall-mount, 80
Welded wire, 43-44,
47, 100
With intermediate
armrest(s), 11, 38,
40

Settee,

Steel, 57

Signs,

Directional arrows,
105, 108
Metal, 107

Tables,

Accessible, 87-88,
95-99
Accessory (low), 54
Coffee, 54
Game, 87-88, 95-99
Picnic, 88-94
Perforated steel, 98
Steel, 54, 95-96
Steel & recycled
plastic, 87-88
Steel & wood, 87-88
Welded wire, 97, 99
With chairs, 87
With seats, 87-88
With umbrella hole,
95-99

Trash Containers,

See Litter Containers

*© All designs shown in this publication are
proprietary and copyright in the year created
by Columbia Cascade Company.*

**Columbia Cascade Company**

1975 S.W. Fifth Avenue
Portland, Oregon 97201-5293 U.S.A.
Telephone 503/223-1157
Facsimile 503/223-4530
e-mail: hq@timberform.com
Visit us at: www.TimberForm.com

Introduction

This catalog represents the most comprehensive collection of outdoor site furnishings available from any single manufacturer. More than three decades ago site-related products bearing the TimberForm trade name were introduced to the design community. These original benches were made of large Douglas fir timbers. Columbia Cascade has expanded its lines yearly until now they encompass hundreds of different wood as well as colorful metal site furnishing products. Shown on these pages are a wide variety of site complements destined "For Signature ProjectsSM".

Design Families

Each model is part of a complete family— each family meeting different design, application and budget requirements. Among the products are traditional public park furnishings, classic restoration styles for urban renovation or campus projects and contemporary designs for streetscapes, shopping centers and office environs. Complementary litter containers, ash receptacles and accessories complete each of the design families.

Products are assembled and presented within design families. Each product within a family has been designed and crafted to complement each other. When an accessory from another design series also complements an illustrated product it is cross-referenced.

Virtually any conceivable site furnishing need is addressed somewhere in this catalog.

Tables, Chairs and Seats

Table, chair and seat combinations are found within most design families. These are presented in the sections entitled **Tables** and **Chairs and Seats** and referenced in the appropriate design family section.

Lexicon of Terms

We use the term **Seat** to describe a seating product without a backrest. The term **Bench** indicates that it has a backrest. Litter containers available without a top cover are specified with the suffix **-OT** for *open top*. For a flat metal top with a reduced center opening specify **-FT** for *flat top*. A domed metal top, open on opposite sides, is specified by the suffix **-DT** for *dome top*. For a *domed top plus a smokers ash receptacle* the suffix **-AT** is used. Tops, with a hinged self-closing door(s), are indicated by **-HT** for *hamper top*.

Three mounting methods appear in this catalog. Permanent mounting by embedment in a concrete footing is

indicated by the suffix **-E**. Fixed surface mounting (where the pavement is already in place) is indicated by **-P** for pedestal mount. Neither re-bar (**-E**) nor anchoring bolts (**-P**) are included. Movable, non-fixed applications, usually for secure indoor areas, are specified with the suffix **-L** for leveling. The **-L** leg base is capped with a nylon pad to minimize the potential of marring terrazzo or polished floors.

General Information

Slats

Bench and seat slats plus surrounds for litter containers, ash receptacles, bollards and PipeLeaners are offered in wood or (on many products) recycled plastic.

Four species of wood have been carefully selected for use in the production of those TimberForm Site Complements which include wood components.

Clear Alaska yellow cedar is supplied as standard on TimberForm **Broadway**, **Craftsmen**, **Palomar**, **Plaza**, **Restoration**, and **Skyline** products. Durable Marine Teak or Purpleheart hardwoods are offered as an option for these design families.

Premium Douglas fir timber is provided on TimberForm **Arbor**, **Greenway**, **Madison**, **Parkway** and for timber bollards.

Quality

All wood used in TimberForm site furniture is free-of-heart-center (F.O.H.C.). This specification is added assurance that the wood is of premium quality. After seasoning, surfacing or dressing, wood components are inspected for appearance and only suitable specimens are accepted for use.

Alaska Yellow Cedar

Kiln-dried Alaska yellow cedar is the informed specifier's choice for bench slats. This species offers extraordinary qualities for seating purposes. Naturally immune to most effects of weathering and decay, the wood is a uniform pale yellow in color when new and ages to a rich sable gray in outdoor situations. It is silky smooth and sliver free. Alaska yellow cedar has been considered the species of choice for outdoor stadium seating for over a century.

Marine Teak

Marine Teak, a tropical hardwood, is a rich reddish-brown color when shipped. Left unfinished it weathers to a handsome warm-gray. Teak is the species most specified and preferred by quality yacht builders throughout the world because of its ability to withstand harsh marine environments while exhibiting minimal deterioration with age.

Purpleheart

Purpleheart is a dense, durable tropical hardwood also appropriate for vigorous use. It appears purplish in color when freshly milled and ages to a rich mid-gray when exposed to normal weathering. After an annual cycle outdoors, its appearance is very close to Marine Teak.

Douglas Fir

Douglas fir is a tough and durable structural wood well-suited to the demands of public seating when the finest clear grades are used. It varies in color from shades of salmon to ivory and eventually ages to a natural mid-gray in outdoor settings.

Wood Fabrication

All wood components destined for TimberForm site products are dressed four sides to a smooth finish. Edges are carefully eased (rounded), ends chamfered or eased too. Hand-finishing occurs prior to final quality control acceptance.

Wood Preservation

Because of the inherent natural preservatives contained in Alaska yellow cedar, Marine Teak and Purpleheart, additional chemical treatment after fabrication is not required.

Douglas fir components destined for exterior use are treated with a water-repellent wood preservative formulated to prolong the life of this species in demanding outdoor applications. If the intended location of products using Douglas fir is to be indoors, or if for some other reason preservative treatment is not desired or required, we must be notified at the time of order entry not to treat these components.

Staining and Sealing

TimberForm wood components are supplied in their natural state. After prolonged exposure to the sun's ultraviolet rays, all wood will mature to varying shades of gray. To counteract this natural metamorphosis, some specifiers prefer for the wood to be stained.

For uniformity of color, staining must be done on site following assembly and installation. Since staining, like painting, requires regular refinishing to maintain an attractive appearance, most owners prefer to allow the wood simply to age naturally.

For indoor use, wood components may be finished on site with oils, varnishes, synthetic resins, or any other clear or tinted finish appropriate for the intended use. Carefully follow the finish manufacturer's instructions applicable to kiln-dried new wood.

Introduction

"For Signature Projects"



Recycled Plastic Slats



Recycled plastic slats are available instead of wood on many benches, litter containers and tables within the TimberForm **Restoration, Broadway, Madison, Parkway** and **Greenway** series.

This option is selected for reasons of durability, maintenance and a desire to recycle plastics. Not all recycled plastic offers a quality result and all re-cycled plastic products are more expensive than Douglas fir versions.

Other Slat Options

Hollow metal slats are available instead of wood on several models within the TimberForm **Craftsmen, Restoration, and Skyline** series.



Powder Coating

After careful mechanical and chemical cleaning and following the application of corrosion-inhibiting iron phosphate, all fabricated steel, aluminum and cast iron components used in producing TimberForm Site Complements are powder-coated with **CASPAX-7**.

This lead-free polyester powder is electrostatically applied and chemically bonded to the metal substrate in precision ovens at 400 degrees Fahrenheit. The tough, 6-8 mil thick coating offers lasting performance far superior to familiar liquid finishes. The difference is particularly apparent when installed products are exposed to outdoor environments or public usage.

CASPAX-7 powder-coated metal components are much more resistant to the effects of abrasion, impact, temperature extremes, natural corrosives and UV degradation than any other colored finish available for site complements.

Coating Colors and Quick Shipment

All metal products and components are offered in ten standard and a unique spectrum of nearly 200 special **CASPAX-7** designer colors. To view the complete selections of available powder-coating colors, ask your Columbia Cascade representative to show you a **ColorCard™** and a **ColorBook™**.

Many popular TimberForm site products are available for immediate "Quick Shipment" stocked in black only. Other popular products are stocked ready for color coating and prompt 14-day "Quick Shipment" in a choice of standard TimberForm black, brown, burgundy, Chrome Yellow, Coffee Tan, Evergreen, Ocean Teal, red, Regal Blue or white.

Specifications, Drawings and Samples

When product technical information is required, such as dimensioned drawings or specifications for bid documents; powder-coated metal or actual wood samples for client presentations, contact your nearby TimberForm Site Complements representative or us at the factory.

Technical drawings and specifications are available in electronic format for nearly all TimberForm products. Contact your TimberForm Site Complements representative or the factory at **hq@timberform.com**.

Unless otherwise noted, all drawings appearing in this catalog are reproduced in the scale of **3/8" = 1'**.

Installation

To reduce delivery charges, most TimberForm Site Complements are shipped partially or completely unassembled, though a few models are shipped assembled. All requisite hardware and fastenings other than anchoring bolts (for -P surface mounting) and steel reinforcing bar (for -E embedment mounting) are included with each model. Supplied stainless steel fasteners required for the attachment of slats are Phillips head, facilitating use of powered tools. Your TimberForm Site Complements representative will gladly furnish you with information regarding the assembly necessary for each model.

Prices

All products appearing in this catalog are listed on a separate price list which includes estimated shipping weights along with our standard terms of sale. If you do not have a current TimberForm Site Complements Price List, contact your regional representative or Columbia Cascade headquarters for the most recent pricing data.

Custom Products



We are often called upon to modify standard products or to produce unique site furnishing designs requested by professional specifiers.

See pages 110 and 111 for illustrations of some custom site products.

Contact your TimberForm Site Complements representative for more information on how to tap into this unique service.

Other Products

In addition to TimberForm Site Complements and CycLoops & CycLocker **bicycle management products**, Columbia Cascade Company manufactures TimberForm, TimberForm-2 and PipeLine **playground equipment** and TimberForm and PipeLine **outdoor fitness systems**. There is also a more complete catalog of CycLoops, Artful CycLoops, Curvy CycLoops and CycLockers (shown here on pages 101-103). These comprehensive catalogs are available to professional specifiers upon request.

Photo Identifications A B C

Photographs appearing in this catalog are identified alphabetically. When communicating with your TimberForm Site Complements representative or our design headquarters by telephone, fax or e-mail concerning a specific product image, please cite the **page number** and the **apha identifier** appearing beneath the photograph.

Regional Representatives

An international team of Columbia Cascade representatives is available to assist you in specifying, pricing or ordering TimberForm site furnishings.

For the name, phone, e-mail or FAX number of the TimberForm representative serving your local area call Columbia Cascade Company toll-free at **1-800/547-1940**. Our facsimile number is **503/223-4530** or e-mail us at **hq@timberform.com**.

Product Changes

Specifications, dimensions, materials, options and product features depicted in this catalog were current at the time of publication. As a quality-conscious manufacturer, Columbia Cascade is constantly striving to improve its products to better serve the needs of customers and specifiers. Therefore, information appearing on these pages is subject to change without notice. Also note that we add new products to our line constantly. Please visit our web site **www.TimberForm.com** to see what is new.

Trademarks

TimberForm, PipeLine, CASPAX-7 and Antigo, Arbor, Boulevard, Broadway, ColorBook, ColorCard, Craftsmen, CycLocker, CycLoops, GameBoard, Greenway, Madison, Manor, MaxTreat, Palomar, Parkway, PipeLeaner, Plaza, Profile, Renaissance, Restoration, Skyline, Spartan and Willow are trademarks of Columbia Cascade Company.

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm[®] 7
Craftsmen[®]





For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm[®] 9
Craftsmen[®]






TimberForm Craftsman	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2663-6	6' 4" [1930mm]	2' 0" [610mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2663-8	8' 4" [2540mm]	2' 0" [610mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*

Material: Frames of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats. Supplied as standard with chrysanthemum graphic in end frames.


Options: Frame color, Marine Teak or Purpleheart wood slats and **powder-coated metal slats**. Can be special ordered with rhododendron or custom graphic in end frames.

Suggestions: Specify matching litter container **2667**. Also see complimentary litter container **2107** and ash receptacle **2108** (see page 19).


Notes: * For permanent or movable applications only (anchoring bolts by others).



2663



2663-6



U.S. Patent Des. 370,570

TimberForm Craftsman	Model	Length	Width	Height	Seat Height	Mounting
Bench with Intermediate Armrest(s)	2664-6 ¹	6' 3" [1905mm]	2' 0" [610mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2664-7 ¹	7' 3" [2210mm]	2' 0" [610mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2664-8 ¹	8' 3" [2515mm]	2' 0" [610mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2664-10 ¹	10' 3" [3125mm]	2' 0" [610mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2664-12 ¹	12' 3" [3735mm]	2' 0" [610mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2664-14 ²	14' 3" [4345mm]	2' 0" [610mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2664-16 ²	16' 3" [4955mm]	2' 0" [610mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*

Material: Frames of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats. Supplied as standard with chrysanthemum graphic in end frames.


Options: Frame color, Marine Teak or Purpleheart wood slats and **powder-coated metal slats**. Can be special ordered with rhododendron or custom graphic in end frames.

Suggestions: Specify matching litter container **2667**. Also see complementary litter container **2107** and ash receptacle **2108** (see page 19).


Notes: * For permanent or movable applications only (anchoring bolts by others).

¹ Includes one intermediate frame with armrest.

² Includes two intermediate frames with armrest.



2664



2664-7






TimberForm Craftsmen	Model	Length	Width	Height	Seat Height	Mounting
Seat with Armrests	2660-6	6' 2" [1880mm]	2' 0" [610mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2660-8	8' 2" [2490mm]	2' 0" [610mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*



Optional Cast Lettering




2660

Material: Frames of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats. Supplied as standard with chrysanthemum graphic in end frames.


Options: Frame color, Marine Teak or Purpleheart wood slats and **powder-coated metal slats**.

Suggestions: Can be special ordered with rhododendron or custom graphic and/or lettering in end frames. Specify matching litter container **2667**. Also see complementary litter container **2107** and ash receptacle **2108** (see page 19).

Notes: * For permanent or movable applications only (anchoring bolts by others).




2660-6



TimberForm Craftsmen	Model	Length	Width	Height	Seat Height	Mounting
Seat with Intermediate Armrest(s)	2661-6¹	6' 1" [1855mm]	2' 0" [610mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2661-7¹	7' 1" [2160mm]	2' 0" [610mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2661-8¹	8' 1" [2465mm]	2' 0" [610mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2661-10¹	10' 1" [3075mm]	2' 0" [610mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2661-12¹	12' 1" [3685mm]	2' 0" [610mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2661-14²	14' 1" [4295mm]	2' 0" [610mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2661-16²	16' 1" [4900mm]	2' 0" [610mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*



Optional Cast Lettering



2661

Material: Frames of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats. Supplied as standard with chrysanthemum graphic in end frames.

Options: Frame color, Marine Teak or Purpleheart wood slats and **powder-coated metal slats**.

Suggestions: Can be special ordered with rhododendron or custom graphic and/or lettering in end frames. Specify matching litter container **2667**. Also see complementary litter container **2107** and ash receptacle **2108** (see page 19).

Notes: * For permanent or movable applications only (anchoring bolts by others).

¹ Includes one intermediate frame with armrest.

² Includes two intermediate frames with armrest.



2661-8

Ten CASPAX-7™ Standard Powder-Coating Colors


Choose from these standard hues or from a wide spectrum of nearly 200 special designer colors.



Due to variations in the printing process the colors shown are only a guide to the actual powder-coating colors.



TimberForm Craftsmen	Style	Model	Length	Width	Height	Mounting
Litter Container	Open Top	2667-OT	2' 1" [635mm]	2' 1" [635mm]	2' 10" [865mm]	Surface*
	Flat Top	2667-FT	2' 1" [635mm]	2' 1" [635mm]	2' 10" [865mm]	Surface*
	Dome Top	2667-DT	2' 1" [635mm]	2' 1" [635mm]	3' 7" [1090mm]	Surface*
	Ash/Dome Top	2667-AT	2' 1" [635mm]	2' 1" [635mm]	3' 7" [1090mm]	Surface*
	Hamper Top	2667-HT	2' 1" [635mm]	2' 1" [635mm]	3' 5" [1040mm]	Surface*



Material: Frame of black powder-coated cast iron. Supplied as standard with chrysanthemum graphic in frames.
Options: Frame and top color. Can be special ordered with rhododendron or custom graphic and/or lettering in frames.
Notes: Includes 36-gallon plastic liner. Top matches frame unless otherwise specified except the hamper top which is brushed stainless steel.
 Key-locking tops are standard on -FT, -DT and -AT models.
 * For permanent or movable applications only (anchoring bolts by others).

Optional Cast Lettering



2667-OT




2667-FT




2667-DT



2667-AT



2667-HT




"Large Capacity"

TimberForm Craftsmen	Model	Length	Width	Height	Mouthguard Height(s)	Mounting
Drinking Fountain	2668-01	1' 0" [305mm]	1' 0" [305mm]	3' 4" [1015mm]	3' 3" [990mm]	Surface*
Accessible Drinking Fountain	2668-02	2' 6" [760mm]	1' 0" [305mm]	3' 4" [1015mm]	3' 0" [915mm] & 3' 3" [990mm]	Surface*


Material: Pedestal of powder-coated cast iron. Accessible arm and bowl holder of powder-coated steel. Bowl, bubbler and mouthguard of polished brass. Push-button activator of stainless steel.
Options: Powder-coating color. Can be specified with rhododendron, chrysanthemum or custom graphic.
Suggestions: Specify matching benches 2663 and 2664, seats 2660 and 2661, planters 2669 and litter containers 2667.
Notes: * Permanently mounted only (water supply by others).




2668-01




2668-02



TimberForm Craftsmen	Model	Diameter	Height	Mounting
Round Planter	2669-01 ¹	5' 2" [1575mm]	2' 0" [610mm]	Surface*




2669-01




See notes below.

TimberForm Craftsmen	Model	Length	Width	Height	Mounting
Half Round Planter	2669-05 ¹	5' 2" [1575mm]	2' 9" [840mm]	2' 0" [610mm]	Surface*




2669-05



See notes below.

TimberForm Craftsmen	Model	Length	Width	Height	Mounting
Quarter Round Planter	2669-07 ¹	2' 9" [840mm]	2' 9" [840mm]	2' 0" [610mm]	Surface*




2669-07




See notes below.

TimberForm Craftsmen	Model	Length	Width	Height	Mounting
Ovolo Planter	2669-11 ¹	7' 8" [2335mm]	2' 9" [840mm]	2' 0" [610mm]	Surface*





2669-11



See notes below.

- Material:** Framework of powder-coated cast iron.
- Options:** Framework color. Can be specified with rhododendron, chrysanthemum or custom graphic and/or lettering.
- Suggestions:** Specify matching benches **2663** and **2664**, seats **2660** and **2661**, drinking fountain **2668-01** and **2668-02** and litter container **2667**.
- Notes:** * For permanent or relocatable applications (anchoring bolts by others).
¹ Size appropriate fiberglass liners are extra.



TimberForm Craftsmen	Model	Length	Width	Height	Mounting
Square Planter	2669-08¹	2' 9" [840mm]	2' 9" [840mm]	2' 0" [610mm]	Surface*



See notes below.



Designer Note: TimberForm Craftsmen planter components are modular and may be combined to produce several other logical shapes to complement unique site features such as tree-surrounds, "L" shapes or linear traffic control barriers. Contact your regional representative or the factory to discuss other possible planter configurations.

TimberForm Craftsmen	Model	Length	Width	Height	Mounting
Square Planter	2669-02¹	5' 2" [1575mm]	5' 2" [1575mm]	2' 0" [610mm]	Surface*





See notes below.

TimberForm Craftsmen	Model	Length	Width	Height	Mounting
Rectangular Planter	2669-06¹	5' 2" [1575mm]	2' 9" [840mm]	2' 0" [610mm]	Surface*



See notes below.

TimberForm Craftsmen	Model	Length	Width	Height	Mounting
Rectangular Planter	2669-12¹	7' 8" [2335mm]	2' 9" [840mm]	2' 0" [610mm]	Surface*



See notes below.

Material: Framework of powder-coated cast iron.
Options: Framework color. Can be specified with rhododendron, chrysanthemum or custom graphic and/or lettering.
Suggestions: Specify matching benches **2663** and **2664**, seats **2660** and **2661**, drinking fountain **2668-01** and **2668-02** and litter container **2667**.

Notes: * For permanent or relocatable applications (anchoring bolts by others).

¹ Size appropriate fiberglass liners are extra.

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm^{®15}
Restoration








TimberForm Restoration	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2118-3	3' 0" [915mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2118-6	6' 0" [1830mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2118-8	8' 0" [2440mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*

Material: Frames of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats.


Options: Frame color, Marine Teak or Purpleheart wood slats and **powder-coated metal slats**. Can be special ordered with customer's name and/or logo cast in bench ends and/or without decorative rose in casting.

Suggestions: Specify matching litter container **2107** and ash receptacle **2108**. Also see complementary litter container **2136** and ash receptacle **2137** (see page 65). Matching planters are available.

Notes: * For permanent or movable applications only (anchoring bolts by others).



2118



2118-6

TimberForm Restoration	Model	Length	Width	Height	Seat Height	Mounting
Bench with Intermediate Armrest(s)	2119-7¹	6' 11" [2110mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2119-8¹	7' 11" [2415mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2119-10¹	9' 11" [3025mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2119-12¹	11' 11" [3630mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2119-14²	13' 11" [4240mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2119-16²	15' 11" [4850mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*

Material: Frames of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats.

Options: Frame color, Marine Teak or Purpleheart wood slats and **powder-coated metal slats**. Can be special ordered with customer's name and/or logo cast in bench ends and/or without decorative rose in casting.

Suggestions: Specify matching litter container **2107** and ash receptacle **2108**. Also see complementary litter container **2136** and ash receptacle **2137** (see page 65). Matching planters are available.


Notes: * For permanent or movable applications only (anchoring bolts by others).

¹ Includes one intermediate frame with armrest.

² Includes two intermediate frames with armrest.



2119



2119-8



A



B



C



D

TimberForm Restoration	Model	Length	Width	Height	Seat Height	Mounting
Seat	2123-4	4' 0" [1220mm]	1' 9" [535mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2123-6	6' 0" [1830mm]	1' 9" [535mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2123-8	8' 0" [2440mm]	1' 9" [535mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2123-10 ¹	9' 11" [3025mm]	1' 9" [535mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2123-12 ¹	11' 11" [3630mm]	1' 9" [535mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2123-14 ²	13' 11" [4240mm]	1' 9" [535mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2123-16 ²	15' 11" [4850mm]	1' 9" [535mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*

Material: Frames of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats.

Options: Frame color, Marine Teak or Purpleheart wood slats and **powder-coated metal slats**. Can be special ordered without decorative rose in casting.

Suggestions: Specify matching litter container **2107** and ash receptacle **2108**. Also see complementary litter container **2136** and ash receptacle **2137** (see page 65). Matching planters are available.


Notes: * For permanent or movable applications only (anchoring bolts by others).

¹ Includes one intermediate frame.


² Includes two intermediate frames.



2123



2123-6



2123-10



TimberForm Restoration	Style	Model	Length	Width	Height	Mounting
Litter Container	Open Top	2107-OT	1' 11" [585mm]	1' 11" [585mm]	2' 6" [760mm]	Surface*
	Flat Top	2107-FT	1' 11" [585mm]	1' 11" [585mm]	2' 7" [785mm]	Surface*
	Dome Top	2107-DT	1' 11" [585mm]	1' 11" [585mm]	3' 1" [940mm]	Surface*
	Ash/Dome Top	2107-AT	1' 11" [585mm]	1' 11" [585mm]	3' 0" [915mm]	Surface*
	Hamper Top	2107-HT	1' 11" [585mm]	1' 11" [585mm]	3' 2" [965mm]	Surface*


Material: Frame of black powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood surround.

Options: Top color and Marine Teak or Purpleheart wood surround.


Notes: Includes 36-gallon plastic liner. Top matches frame unless otherwise specified except the Hamper Top which is brushed stainless steel. Key-locking tops are standard on **-FT**, **-DT** and **-AT** models

* For permanent or movable applications only (anchoring bolts by others).


Also available in a 21-gallon capacity, specify complementary model number **2125**.




2107-OT




2107-FT




2107-DT



2107-AT



2107-HT



"Large Capacity"

TimberForm Restoration	Model	Length	Width	Height	Mounting
Ash Receptacle	2108	1' 1" [330mm]	1' 1" [330mm]	2' 6" [760mm]	Surface*

Material: Frames of black powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood surround.

Options: Ash tray color and Marine Teak or Purpleheart wood surround.

Notes: Includes black powder-coated steel ash tray.

* For permanent applications only (anchoring bolts by others).



2108



TimberForm Antigo	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2120-3	3' 0" [915mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2120-6	6' 0" [1830mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2120-8	8' 0" [2440mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2120-10¹	9' 11" [3025mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2120-12¹	11' 11" [3630mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2120-14²	13' 11" [4240mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2120-16²	15' 11" [4850mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*

Material: Frames of black powder-coated cast iron with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.

Options: Frame color and Marine Teak or Purpleheart wood slats. Can be special ordered with customer's name and/or logo cast in bench ends.

Suggestions: Specify matching litter container **2125** or **2126** and ash receptacle **2127**. Matching planters are available.


Notes: * For permanent or movable applications only (anchoring bolts by others).

¹ Includes one intermediate frame without armrest.


² Includes two intermediate frames without armrest.



2120



2120-6



2120-10

TimberForm Antigo	Model	Length	Width	Height	Seat Height	Mounting
Bench with Intermediate Armrest(s)	2121-7¹	6' 11" [2110mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2121-8¹	7' 11" [2415mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2121-10¹	9' 11" [3025mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2121-12¹	11' 11" [3630mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2121-14²	13' 11" [4240mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*
	2121-16²	15' 11" [4850mm]	2' 3" [685mm]	2' 7" [785mm]	1' 4" [405mm]	Surface*

Material: Frames of black powder-coated cast iron with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.


Options: Frame color and Marine Teak or Purpleheart wood slats. Can be special ordered with customer's name and/or logo cast in bench ends.

Suggestions: Specify matching litter container **2125** or **2126** and ash receptacle **2127**. Matching planters are available.


Notes: * For permanent or movable applications only (anchoring bolts by others).

¹ Includes one intermediate frame with armrest.

² Includes two intermediate frames with armrest.



2121



2121-8

For complementary TimberForm planters and drinking fountains please see pages 12 through 14, and 24.

Ten CASPAX-7[™] Standard Powder-Coating Colors



Choose from these standard hues or from a wide spectrum of nearly 200 special designer colors.

Due to variations in the printing process the colors shown are only a guide to the actual powder-coating colors.



A



B



C

TimberForm Antigo	Model	Length	Width	Height	Seat Height	Mounting
Seat	2122-4	4' 0" [1220mm]	2' 1" [635mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2122-6	6' 0" [1830mm]	2' 1" [635mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2122-8	8' 0" [2440mm]	2' 1" [635mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2122-10¹	9' 11" [3025mm]	2' 1" [635mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2122-12¹	11' 11" [3630mm]	2' 1" [635mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2122-14²	13' 11" [4240mm]	2' 1" [635mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2122-16²	15' 11" [4850mm]	2' 1" [635mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*


Material: Frames of black powder-coated cast iron with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
Options: Frame color and Marine Teak or Purpleheart wood slats. Can be special ordered with customer's name and/or logo cast in seat ends.

Suggestions: Specify matching litter container **2125** or **2126** and ash receptacle **2127**. Matching planters are available.

Notes: * For permanent or movable applications only (anchoring bolts by others).

¹ Includes one intermediate frame.


² Includes two intermediate frames.



2122



2122-6



2122-10


TimberForm Spartan	Model	Length	Width	Height	Seat Height	Mounting
Bench	2001-6	5' 10" [1780mm]	1' 8" [510mm]	2' 5" [735mm]	1' 4" [405mm]	Surface*
	2001-8¹	7' 10" [2390mm]	1' 8" [510mm]	2' 5" [735mm]	1' 4" [405mm]	Surface*

Material: Frames of black powder-coated cast iron with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
Options: Frame color and Marine Teak or Purpleheart wood slats.


Suggestions: Specify matching litter container **2107** and ash receptacle **2108** (see page 19). Also see complementary litter container **2136** and ash receptacle **2137** (see page 65). Matching planters are available.

Notes: * For permanent applications only (anchoring bolts by others).


¹ Includes one intermediate frame.



2001



2001-6




2001-8



TimberForm Spartan	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2002-6	5' 10" [1780mm]	1' 8" [510mm]	2' 5" [735mm]	1' 4" [405mm]	Surface*
	2002-8¹	7' 10" [2390mm]	1' 8" [510mm]	2' 5" [735mm]	1' 4" [405mm]	Surface*


- Material:** Frames of black powder-coated cast iron with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
- Options:** Frame color, Marine Teak or Purpleheart wood slats and center armrest.
- Suggestions:** Specify matching litter container **2107** and ash receptacle **2108** (see page 19). Also see complementary litter container **2136** and ash receptacle **2137** (see page 65). Matching planters are available.
- Notes:** * For permanent applications only (anchoring bolts by others).
¹ Includes one intermediate frame without armrest.



2002



2002-6



2002-8

TimberForm Spartan	Model	Length	Width	Height	Seat Height	Mounting
Bench	2003-6	5' 10" [1780mm]	1' 8" [510mm]	2' 5" [735mm]	1' 4" [405mm]	Surface*
	2003-8¹	7' 10" [2390mm]	1' 8" [510mm]	2' 5" [735mm]	1' 4" [405mm]	Surface*


- Material:** Frames of black powder-coated cast iron with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
- Options:** Frame color and Marine Teak or Purpleheart wood slats.
- Suggestions:** Specify matching litter container **2125** or **2126** and ash receptacle **2127**. Matching planters are available.
- Notes:** * For permanent applications only (anchoring bolts by others).
¹ Includes one intermediate frame.



2003




2003-6




2003-8

TimberForm Spartan	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2004-6	5' 10" [1780mm]	1' 8" [510mm]	2' 5" [735mm]	1' 4" [405mm]	Surface*
	2004-8¹	7' 10" [2390mm]	1' 8" [510mm]	2' 5" [735mm]	1' 4" [405mm]	Surface*


- Material:** Frames of black powder-coated cast iron with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
- Options:** Frame color, Marine Teak or Purpleheart wood slats and center armrest.
- Suggestions:** Specify matching litter container **2125** or **2126** and ash receptacle **2127**. Matching planters are available.
- Notes:** * For permanent applications only (anchoring bolts by others).
¹ Includes one intermediate frame without armrest.



2004



2004-6




2004-8

TimberForm Restoration & Antigo	Model	Length	Width	Height	Mouthguard Height(s)	Mounting
Drinking Fountain	2010-01	1' 0" [305mm]	1' 0" [305mm]	3' 4" [1015mm]	3' 3" [990mm]	Surface*
Drinking Fountain with Pet Bowl	2010-03	1' 8" [510mm]	1' 0" [305mm]	3' 4" [1015mm]	3' 3" [990mm]	Surface*
Accessible Drinking Fountain	2010-06	2' 6" [760mm]	1' 0" [305mm]	3' 4" [1015mm]	3' 0" [915mm] & 3' 3" [990mm]	Surface*
Accessible Drinking Fountain with Pet Bowl	2010-08	2' 6" [760mm]	1' 8" [510mm]	3' 4" [1015mm]	3' 0" [915mm] & 3' 3" [990mm]	Surface*

Material: Drinking fountain and base of powder-coated steel.
Bowl, bubbler and mouthguard of polished brass. Push-button activator of stainless steel.

Options: Powder-coating color.

Notes: * Permanently mounted only (water supply by others).



TimberForm Restoration & Antigo	Style	Model	Length	Width	Height	Mounting
Litter Container	Open Top	2126-OT	1' 10" [560mm]	1' 10" [560mm]	2' 6" [760mm]	Surface*
	Flat Top	2126-FT	1' 10" [560mm]	1' 10" [560mm]	2' 7" [785mm]	Surface*
	Dome Top	2126-DT	1' 10" [560mm]	1' 10" [560mm]	3' 1" [940mm]	Surface*
	Ash/Dome Top	2126-AT	1' 10" [560mm]	1' 10" [560mm]	3' 0" [915mm]	Surface*
	Hamper Top	2126-HT	1' 10" [560mm]	1' 10" [560mm]	3' 2" [965mm]	Surface*


Material: Frame of black powder-coated steel with kiln-dried 6/4 patterned Alaska yellow cedar wood surround.

Options: Frame and top color and Marine Teak or Purpleheart wood surround.


Notes: Includes 36-gallon plastic liner. Top matches frame unless otherwise specified except the Hamper Top which is brushed stainless steel. Key-locking tops are standard on **-FT**, **-DT** and **-AT** models.

* For permanent or movable applications only (anchoring bolts by others).

Also available in a 21-gallon capacity, specify model number **2125**.



TimberForm Restoration	Model	Length	Width	Height	Mounting
Ash Receptacle	2127	1' 1" [330mm]	1' 1" [330mm]	2' 6" [760mm]	Surface*



Material: Frame of black powder-coated steel with kiln-dried 6/4 patterned Alaska yellow cedar wood surround.

Options: Frame and ash tray color and Marine Teak or Purpleheart wood surround.

Notes: Includes black powder-coated steel ash tray.

* For permanent applications only (anchoring bolts by others).

2127

Ten CASPAX-7™ Standard Powder-Coating Colors

Choose from these standard hues or from a wide spectrum of nearly 200 special designer colors.



Due to variations in the printing process the colors shown are only a guide to the actual powder-coating colors.

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com


TimberForm® 25
Palomar®






TimberForm Palomar	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2644-6	6' 7" [2005mm]	2' 0" [610mm]	2' 7" [785mm]	1' 4" [405mm]	-E Only


Material: Powder-coated steel with perforated steel seating surface.
Options: Frame and seating color.
Suggestions: Specify matching litter container **2651** or **2654**. Also see complementary litter container **2615** or **2618** and ash receptacle **2616** (see page 61).



2644




2644-6




TimberForm Palomar	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2645-6	6' 7" [2005mm]	2' 0" [610mm]	2' 7" [785mm]	1' 4" [405mm]	-E Only


Material: Powder-coated steel with half-round steel bar seating surface.
Options: Frame and seating color.
Suggestions: Specify matching litter container **2651** or **2654**. Also see complementary litter container **2811**, **2814**, **2815**, **2816** or **2817** and ash receptacle **2812** (see pages 35 and 36).



2645




2645-6




TimberForm Palomar	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2646-6	6' 7" [2005mm]	2' 1" [635mm]	2' 8" [815mm]	1' 4" [405mm]	-E Only

Material: Powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats.
Options: Frame color and Marine Teak or Purpleheart wood slats.
Suggestions: Specify matching litter container **2651** or **2654**. Also see complementary litter container **2107** and ash receptacle **2108** (see page 19).



2646



2646-6



Mounting: -E This suffix indicates the embedment (permanent) mounting option.

Ten CASPAX-7™ Standard Powder-Coating Colors



Regal Blue

Evergreen

Red

Brown

Chrome Yellow

Ocean Teal

Burgundy

Coffee Tan

Black

White




Due to variations in the printing process the colors shown are only a guide to the actual powder-coating colors.

Choose from these standard hues or from a
wide spectrum of nearly 200 special designer colors.



TimberForm Palomar	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Armrests	2647-6	6' 7" [2005mm]	2' 0" [610mm]	2' 7" [785mm]	1' 4" [405mm]	-E or -P

Material: Powder-coated steel with perforated steel seating surface.
Options: Mounting method and frame and seating color.
Suggestions: Specify matching litter container **2651** or **2654**. Also see complementary litter container **2615** or **2618** and ash receptacle **2616** (see page 61).






2647

2647-6

TimberForm Palomar	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Armrests	2648-6	6' 7" [2005mm]	2' 0" [610mm]	2' 7" [785mm]	1' 4" [405mm]	-E or -P

Material: Powder-coated steel with half-round steel bar seating surface.
Options: Mounting method and frame and seating color.
Suggestions: Specify matching litter container **2651** or **2654**. Also see complementary litter container **2811**, **2814**, **2815**, **2816** or **2817** and ash receptacle **2812** (see pages 35 and 36).





2648

2648-6

TimberForm Palomar	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Armrests	2649-6	6' 7" [2005mm]	2' 1" [635mm]	2' 8" [815mm]	1' 4" [405mm]	-E or -P

Material: Powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats.
Options: Mounting method, frame color and Marine Teak or Purpleheart wood slats.
Suggestions: Specify matching litter container **2651** or **2654**. Also see complementary litter container **2107** and ash receptacle **2108** (see page 19).




2649

2649-6



TimberForm Palomar	Model	Length	Width	Height	Seat Height	Mounting Options
Seat with Armrests	2641-6	6' 7" [2005mm]	2' 2" [660mm]	1' 11" [585mm]	1' 4" [405mm]	-E or -P


Material: Powder-coated steel with perforated steel seating surface.
Options: Mounting method and frame and seating color.
Suggestions: Specify matching litter container **2651** or **2654**. Also see complementary litter container **2615** or **2618** and ash receptacle **2616** (see page 61).



2641




2641-6



TimberForm Palomar	Model	Length	Width	Height	Seat Height	Mounting Options
Seat with Armrests	2642-6	6' 7" [2005mm]	2' 3" [685mm]	1' 11" [585mm]	1' 4" [405mm]	-E or -P


Material: Powder-coated steel with half-round steel bar seating surface.
Options: Mounting method and frame and seating color.
Suggestions: Specify matching litter container **2651** or **2654**. Also see complementary litter container **2811**, **2814**, **2815**, **2816** or **2817** and ash receptacle **2812** (see pages 35 and 36).



2642




2642-6




TimberForm Palomar	Model	Length	Width	Height	Seat Height	Mounting Options
Seat with Armrests	2643-6	6' 7" [2005mm]	2' 5" [735mm]	1' 11" [585mm]	1' 4" [405mm]	-E or -P


Material: Powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats.
Options: Mounting method, frame color and Marine Teak or Purpleheart wood slats.
Suggestions: Specify matching litter container **2651** or **2654**. Also see complementary litter container **2107** and ash receptacle **2108** (see page 19).



2643



2643-6




For mounting details on these or any products shown in this catalog please see inside back cover.
 For complementary TimberForm drinking fountains please see page 24.





TimberForm Palomar	Model	Length	Width	Height	Mounting Options
Tilt-Out Litter Container	2651	2' 0" [610mm]	2' 3" [685mm]	4' 4" [1320mm]	-E or -P

Material: Powder-coated steel with perforated steel surround.
Options: Mounting method and frame and container color.
Suggestions: See complementary ash receptacle **2616** (see page 61).
Notes: Includes 23-gallon plastic liner.



2651



U.S. Patent Des. 384,462



"Standard Capacity"

TimberForm Palomar	Model	Diameter	Height	Mounting Options
Hinged-Lid Litter Container	2654	1' 9" [535mm]	3' 7" [1090mm]	-E or -P

Material: Powder-coated steel with perforated steel surround.
Options: Mounting method and container color.
Suggestions: See complementary ash receptacle **2616** (see page 61).
Notes: Includes 23-gallon plastic liner.



2654




"Standard Capacity"

For mounting details on these or any products shown in this catalog please see inside back cover.
 For complementary TimberForm drinking fountains please see page 24.

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.



See more at www.TimberForm.com **TimberForm® 31**
Renaissance™





TimberForm Renaissance	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2806-5	5' 1" [1550mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2806-6	6' 1" [1855mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2806-8	8' 1" [2465mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
-MP Add this suffix for mounting-plate option (plaque by customer).						

- Material:** Powder-coated steel.
Options: Powder-coating color and mounting plate.
Suggestions: Specify matching litter container **2811**, **2814**, **2815**, **2816** or **2817** and ash receptacle **2812**.
 Matching planters are available.
Notes: * For permanent or movable applications only (anchoring bolts by others).





2806

2806-6

2806-6-MP

TimberForm Renaissance	Model	Length	Width	Height	Seat Height	Mounting
Curved Bench with Armrests	2809-7	7' 0" [2135mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*

- Material:** Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2811**, **2814**, **2815**, **2816** or **2817** and ash receptacle **2812**.
 Matching planters are available.
Notes: * For permanent or movable applications only (anchoring bolts by others.)



2809



2809-7

Bench Radius Information

The standard inside radius to the front of the **2809-7** bench is 18' 7" [5665mm] and the standard outside radius to the back of bench is 20' 9" [6325mm].

TimberForm Renaissance	Model	Length	Width	Height	Seat Height	Mounting
Bench with Intermediate Frame with Armrest	2807-8'	8' 0" [2440mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2807-10'	10' 0" [3050mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2807-12'	12' 0" [3660mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*

- Material:** Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2811**, **2814**, **2815**, **2816** or **2817** and ash receptacle **2812**.
 Matching planters are available.
Notes: * For permanent or movable applications only (anchoring bolts by others).
 'Includes one intermediate frame with armrest.




2807

2807-8




TimberForm Renaissance	Model	Length	Width	Height	Seat Height	Mounting
Bench with Intermediate Frames with Armrests	2808-6¹	6' 0" [1830mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2808-8²	7' 11" [2415mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2808-10³	9' 10" [2995mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*

- Material:** Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2811**, **2814**, **2815**, **2816** or **2817** and ash receptacle **2812**. Matching planters are available.
Notes: * For permanent or movable applications only (anchoring bolts by others).
¹ Includes two intermediate frames with armrest.
² Includes three intermediate frames with armrest.
³ Includes four intermediate frames with armrest.




2808




2808-8

TimberForm Renaissance	Model	Length	Width	Height	Seat Height	Mounting
Seat with Armrests	2802-5	5' 0" [1525mm]	1' 11" [585mm]	1' 9" [535mm]	1' 4" [405mm]	Surface*
	2802-6	6' 0" [1830mm]	1' 11" [585mm]	1' 9" [535mm]	1' 4" [405mm]	Surface*
	2802-8	8' 0" [2440mm]	1' 11" [585mm]	1' 9" [535mm]	1' 4" [405mm]	Surface*

- Material:** Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2811**, **2814**, **2815**, **2816** or **2817** and ash receptacle **2812**. Matching planters are available.
Notes: * For permanent or movable applications only (anchoring bolts by others).



2802




2802-6

TimberForm Renaissance	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2811-OT	2' 2" [660mm]	2' 10" [865mm]	-E, -P or -L
	Flat Top	2811-FT	2' 2" [660mm]	2' 10" [865mm]	-E, -P or -L
	Dome Top	2811-DT	2' 2" [660mm]	3' 3" [990mm]	-E, -P or -L
	Ash/Dome Top	2811-AT	2' 2" [660mm]	3' 2" [965mm]	-E, -P or -L


Material: Powder-coated steel.

Options: Mounting method and powder-coating color.


Notes: Includes 23-gallon plastic liner. Top matches container unless otherwise specified.
Key-locking tops are standard on **-FT**, **-DT** and **-AT** models.




2811-OT




2811-FT



2811-DT



2811-AT




“Standard Capacity”

TimberForm Renaissance	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2814-OT	2' 2" [660mm]	2' 10" [865mm]	-E, -P or -L
	Flat Top	2814-FT	2' 2" [660mm]	2' 10" [865mm]	-E, -P or -L
	Dome Top	2814-DT	2' 2" [660mm]	3' 5" [1040mm]	-E, -P or -L
	Ash/Dome Top	2814-AT	2' 2" [660mm]	3' 4" [1015mm]	-E, -P or -L


Material: Powder-coated steel.

Options: Mounting method and powder-coating color.


Notes: Includes 32-gallon plastic liner. Top matches container unless otherwise specified.
Key-locking tops are standard on **-FT**, **-DT** and **-AT** models.




2814-OT




2814-FT



2814-DT



2814-AT




“Large Capacity”

TimberForm Renaissance	Style	Model	Diameter	Height	Mounting Options
Litter Container, Side Empty	Open Top	2815-OT¹	1' 9" [535mm]	2' 10" [865mm]	-E, -P or -L
	Flat Top	2815-FT	1' 9" [535mm]	2' 10" [865mm]	-E, -P or -L
	Dome Top	2815-DT	1' 9" [535mm]	3' 5" [1040mm]	-E, -P or -L
	Ash/Dome Top	2815-AT	1' 9" [535mm]	3' 4" [1015mm]	-E, -P or -L


Material: Powder-coated steel.

Options: Mounting method and powder-coating color.


Notes: Includes 23-gallon plastic liner. Top matches container unless otherwise specified.
Key-locking tops and side opening door are standard on **-FT**, **-DT** and **-AT** models.
¹ Key-locking top and side opening door not required on Open Top (**-OT**) model.




2815-OT




2815-FT



2815-DT



2815-AT



“Standard Capacity”


TimberForm Renaissance	Style	Model	Diameter	Height	Mounting Options
Litter Container, Side Empty	Open Top	2816-OT¹	2' 2" [660mm]	2' 10" [865mm]	-E, -P or -L
	Flat Top	2816-FT	2' 2" [660mm]	2' 10" [865mm]	-E, -P or -L
	Dome Top	2816-DT	2' 2" [660mm]	3' 7" [1090mm]	-E, -P or -L
	Ash/Dome Top	2816-AT	2' 2" [660mm]	3' 6" [1065mm]	-E, -P or -L

Material: Powder-coated steel.

Options: Mounting method and powder-coating color.

Notes: Includes 32-gallon plastic liner. Top matches container unless otherwise specified. Key-locking tops and side opening door are standard on -FT, -DT and -AT models.

¹ Key-locking top and side opening door not required on Open Top (-OT) model.




TimberForm Renaissance	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2817-OT	2' 5" [735mm]	2' 10" [865mm]	-E, -P or -L
	Flat Top	2817-FT	2' 5" [735mm]	2' 10" [865mm]	-E, -P or -L
	Dome Top	2817-DT	2' 5" [735mm]	3' 5" [1040mm]	-E, -P or -L
	Ash/Dome Top	2817-AT	2' 5" [735mm]	3' 4" [1015mm]	-E, -P or -L


Material: Powder-coated steel.

Options: Mounting method and powder-coating color.

Notes: Includes 32-gallon plastic liner and top. Top matches container unless otherwise specified. Key-locking tops are standard on -FT, -DT and -AT models.



TimberForm Renaissance	Model	Diameter	Height	Mounting Options
Ash Receptacle	2812	1' 2" [355mm]	2' 8" [815mm]	-E or -P



2812

Material: Powder-coated steel.

Options: Mounting method and powder-coating color.

Notes: Includes matching powder-coated steel ash tray/ liner.

Mounting Options: -E Add this suffix for embedment (permanent) mounting option. -P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). -L Add this suffix for leveling feet option.

For mounting details on these or other products shown in this catalog please see inside back cover.

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm[®] 37
Broadway™



A



B



C



D




E



F


TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2624-6	6' 0" [1830mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*
	2624-8	8' 0" [2440mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*

Material: Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2629**.
Notes: * For permanent or movable applications only (anchoring bolts by others).



TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Bench with Intermediate Armrest	2625-6	6' 0" [1830mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*
	2625-8	8' 0" [2440mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*

Material: Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2629**.
Notes: * For permanent or movable applications only (anchoring bolts by others).



TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Seat with Armrests	2620-6	6' 0" [1830mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2620-8	8' 0" [2440mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*

Material: Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2629**.
Notes: * For permanent or movable applications only (anchoring bolts by others).





TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Seat with Intermediate Armrest	2621-6	6' 0" [1830mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2621-8	8' 0" [2440mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*

Material: Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2629**.
Notes: * For permanent or movable applications only (anchoring bolts by others).







TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2626-6	6' 0" [1830mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*
 Also offered with recycled plastic slats. Specify 2636.	2626-8	8' 0" [2440mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*
Material:	Frame of powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar slats. Specify 2636 for recycled plastic slats.					
Options:	Frame color and slat material (Marine teak, Purpleheart wood or recycled plastic).					
Suggestions:	Specify matching litter container 2629 .					
Notes:	* For permanent or movable applications only (anchoring bolts by others).					



2626 and 2636 2626-6 and 2636-6

TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Bench with Intermediate Armrest	2627-6	6' 0" [1830mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*
 Also offered with recycled plastic slats. Specify 2637.	2627-8	8' 0" [2440mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*
Material:	Frame of powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar slats. Specify 2637 for recycled plastic slats.					
Options:	Frame color and slat material (Marine teak, Purpleheart wood or recycled plastic).					
Suggestions:	Specify matching litter container 2629 .					
Notes:	* For permanent or movable applications only (anchoring bolts by others).					



2627 and 2637 2627-6 and 2637-6

TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Seat with Armrests	2622-6	6' 0" [1830mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
 Also offered with recycled plastic slats. Specify 2632.	2622-8	8' 0" [2440mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
Material:	Frame of powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar slats. Specify 2632 for recycled plastic slats.					
Options:	Frame color and slat material (Marine teak, Purpleheart wood or recycled plastic).					
Suggestions:	Specify matching litter container 2629 .					
Notes:	* For permanent or movable applications only (anchoring bolts by others).					



2622 and 2632 2622-6 and 2632-6



TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Seat with Intermediate Armrest	2623-6	6' 0" [1830mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2623-8	8' 0" [2440mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*



Also offered with recycled plastic slats.
Specify 2633.

Material: Frame of powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar slats. Specify **2633** for recycled plastic slats.

Options: Frame color and slat material (Marine teal, Purpleheart wood or recycled plastic).


Suggestions: Specify matching litter container **2629**.



2623 and 2633



2623-6 and 2633-6



TimberForm Broadway	Style	Model	Diameter	Height	Mounting Options
Litter Container, Side Empty	Open Top	2629-OT¹	2' 2" [660mm]	2' 10" [865mm]	-E, -P or -L
	Flat Top	2629-FT	2' 2" [660mm]	2' 10" [865mm]	-E, -P or -L
	Dome Top	2629-DT	2' 2" [660mm]	3' 7" [1090mm]	-E, -P or -L
	Ash/Dome Top	2629-AT	2' 2" [660mm]	3' 6" [1065mm]	-E, -P or -L

Material: Powder-coated steel.

Options: Mounting method and powder-coating color.

Notes: Includes 32-gallon plastic liner. Top matches container unless otherwise specified. Key-locking tops and side opening door are standard on **-FT**, **-DT** and **-AT** models.
¹ Key-locking top and side opening door not required on Open Top (**-OT**) model.




2629-OT




2629-FT



2629-DT



2629-AT



Side opening door standard on **-FT**, **-DT** and **-AT**.

"Large Capacity"

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm^{®41}
Profile™






TimberForm Profile	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Armrests	2865-6	6' 2" [1880mm]	2' 5" [735mm]	2' 10" [865mm]	1' 4" [405mm]	-E, -P or -L
	2865-8	8' 1" [2465mm]	2' 5" [735mm]	2' 10" [865mm]	1' 4" [405mm]	-E, -P or -L


Material: Powder-coated steel.

Options: Mounting method and powder-coating color.

Suggestions: Specify matching litter container **2891**, **2894** or **2895** and ash receptacle **2892**.
Matching planters are available.



2865




2865-6

TimberForm Profile	Model	Length	Width	Height	Seat Height	Mounting Options
Seat with Armrests	2861-6	6' 2" [1880mm]	2' 7" [785mm]	1' 11" [585mm]	1' 4" [405mm]	-E, -P or -L
	2861-8	8' 1" [2465mm]	2' 7" [785mm]	1' 11" [585mm]	1' 4" [405mm]	-E, -P or -L


Material: Powder-coated steel.

Options: Mounting method and powder-coating color.

Suggestions: Specify matching litter container **2891**, **2894** or **2895** and ash receptacle **2892**.
Matching planters are available.



2861



2861-6

TimberForm Profile	Style	Model	Length	Width	Height	Seat Height	Mounting Options
Bench	2 Section	2884-4	5' 5" [1650mm]	2' 5" [735mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	3 Section	2884-6	7' 9" [2360mm]	2' 5" [735mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	4 Section	2884-8	10' 1" [3075mm]	2' 5" [735mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
Bench with Armrests	2 Section	2885-4¹	5' 5" [1650mm]	2' 5" [735mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	3 Section	2885-6¹	7' 9" [2360mm]	2' 5" [735mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	4 Section	2885-8¹	10' 1" [3075mm]	2' 5" [735mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P


Material: Powder-coated steel and aluminum.

Options: Mounting method, powder-coating color, number of sections and/or armrests. Available on special order for wall-mount installation.


Suggestions: Specify matching litter container **2891**, **2894** or **2895** and ash receptacle **2892**.
Matching planters are available.

Notes: Includes matching base covers, as shown below, on -P pedestal mounting option only.


¹ Includes one armrest on each end. Please specify additional armrests if required.



2884



2885



2885-8



TimberForm Profile	Style	Model	Length	Width	Height	Seat Height	Mounting Options
Seat	2 Section	2880-4	5' 5" [1650mm]	2' 6" [760mm]	1' 4" [405mm]	1' 4" [405mm]	-E or -P
	3 Section	2880-6	7' 9" [2360mm]	2' 6" [760mm]	1' 4" [405mm]	1' 4" [405mm]	-E or -P
	4 Section	2880-8	10' 1" [3075mm]	2' 6" [760mm]	1' 4" [405mm]	1' 4" [405mm]	-E or -P
Seat with Armrests	2 Section	2881-4'	5' 5" [1650mm]	2' 6" [760mm]	1' 11" [585mm]	1' 4" [405mm]	-E or -P
	3 Section	2881-6'	7' 9" [2360mm]	2' 6" [760mm]	1' 11" [585mm]	1' 4" [405mm]	-E or -P
	4 Section	2881-8'	10' 1" [3075mm]	2' 6" [760mm]	1' 11" [585mm]	1' 4" [405mm]	-E or -P


Material: Powder-coated steel and aluminum.

Options: Mounting method, powder-coating color, number of sections and/or armrests. Available on special order for wall-mount installation


Suggestions: Specify matching litter container **2891**, **2894** or **2895** and ash receptacle **2892**. Matching planters are available.

Notes: Includes matching base covers, as shown below, on -P pedestal mounting option only.


* Includes one armrest on each end. Please specify additional armrests if required.



2880



2881



2881-8

Ten CASPAX-7[™] Standard Powder-Coating Colors

Choose from these standard hues or from a wide spectrum of nearly 200 special designer colors.



Regal Blue



Evergreen



Red



Brown




Chrome Yellow




Ocean Teal



Burgundy



Coffee Tan



Black



White

Due to variations in the printing process the colors shown are only a guide to the actual powder-coating colors.

TimberForm Profile	Style	Model	Length	Width	Height	Seat Height	Mounting Options
Bench	3 Section	2888-3	9' 5" [2870mm]	3' 7" [1090mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	4 Section	2888-4	11' 9" [3580mm]	4' 8" [1420mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	5 Section	2888-5	13' 2" [4015mm]	5' 9" [1755mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	6 Section	2888-6	14' 0" [4265mm]	7' 5" [2260mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
Bench with Armrests	3 Section	2889-3¹	9' 5" [2870mm]	3' 7" [1090mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	4 Section	2889-4¹	11' 9" [3580mm]	4' 8" [1420mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	5 Section	2889-5¹	13' 2" [4015mm]	5' 9" [1755mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	6 Section	2889-6¹	14' 0" [4265mm]	7' 5" [2260mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P

Material: Powder-coated steel and aluminum.


Options: Mounting method, powder-coating color, number of sections and/or armrests.

Suggestions: Specify matching litter container **2891**, **2894** or **2895** and ash receptacle **2892**.
Matching planters are available.


Notes: Includes matching base covers, as shown below, on **-P** pedestal mounting option only.

¹ Includes one armrest on each end. Please specify additional armrests if required.

Models **2888** and **2889** provide outward facing seating on the convex side of the bench.



2889-6



How to specify custom curved benches and seats

"For Signature ProjectsSM".

Inside radius "A" or
outside radius "B".

Provide dimension "C" with
tolerance plus minus.

If applicable, which side is
backrest, "D" or "E" (benches
have backrests, seats do not).

Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).



TimberForm Profile	Style	Model	Length	Width	Height	Seat Height	Mounting Options
Bench	3 Section	2886-3	9' 5" [2870mm]	3' 7" [1090mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	4 Section	2886-4	11' 9" [3580mm]	4' 8" [1420mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	5 Section	2886-5	13' 2" [4015mm]	5' 9" [1755mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	6 Section	2886-6	14' 0" [4265mm]	7' 5" [2260mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
Bench with Armrests	3 Section	2887-3¹	9' 5" [2870mm]	3' 7" [1090mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	4 Section	2887-4¹	11' 9" [3580mm]	4' 8" [1420mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	5 Section	2887-5¹	13' 2" [4015mm]	5' 9" [1755mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	6 Section	2887-6¹	14' 0" [4265mm]	7' 5" [2260mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P

Material: Powder-coated steel and aluminum.


Options: Mounting method, powder-coating color, number of sections and/or armrests.

Suggestions: Specify matching litter container **2891**, **2894** or **2895** and ash receptacle **2892**. Matching planters are available.

Notes: Includes matching base covers, as shown below, on -P pedestal mounting option only.

¹ Includes one armrest on each end. Please specify additional armrests if required.

Models **2886** and **2887** provide inward facing seating on the concave side of the bench.





TimberForm Profile	Style	Model	Length	Width	Height	Seat Height	Mounting Options
Seat	3 Section	2882-3	9' 7" [2920mm]	3' 8" [1120mm]	1' 4" [405mm]	1' 4" [405mm]	-E or -P
	4 Section	2882-4	11' 11" [3630mm]	4' 9" [1450mm]	1' 4" [405mm]	1' 4" [405mm]	-E or -P
	5 Section	2882-5	13' 4" [4065mm]	5' 10" [1780mm]	1' 4" [405mm]	1' 4" [405mm]	-E or -P
	6 Section	2882-6	14' 2" [4320mm]	7' 6" [2285mm]	1' 4" [405mm]	1' 4" [405mm]	-E or -P
Seat with Armrests	3 Section	2883-3'	9' 7" [2920mm]	3' 8" [1120mm]	1' 11" [585mm]	1' 4" [405mm]	-E or -P
	4 Section	2883-4'	11' 11" [3630mm]	4' 9" [1450mm]	1' 11" [585mm]	1' 4" [405mm]	-E or -P
	5 Section	2883-5'	13' 4" [4065mm]	5' 10" [1780mm]	1' 11" [585mm]	1' 4" [405mm]	-E or -P
	6 Section	2883-6'	14' 2" [4320mm]	7' 6" [2285mm]	1' 11" [585mm]	1' 4" [405mm]	-E or -P


Material: Powder-coated steel and aluminum.

Options: Mounting method, powder-coating color, number of sections and/or armrests.


Suggestions: Specify matching litter container **2891**, **2894** or **2895** and ash receptacle **2892**.
Matching planters are available.

Notes: Includes matching base covers, as shown below, on -P pedestal mounting option only.


' Includes one armrest on each end. Please specify additional armrests if required.



2882



2883



Seat Radius Data

The standard inside radius to the inside of the **2882** and **2883** seat is 4' 6" [1370mm] and the standard outside radius to the backside of the seat is 7' 1" [2160mm].

2883-6


Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).

TimberForm Profile	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2891-OT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Flat Top	2891-FT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Dome Top	2891-DT	1' 9" [535mm]	3' 3" [990mm]	-E, -P or -L
	Ash/Dome Top	2891-AT	1' 9" [535mm]	3' 2" [965mm]	-E, -P or -L
	Hamper Top	2891-HT	1' 9" [535mm]	3' 4" [1015mm]	-E, -P or -L

Material: Powder-coated steel.

Options: Mounting method, powder-coating color and powder-coated metal liner.

Notes: Includes 18-gallon plastic liner. Top matches container unless otherwise specified.
Key-locking tops are standard on -FT, -DT and -AT models.




TimberForm Profile	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2894-OT	2' 2" [660mm]	2' 8" [815mm]	-E, -P or -L
	Flat Top	2894-FT	2' 2" [660mm]	2' 8" [815mm]	-E, -P or -L
	Dome Top	2894-DT	2' 2" [660mm]	3' 5" [1040mm]	-E, -P or -L
	Ash/Dome Top	2894-AT	2' 2" [660mm]	3' 4" [1015mm]	-E, -P or -L


Material: Powder-coated steel.

Options: Mounting method, powder-coating color and powder-coated metal liner.

Notes: Includes 32-gallon plastic liner. Top matches container unless otherwise specified.
Key-locking tops are standard on -FT, -DT, -AT and -HT models.



TimberForm Profile	Model	Diameter	Height	Mounting Options
Ash Receptacle	2892	1' 2" [355mm]	2' 8" [815mm]	-E or -P



Material: Powder-coated steel.

Options: Mounting method and powder-coating color.

Notes: Includes matching powder-coated steel ash tray/liner.

2892

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm[®] 49
Profile[™]



Profile Litter Containers shown above with optional powder-coated metal liners.

Ten CASPAX-7[™] Standard Powder-Coating Colors



Choose from these standard hues or from a
wide spectrum of nearly 200 special designer colors.

Due to variations in the printing process the colors shown are only a guide to the actual powder-coating colors.









TimberForm Manor	Model	Length	Width	Height	Seat Height	Mounting Options
Arched Back Bench with Armrests	2824-4	4' 2" [1270mm]	1' 11" [585mm]	2' 11" [890mm]	1' 4" [405mm]	-E, -P or -L
	2824-6	6' 2" [1880mm]	1' 11" [585mm]	2' 11" [890mm]	1' 4" [405mm]	-E, -P or -L
	2824-8¹	8' 2" [2490mm]	1' 11" [585mm]	2' 11" [890mm]	1' 4" [405mm]	-E, -P or -L
-MP Add this suffix for mounting-plate option (plaque by customer).						


Material: Powder-coated steel.
Options: Mounting method, powder-coating color and mounting plate.
Suggestions: Specify matching accessory table **2820**, litter container **2831** or **2834** and ash receptacle **2835**. Matching planters are available.
Notes: ¹ Includes intermediate support.



2824




2824-6




TimberForm Manor	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Armrests	2827-4	4' 2" [1270mm]	1' 11" [585mm]	2' 11" [890mm]	1' 4" [405mm]	-E, -P or -L
	2827-6	6' 2" [1880mm]	1' 11" [585mm]	2' 11" [890mm]	1' 4" [405mm]	-E, -P or -L
	2827-8¹	8' 2" [2490mm]	1' 11" [585mm]	2' 11" [890mm]	1' 4" [405mm]	-E, -P or -L
-MP Add this suffix for mounting-plate option (plaque by customer).						

Material: Powder-coated steel.
Options: Mounting method, powder-coating color and mounting plate.
Suggestions: Specify matching accessory table **2820**, litter container **2831** or **2834** and ash receptacle **2835**. Matching planters are available.
Notes: ¹ Includes intermediate support.



2827



2827-6




Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). **-L** Add this suffix for leveling feet option.




TimberForm Manor	Model	Length	Width	Height	Seat Height	Mounting Options
Curved Bench with Armrests	2829-8'	10' 3" [3125mm]	1' 11" [585mm]	2' 11" [890mm]	1' 4" [405mm]	-E, -P or -L


Material: Powder-coated steel.
Options: Mounting method and powder-coating color. Center armrest available.
Suggestions: Specify matching accessory table **2820**, litter container **2831** or **2834** and ash receptacle **2835**. Matching planters are available.
Notes: ' Includes intermediate support.



2829



2829-8




Bench Radius Data


The standard inside radius to the front of the **2829-8** bench is 5' 9" [1755mm] and the standard outside radius to the back of the bench is 7' 8" [2335mm].

TimberForm Manor	Model	Length	Width	Height	Seat Height	Mounting Options
Seat with Armrests	2822-4	4' 2" [1270mm]	1' 8" [510mm]	2' 1" [635mm]	1' 4" [405mm]	-E, -P or -L
	2822-6	6' 2" [1880mm]	1' 8" [510mm]	2' 1" [635mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated steel.
Options: Mounting method and powder-coating color.
Suggestions: Specify matching accessory table **2820**, litter container **2831** or **2834** and ash receptacle **2835**. Matching planters are available.



2822



2822-6





**A****B**

TimberForm Manor	Model	Length	Width	Height	Mounting Options
Accessory Table	2820-4	4' 2" [1270mm]	2' 6" [760mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated steel.

Options: Mounting method and powder-coating color.

Suggestions: Use with seat **2822** or benches **2824**, **2827** or **2829**. GameBoard **2095** is available for this table (see page 99).






**2820-4**

TimberForm Manor	Style	Model	Length	Width	Height	Mounting Options
Litter Container	Open Top	2831-OT	1' 7" [485mm]	1' 7" [485mm]	2' 10" [865mm]	-E, -P or -L
	Flat Top	2831-FT	1' 7" [485mm]	1' 7" [485mm]	2' 10" [865mm]	-E, -P or -L
	Dome Top	2831-DT	1' 7" [485mm]	1' 7" [485mm]	3' 5" [1040mm]	-E, -P or -L
	Ash/Dome Top	2831-AT	1' 7" [485mm]	1' 7" [485mm]	3' 4" [1015mm]	-E, -P or -L
	Hamper Top	2831-HT	1' 7" [485mm]	1' 7" [485mm]	3' 6" [1065mm]	-E, -P or -L

Material: Powder-coated steel.

Options: Mounting method and powder-coating color. Liner color can be specified to match container.

Notes: Includes black powder-coated 21-gallon steel liner. Top matches container unless otherwise specified except the Hamper Top which is brushed stainless steel.
Key-locking tops are standard on -FT, -DT and -AT models.

**2831-OT****2831-FT****2831-DT****2831-AT****2831-HT****"Standard Capacity"**

Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). **-L** Add this suffix for leveling feet option.

For complementary drinking fountains please see pages 12 and 24.
For TimberForm Manor tables and chairs please see pages 95 and 100.



A



B



C




D

TimberForm Manor	Style	Model	Length	Width	Height	Mounting Options
Litter Container, Side Empty	Open Top	2834-OT	1' 11" [585mm]	1' 11" [585mm]	3' 0" [915mm]	-E, -P or -L
	Flat Top	2834-FT	1' 11" [585mm]	1' 11" [585mm]	3' 0" [915mm]	-E, -P or -L
	Dome Top	2834-DT	1' 11" [585mm]	1' 11" [585mm]	3' 7" [1090mm]	-E, -P or -L
	Ash/Dome Top	2834-AT	1' 11" [585mm]	1' 11" [585mm]	3' 6" [1065mm]	-E, -P or -L
	Hamper Top	2834-HT	1' 11" [585mm]	1' 11" [585mm]	3' 8" [1120mm]	-E, -P or -L


Material: Powder-coated steel.

Options: Mounting method and powder-coating color.


Notes: Includes 36-gallon plastic liner. Top matches container unless otherwise specified, except the Hamper Top which is brushed stainless steel. Also includes key-locking side door for ease of use.




2834-OT




2834-FT




2834-DT



2834-AT



2834-HT



"Large Capacity"

TimberForm Manor	Model	Length	Width	Height	Mounting Options
Ash Receptacle	2835	1' 1" [330mm]	1' 1" [330mm]	2' 8" [815mm]	-E or -P



2835



Material: Powder-coated steel.

Options: Mounting method and powder-coating color. Ash tray/ liner color can be specified to match receptacle.

Notes: Includes black powder-coated steel ash tray/ liner.

Ten CASPAX-7™ Standard Powder-Coating Colors



Regal Blue

Evergreen

Red

Brown

Chrome Yellow

Ocean Teal

Burgundy

Coffee Tan

Black

White

Due to variations in the printing process the colors shown are only a guide to the actual powder-coating colors.


Choose from these standard hues or from a
wide spectrum of nearly 200 special designer colors.





TimberForm Willow	Model	Length	Width	Height	Seat Height	Mounting Options
Chair with Armrests	2783-2	2' 2" [660mm]	1' 10" [560mm]	3' 1" [940mm]	1' 4" [405mm]	-E, -P or -L


Material: Powder-coated Schedule 40 steel pipe frame, contoured tubular seat and round rod willow backrest.
Options: Mounting method and powder-coating color.
Suggestions: Specify matching litter container **2786** and ash receptacle **2788**. Matching planters are available.



2783 2783-2

TimberForm Willow	Model	Length	Width	Height	Seat Height	Mounting Options
Settee with Armrests	2783-4	4' 2" [1270mm]	1' 10" [560mm]	3' 1" [940mm]	1' 4" [405mm]	-E, -P or -L


Material: Powder-coated Schedule 40 steel pipe frame, contoured tubular seat and round rod willow backrests.
Options: Mounting method and powder-coating color.
Suggestions: Specify matching litter container **2786** and ash receptacle **2788**. Matching planters are available.



2783 2783-4

TimberForm Willow	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Armrests	2783-6	6' 2" [1880mm]	1' 10" [560mm]	3' 1" [940mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated Schedule 40 steel pipe frame, contoured tubular seat and round rod willow backrests.
Options: Mounting method and powder-coating color.
Suggestions: Specify matching litter container **2786** and ash receptacle **2788**. Matching planters are available.




2783 2783-6




TimberForm Willow	Model	Length	Width	Height	Seat Height	Mounting Options
Seat with Armrests	2781-6	6' 2" [1880mm]	1' 8" [510mm]	2' 2" [660mm]	1' 4" [405mm]	-E, -P or -L


Material: Powder-coated Schedule 40 steel pipe frame, contoured tubular seat and round rod willow armrests.
Options: Mounting method and powder-coating color.
Suggestions: Specify matching litter container **2786** and ash receptacle **2788**. Matching planters are available.



2781



2781-6




U.S. Patent Des. 369,914


TimberForm Willow	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2786-OT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Flat Top	2786-FT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Dome Top	2786-DT	1' 9" [535mm]	3' 3" [990mm]	-E, -P or -L
	Ash/Dome Top	2786-AT	1' 9" [535mm]	3' 2" [965mm]	-E, -P or -L
	Hamper Top	2786-HT	1' 9" [535mm]	3' 4" [1015mm]	-E, -P or -L

Material: Powder-coated Schedule 40 steel pipe frame and round rod willow surround.
Options: Mounting method, powder-coating color. and powder-coated metal liner.
Notes: Includes 18-gallon plastic liner. Top matches container unless otherwise specified. Key-locking tops are standard on **-FT, -DT** and **-AT**.


U.S. Patent Des. 371,657




2786-OT




2786-FT




2786-DT



2786-AT



2786-HT



"Standard Capacity"

TimberForm Willow	Model	Diameter	Height	Mounting Options
Ash Receptacle	2788	1' 2" [355mm]	2' 8" [815mm]	-E or -P



2788



Material: Powder-coated Schedule 40 steel pipe frame, liner and round rod willow surround.
Options: Mounting method and powder-coating color.
Notes: Includes matching powder-coated steel ash tray/liner.

For mounting details on these and other products shown in this catalog please see inside back cover.

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm[®] 59
Boulevard™



Ten CASPAX-7™ Standard Powder-Coating Colors

Choose from these standard hues or from a wide spectrum of nearly 200 special designer colors.



Regal Blue



Evergreen



Red



Brown



Black



Chrome Yellow



Ocean Teal



Burgundy



Coffee Tan



White

Due to variations in the printing process the colors shown above are only a guide to the actual powder-coating colors.



TimberForm Boulevard	Model	Length	Width	Height	Seat Height	Mounting Options
Bench	2613-4	4' 2" [1270mm]	2' 6" [760mm]	2' 8" [815mm]	1' 4" [405mm]	-E, -P or -L
	2613-6	6' 2" [1880mm]	2' 6" [760mm]	2' 8" [815mm]	1' 4" [405mm]	-E, -P or -L
	2613-8'	8' 2" [2490mm]	2' 6" [760mm]	2' 8" [815mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated steel with perforated steel seating surface.

Options: Mounting method and powder-coating color.

Suggestions: Specify matching litter container **2615** or **2618** and ash receptacle **2616**. Matching planters are available.

Notes: ¹Includes one intermediate frame.



2613



2613-6



TimberForm Boulevard	Model	Length	Width	Height	Seat Height	Mounting Options
Seat	2611-4	4' 2" [1270mm]	2' 0" [610mm]	1' 5" [430mm]	1' 4" [405mm]	-E, -P or -L
	2611-6	6' 2" [1880mm]	2' 0" [610mm]	1' 5" [430mm]	1' 4" [405mm]	-E, -P or -L
	2611-8'	8' 2" [2490mm]	2' 0" [610mm]	1' 5" [430mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated steel with perforated steel seating surface.

Options: Mounting method and powder-coating color.

Suggestions: Specify matching litter container **2615** or **2618** and ash receptacle **2616**. Matching planters are available.


Notes: ¹Includes one intermediate frame.



2611



2611-6



TimberForm Boulevard	Model	Length	Width	Height	Seat Height	Mounting Options
Seat	2602-6	6' 2" [1880mm]	1' 8" [510mm]	1' 5" [430mm]	1' 4" [405mm]	-E or -P

Material: Powder-coated steel with perforated steel seating surface.

Options: Mounting method and powder-coating color.

Suggestions: Specify matching picnic table **2609-6** (see page 94), litter container **2615** or **2618** and ash receptacle **2616**. Matching planters are available.



2602



2602-6




For TimberForm Boulevard picnic tables, tables and chairs please see pages 94, 98 and 100.

TimberForm Boulevard	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2615-OT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Flat Top	2615-FT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Dome Top	2615-DT	1' 9" [535mm]	3' 3" [990mm]	-E, -P or -L
	Ash/Dome Top	2615-AT	1' 9" [535mm]	3' 2" [965mm]	-E, -P or -L
	Hamper Top	2615-HT	1' 9" [535mm]	3' 4" [1015mm]	-E, -P or -L

Material: Powder-coated steel with perforated steel surround.

Options: Mounting method and powder-coating color.

Notes: Includes 18-gallon plastic liner. Top matches container unless otherwise specified.
Key-locking tops are standard on -FT, -DT and -AT models.




TimberForm Boulevard	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2618-OT	2' 2" [660mm]	2' 8" [815mm]	-E, -P or -L
	Flat Top	2618-FT	2' 2" [660mm]	2' 8" [815mm]	-E, -P or -L
	Dome Top	2618-DT	2' 2" [660mm]	3' 5" [1040mm]	-E, -P or -L
	Ash/Dome Top	2618-AT	2' 2" [660mm]	3' 4" [1015mm]	-E, -P or -L


Material: Powder-coated steel with perforated steel surround.

Options: Mounting method and powder-coating color.

Notes: Includes 32-gallon plastic liner. Top matches container unless otherwise specified.
Key-locking tops are standard on -FT, -DT and -AT models.



TimberForm Boulevard	Model	Diameter	Height	Mounting Options
Ash Receptacle	2616	1' 2" [355mm]	2' 8" [815mm]	-E or -P



2616

Material: Powder-coated steel with perforated steel surround.

Options: Mounting method and powder-coating color.

Notes: Includes black powder-coated steel ash tray/liner.

Mounting Options -E Add this suffix for embedment (permanent) mounting option. -P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). -L Add this suffix for leveling feet option.






TimberForm Skyline	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Armrests	2111-6	6' 0" [1830mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2111-8	8' 0" [2440mm]	2' 3" [685mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*

Material: Frame of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats.


Options: Frame color and Marine Teak or Purpleheart wood slats.
Can be special ordered with customer's name and/or logo cast in bench ends.

Suggestions: Specify matching litter container **2136** and ash receptacle **2137**. Also see complementary litter container **2107** and ash receptacle **2108** (see page 19).


Notes: * For permanent or movable applications only (anchoring bolts by others).



2111



2111-6




TimberForm Skyline	Model	Length	Width	Height	Seat Height	Mounting Options
Double Bench	2117-6	6' 0" [1830mm]	3' 9" [1145mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
	2117-8	8' 0" [2440mm]	3' 9" [1145mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*

Material: Frame of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats.


Options: Frame color and Marine Teak or Purpleheart wood slats.

Suggestions: Specify matching litter container **2136** and ash receptacle **2137**. Also see complementary litter container **2107** and ash receptacle **2108** (see page 19).


Notes: * For permanent or movable applications only (anchoring bolts by others).



2117



2117-6






TimberForm Skyline	Model	Length	Width	Height	Seat Height	Mounting Options
Seat	2113-6	6' 0" [1830mm]	2' 3" [685mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*
	2113-8	8' 0" [2440mm]	2' 3" [685mm]	1' 5" [430mm]	1' 4" [405mm]	Surface*

Material: Frame of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats.


Options: Frame color, Marine Teak or Purpleheart wood slats and **powder-coated metal slats**.

Suggestions: Specify matching litter container **2136** and ash receptacle **2137**. Also see complementary litter container **2107** and ash receptacle **2108** (see page 19).

Notes: * For permanent or movable applications only (anchoring bolts by others).



2113



2113-6

TimberForm Skyline	Model	Length	Width	Height	Seat Height	Mounting Options
Seat with Armrests	2115-6	6' 0" [1830mm]	2' 3" [685mm]	2' 3" [685mm]	1' 4" [405mm]	Surface*
	2115-8	8' 0" [2440mm]	2' 3" [685mm]	2' 3" [685mm]	1' 4" [405mm]	Surface*


Material: Frame of black powder-coated cast iron with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood slats.

Options: Frame color, Marine Teak or Purpleheart slats and **powder-coated metal slats**.


Can be special ordered with customer's name and/or logo cast in bench ends.

Suggestions: Specify matching litter container **2136** and ash receptacle **2137**. Also see complementary litter container **2107** and ash receptacle **2108** (see page 19).

Notes: * For permanent or movable applications only (anchoring bolts by others).



2115



2115-6




TimberForm Skyline	Style	Model	Length	Width	Height	Mounting Options
Litter Container	Open Top	2136-OT	1' 11" [585mm]	1' 11" [585mm]	2' 6" [760mm]	Surface*
	Flat Top	2136-FT	1' 11" [585mm]	1' 11" [585mm]	2' 7" [785mm]	Surface*
	Dome Top	2136-DT	1' 11" [585mm]	1' 11" [585mm]	3' 1" [940mm]	Surface*
	Ash/Dome Top	2136-AT	1' 11" [585mm]	1' 11" [585mm]	3' 0" [915mm]	Surface*
	Hamper Top	2136-HT	1' 11" [585mm]	1' 11" [585mm]	3' 2" [965mm]	Surface*

Material: Frame of black powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood surround.

Options: Frame and top color and Marine Teak or Purpleheart wood surround.


Notes: Includes 36-gallon plastic liner. Top matches frame unless otherwise specified, except the Hamper Top which is brushed stainless steel. Key-locking tops are standard on -FT, -DT and -AT models.

* For permanent or movable applications only (anchoring bolts by others).



"Large Capacity"

TimberForm Skyline	Model	Length	Width	Height	Mounting Options
Ash Receptacle	2137	1' 1" [330mm]	1' 1" [330mm]	2' 6" [760mm]	Surface*



2137

Material: Frame of black powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar wood surround.

Options: Ash tray color and Marine Teak or Purpleheart wood surround.

Notes: Includes black powder-coated steel ash tray.

* For permanent applications only (anchoring bolts by others).

Ten CASPAX-7™ Standard Powder-Coating Colors

Choose from these standard hues or from a wide spectrum of nearly 200 special designer colors.



Due to variations in the printing process the colors shown are only a guide to the actual powder-coating colors.






A




B

TimberForm Plaza	Model	Length	Width	Height	Seat Height	Mounting Options
Bench	2751-6	5' 10" [1780mm]	2' 6" [760mm]	2' 9" [840mm]	1' 4" [405mm]	-E, -P or -L
	2751-8	7' 10" [2390mm]	2' 6" [760mm]	2' 9" [840mm]	1' 4" [405mm]	-E, -P or -L


Material: Powder-coated Schedule 40 steel pipe with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
Options: Mounting method, powder-coating color and Marine Teak or Purpleheart wood slats.
Suggestions: Use two 2751's back-to-back for double bench. Specify matching litter container 2770 or 2272 and ash receptacle 2774. Matching planters are available.



2751




2751-6




Two 2751's back-to-back

TimberForm Plaza	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Armrests	2761-6	6' 2" [1880mm]	2' 6" [760mm]	2' 9" [840mm]	1' 4" [405mm]	-E, -P or -L
	2761-8	8' 2" [2490mm]	2' 6" [760mm]	2' 9" [840mm]	1' 4" [405mm]	-E, -P or -L


Material: Powder-coated Schedule 40 steel pipe with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
Options: Mounting method, powder-coating color and Marine Teak or Purpleheart wood slats.
Suggestions: Use two 2761's back-to-back for double bench with armrests. Specify matching litter container 2770 or 2272 and ash receptacle 2774. Matching planters are available.



2761



2761-6



Two 2761's back-to-back


Mounting Options: -E Add this suffix for embedment (permanent) mounting option. -P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). -L Add this suffix for leveling feet option.

For mounting details on these or any products shown in this catalog please see inside back cover.



TimberForm Plaza	Model	Length	Width	Height	Seat Height	Mounting Options
Seat	2711-4	3' 10" [1170mm]	1' 10" [560mm]	1' 4" [405mm]	1' 4" [405mm]	-E, -P or -L
	2711-6	5' 10" [1780mm]	1' 10" [560mm]	1' 4" [405mm]	1' 4" [405mm]	-E, -P or -L
	2711-8	7' 10" [2390mm]	1' 10" [560mm]	1' 4" [405mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated Schedule 40 steel pipe with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
Options: Mounting method, powder-coating color and Marine Teak or Purpleheart wood slats.
Suggestions: Specify matching litter container **2770** or **2272** and ash receptacle **2774**. Matching planters are available.



2711




2711-6



TimberForm Plaza	Model	Length	Width	Height	Seat Height	Mounting Options
Double Seat	2731-4	3' 10" [1170mm]	2' 9" [840mm]	1' 4" [405mm]	1' 4" [405mm]	-E, -P or -L
	2731-6	5' 10" [1780mm]	2' 9" [840mm]	1' 4" [405mm]	1' 4" [405mm]	-E, -P or -L
	2731-8	7' 10" [2390mm]	2' 9" [840mm]	1' 4" [405mm]	1' 4" [405mm]	-E, -P or -L


Material: Powder-coated Schedule 40 steel pipe with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
Options: Mounting method, powder-coating color and Marine Teak or Purpleheart wood slats.
Suggestions: Specify matching litter container **2770** or **2272** and ash receptacle **2774**. Matching planters are available.



2731



2731-6






TimberForm Plaza	Model	Length	Width	Height	Seat Height	Mounting Options
Double Seat with Armrests	2741-5	5' 2" [1575mm]	2' 9" [840mm]	1' 10" [560mm]	1' 4" [405mm]	-E, -P or -L
	2741-6	6' 2" [1880mm]	2' 9" [840mm]	1' 10" [560mm]	1' 4" [405mm]	-E, -P or -L
	2741-8	8' 2" [2490mm]	2' 9" [840mm]	1' 10" [560mm]	1' 4" [405mm]	-E, -P or -L


Material: Powder-coated Schedule 40 steel pipe with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
Options: Mounting method, powder-coating color and Marine Teak or Purpleheart wood slats.
Suggestions: Specify matching litter container **2770** or **2272** and ash receptacle **2774**.
 Matching planters are available.



2741




2741-6




TimberForm Plaza	Model	Length	Width	Height	Seat Height	Mounting Options
Multiple Bench	2752-6	22' 0" [6705mm]	10' 11" [3325mm]	2' 9" [840mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated Schedule 40 steel pipe with kiln-dried 6/4 patterned Alaska yellow cedar wood slats.
Options: Mounting method, powder-coating color, Marine Teak or Purpleheart wood slats and number of sections. Available on special order in layout diameters other than the standard 22 feet.
Suggestions: Specify matching litter container **2770** or **2272** and ash receptacle **2774**.
 Matching planters are available.

For special radius, see
*How to specify custom
curved benches and seats
for "Signature Projects"* SM
on page 45.



2752



2752-6

Bench Radius Data


The standard inside radius to the front of the **2752-6** bench is 8' 2" [2490mm] and the standard outside radius to the back of bench is 11' 0" [3355mm].

Plan-view drawing scale, 3/16" = 1'

Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). **-L** Add this suffix for leveling feet option.

TimberForm Plaza	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2770-OT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Flat Top	2770-FT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Dome Top	2770-DT	1' 9" [535mm]	3' 3" [990mm]	-E, -P or -L
	Ash/Dome Top	2770-AT	1' 9" [535mm]	3' 2" [965mm]	-E, -P or -L
	Hamper Top	2770-HT	1' 9" [535mm]	3' 4" [1015mm]	-E, -P or -L


Material: Powder-coated Schedule 40 steel pipe with kiln-dried 6/4 patterned Alaska yellow cedar wood surround.
Options: Mounting method, powder-coating color and Marine Teak or Purpleheart wood surround.
Notes: Includes 18-gallon plastic liner. Top matches container unless otherwise specified.
 Key-locking tops are standard on -FT, -DT and -AT models.



"Standard Capacity"

TimberForm Plaza	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2772-OT	2' 2" [660mm]	2' 8" [815mm]	-E, -P or -L
	Flat Top	2772-FT	2' 2" [660mm]	2' 8" [815mm]	-E, -P or -L
	Dome Top	2772-DT	2' 2" [660mm]	3' 5" [1040mm]	-E, -P or -L
	Ash/Dome Top	2772-AT	2' 2" [660mm]	3' 4" [1015mm]	-E, -P or -L


Material: Powder-coated Schedule 40 steel pipe with kiln-dried 6/4 patterned Alaska yellow cedar wood surround.
Options: Mounting method, powder-coating color and Marine Teak or Purpleheart wood surround.
Notes: Includes 32-gallon plastic liner. Top matches container unless otherwise specified.
 Key-locking tops are standard on -FT, -DT and -AT models.



"Large Capacity"

TimberForm Plaza	Model	Diameter	Height	Mounting options
Ash Receptacle	2774	1' 2" [355mm]	2' 8" [815mm]	-E or -P

Material: Powder-coated steel with kiln-dried 6/4 patterned Alaska yellow cedar wood surround.
Options: Mounting method, powder-coating color and Marine Teak or Purpleheart wood surround.
Notes: Includes black powder-coated steel ash tray/liner.



2774

Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). **-L** Add this suffix for leveling feet option.

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm[®] 71
Madison[™]





TimberForm Madison	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Armrests	2847-4	4' 0" [1220mm]	2' 0" [610mm]	3' 2" [965mm]	1' 4" [405mm]	-E, -P or -L
	2847-6	6' 0" [1830mm]	2' 0" [610mm]	3' 2" [965mm]	1' 4" [405mm]	-E, -P or -L




Also offered with recycled plastic slats. Specify 2846.


Material: Frame of powder-coated steel with kiln-dried 3 x 4 (nominal) wood slats. Specify **2846** for 3 x 4 (nominal) recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic).

Suggestions: Specify matching litter container **2851** (wood) or **2850** (recycled plastic)



2847



2847-6



TimberForm Madison	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Intermediate Armrest	2849-8¹	7' 9" [2360mm]	2' 0" [610mm]	3' 2" [965mm]	1' 4" [405mm]	-E, -P or -L




Also offered with recycled plastic slats. Specify 2848.

Material: Frame of powder-coated steel with kiln-dried 3 x 4 (nominal) wood slats. Specify **2848** for 3 x 4 (nominal) recycled plastic slats.


Options: Mounting method, frame color and slat material (wood or recycled plastic).

Suggestions: Specify matching litter container **2851** (wood) or **2850** (recycled plastic)


Notes: ¹ Includes one intermediate armrest.



2849



2849-8



Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). **-L** Add this suffix for leveling feet option.



TimberForm Madison	Model	Length	Width	Height	Seat Height	Mounting Options
Seat with Armrests	2842-4	4' 0" [1220mm]	1' 10" [560mm]	2' 0" [610mm]	1' 4" [405mm]	-E, -P or -L
	2842-6	6' 0" [1830mm]	1' 10" [560mm]	2' 0" [610mm]	1' 4" [405mm]	-E, -P or -L




Also offered with
recycled plastic slats.
Specify 2843.


Material: Frame of powder-coated steel with kiln-dried 3 x 4 (nominal) wood slats.
Specify **2843** for 3 x 4 (nominal) recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic).


Suggestions: Specify matching litter container **2851** (wood) or **2850** (recycled plastic).



2842



2842-6



TimberForm Madison	Style	Model	Length	Width	Height	Mounting Options
Litter Container	Open Top	2851-OT	2' 0" [610mm]	2' 0" [610mm]	3' 1" [940mm]	-E, -P or -L
	Flat Top	2851-FT	2' 0" [610mm]	2' 0" [610mm]	3' 1" [940mm]	-E, -P or -L
	Dome Top	2851-DT	2' 0" [610mm]	2' 0" [610mm]	3' 10" [1170mm]	-E, -P or -L
	Ash/Dome Top	2851-AT	2' 0" [610mm]	2' 0" [610mm]	3' 8" [1120mm]	-E, -P or -L
	Hamper Top	2851-HT	2' 0" [610mm]	2' 0" [610mm]	3' 9" [1145mm]	-E, -P or -L




Also offered with
recycled plastic
surround.
Specify 2850.


Material: Frame of powder-coated steel with kiln-dried 2 x 4 (nominal) wood surround.
Specify **2850** for 2 x 4 (nominal) recycled plastic slats.

Options: Mounting method, frame and top color and surround material (wood or recycled plastic).


Notes: Includes 36-gallon plastic liner. Top matches frame unless otherwise specified, except the Hamper Top which is brushed stainless steel. Also includes key-locking side door for ease of use.




2851-OT




2851-FT




2851-DT



2851-AT



2851-HT



"Large Capacity"




TimberForm Arbor	Model	Length	Width	Height	Seat Height	Mounting
Seat	2201-6	5' 6" [1675mm]	1' 9" [535mm]	1' 4" [405mm]	1' 4" [405mm]	Surface*
	2201-8	7' 9" [2360mm]	1' 9" [535mm]	1' 4" [405mm]	1' 4" [405mm]	Surface*
Bench	2201-6-B¹	5' 6" [1675mm]	2' 0" [610mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*
	2201-8-B¹	7' 9" [2360mm]	2' 0" [610mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*

Material: Kiln-dried 4 x 6 and 6 x 6 (nominal) Douglas fir timbers. Models with suffix (-B) include 3 x 8 (nominal) Douglas fir backrest and black powder-coated steel supports.

Suggestions: Specify complementary litter container **2252**. Matching planters are available.

Notes: * For permanent or movable applications only. Includes hardware for permanent installation (anchoring bolts by others).
¹ Includes timber backrest, steel supports and attachment hardware.




TimberForm Arbor	Model	Length	Width	Height	Seat Height	Mounting
Seat with Armrests	2202-6	5' 6" [1675mm]	1' 9" [535mm]	2' 1" [635mm]	1' 4" [405mm]	Surface*
	2202-8	7' 9" [2390mm]	1' 9" [535mm]	2' 1" [635mm]	1' 4" [405mm]	Surface*
Bench with Armrests	2202-6-B¹	5' 6" [1675mm]	2' 0" [610mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*
	2202-8-B¹	7' 9" [2390mm]	2' 0" [610mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*

Material: Kiln-dried 4 x 6 and 6 x 6 (nominal) Douglas fir timbers. Models with suffix (-B) include 3 x 8 (nominal) Douglas fir backrest and black powder-coated steel supports.

Suggestions: Specify complementary litter container **2252**. Matching planters are available.

Notes: * For permanent or movable applications only. Includes hardware for permanent installation (anchoring bolts by others).
¹ Includes timber backrest, steel supports and attachment hardware.





TimberForm Arbor	Model	Length	Width	Height	Seat Height	Mounting
Seat	2205-6	5' 10" [1780mm]	1' 9" [535mm]	1' 4" [405mm]	1' 4" [405mm]	Surface*
	2205-8	7' 10" [2390mm]	1' 9" [535mm]	1' 4" [405mm]	1' 4" [405mm]	Surface*
Bench	2205-6-B ¹	5' 10" [1780mm]	2' 0" [610mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*
	2205-8-B ¹	7' 10" [2390mm]	2' 0" [610mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*


Material: Kiln-dried 4 x 6 (nominal) Douglas fir timbers. Models with suffix (-B) include 3 x 8 (nominal) Douglas fir backrest and black powder-coated steel supports.

Suggestions: Specify complementary litter container **2252**. Matching planters are available.


Notes: * For permanent or movable applications only. Includes hardware for permanent installation (anchoring bolts by others).
¹ Includes timber backrest, steel supports and attachment hardware.




2205



2205-6



2205-B



2205-6-B

TimberForm Arbor	Model	Length	Width	Height	Seat Height	Mounting
Seat with Armrests	2206-6	5' 10" [1780mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2206-8	7' 10" [2390mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
Bench with Armrests	2206-6-B ¹	5' 10" [1780mm]	2' 0" [610mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*
	2206-8-B ¹	7' 10" [2390mm]	2' 0" [610mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*


Material: Kiln-dried 4 x 6 (nominal) Douglas fir timbers. Models with suffix (-B) include 3 x 8 (nominal) Douglas fir backrest and black powder-coated steel supports.

Suggestions: Specify complementary litter container **2252**. Matching planters are available.


Notes: * For permanent or movable applications only. Includes hardware for permanent installation (anchoring bolts by others).
¹ Includes timber backrest, steel supports and attachment hardware.




2206



2206-6



2206-B



2206-6-B



TimberForm Arbor	Model	Length	Width	Height	Seat Height	Mounting
Seat	2208-6	5' 10" [1780mm]	1' 9" [535mm]	1' 4" [405mm]	1' 4" [405mm]	Surface*
	2208-8	7' 10" [2390mm]	1' 9" [535mm]	1' 4" [405mm]	1' 4" [405mm]	Surface*
Bench	2208-6-B¹	5' 10" [1780mm]	2' 0" [610mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*
	2208-8-B¹	7' 10" [2390mm]	2' 0" [610mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*

Material: Kiln-dried 4 x 6 (nominal) Douglas fir timbers. Models with suffix (-B) include 3 x 8 (nominal) Douglas fir backrest and black powder-coated steel supports.

Suggestions: Specify complementary litter container **2252**. Matching planters are available.

Notes: * For permanent or movable applications only. Includes hardware for permanent installation (anchoring bolts by others).


¹ Includes timber backrest, steel supports and attachment hardware.



2208



2208-6



2208-B



2208-6-B


TimberForm Arbor	Style	Model	Length	Width	Height	Mounting
Litter Container	Open Top	2252-OT	2' 0" [610mm]	2' 0" [610mm]	2' 6" [760mm]	Surface*
	Flat Top	2252-FT	2' 0" [610mm]	2' 0" [610mm]	2' 7" [785mm]	Surface*
	Dome Top	2252-DT	2' 0" [610mm]	2' 0" [610mm]	3' 1" [940mm]	Surface*
	Ash/Dome Top	2252-AT	2' 0" [610mm]	2' 0" [610mm]	3' 0" [915mm]	Surface*
	Hamper Top	2252-HT	2' 0" [610mm]	2' 0" [610mm]	3' 2" [965mm]	Surface*

Material: Frame of black powder-coated steel with kiln-dried 3 x 4 (nominal) wood surround.


Options: Top color.

Notes: Includes 36-gallon plastic liner. Top matches frame unless otherwise specified except the Hamper Top which is brushed stainless steel. Key-locking tops are standard on -FT, -DT and -AT models.


* For permanent or movable applications only (anchoring bolts by others).




2252-OT




2252-FT




2252-DT



2252-AT



2252-HT



"Large Capacity"

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm[®] 77
Parkway[™]





TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting Options
Bench  Also offered with recycled plastic slats. Specify 2017.	2016-6	5' 10" [1780mm]	1' 10" [560mm]	2' 5" [735mm]	1' 4" [405mm]	-E* or -P
	2016-8	7' 10" [2390mm]	1' 10" [560mm]	2' 5" [735mm]	1' 4" [405mm]	-E* or -P
	2016-10¹	9' 10" [2995mm]	1' 10" [560mm]	2' 5" [735mm]	1' 4" [405mm]	-E* or -P



2017



2016



2016-6



2017-6

2016-6

2017-6

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood slats. Specify **2017** for 3 x 4 (nominal) recycled plastic slats.


Options: Mounting method, frame color and slat material (wood or recycled plastic).

Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic).

Notes: *Supplied as standard for embedment (permanent) mounting.

¹ Model **2016-10** (wood) and Models **2017-8** and **2017-10** (recycled plastic) include one intermediate frame.

TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting Options
Double Bench  Also offered with recycled plastic slats. Specify 2027.	2026-6	5' 10" [1780mm]	4' 0" [1220mm]	2' 5" [735mm]	1' 4" [405mm]	-E* or -P
	2026-8	7' 10" [2390mm]	4' 0" [1220mm]	2' 5" [735mm]	1' 4" [405mm]	-E* or -P
	2026-10¹	9' 10" [2995mm]	4' 0" [1220mm]	2' 5" [735mm]	1' 4" [405mm]	-E* or -P



2027



2026



2026-6



2027-6

2027-6

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood slats. Specify **2027** for 3 x 4 (nominal) recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic).

Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic).

Notes: *Supplied as standard for embedment (permanent) mounting.

¹ Model **2026-10** (wood) and Models **2027-8** and **2027-10** (recycled plastic) include one intermediate frame.

TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting Options
Seat  Also offered with recycled plastic slats. Specify 2007.	2006-6	5' 10" [1780mm]	1' 3" [380mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P
	2006-8	7' 10" [2390mm]	1' 3" [380mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P
	2006-10¹	9' 10" [2995mm]	1' 3" [380mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood slats.

Specify **2007** for 3 x 4 (nominal) recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic).

Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic).

Notes: *Supplied as standard for embedment (permanent) mounting.


¹ Model **2006-10** (wood) and Models **2007-8** and **2007-10** (recycled plastic) include one intermediate frame.



2007



2006



2006-6



2007-6

2006-6

2007-6

TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting Options
Concave Seat  Also offered with recycled plastic slats. Specify 2029.	2028-6	5' 10" [1780mm]	1' 7" [485mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P
	2028-8	7' 10" [2390mm]	1' 7" [485mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 (nominal) wood slats.

Specify **2029** for 3 x 4 (nominal) recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic).

Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic).

Notes: Model **2029-8** (recycled plastic) includes one intermediate frame.

*Supplied as standard for embedment (permanent) mounting.



2029



2028



2028-6



2029-6

2028-6

2029-6

TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting Options
Platform Seat  Also offered with recycled plastic slats. Specify 2041.	2044-4	3' 10" [1170mm]	3' 2" [965mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P
	2044-6	5' 10" [1780mm]	3' 2" [965mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood slats.

Specify **2041** for 3 x 4 (nominal) recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic).

Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic).

Notes: *Supplied as standard for embedment (permanent) mounting.



2041



2044



2044-6



2044-6

2041-6

Mounting Options: -E Add this suffix for embedment (permanent) mounting option. -P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).

TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting
Wall-mount Seat  Also offered with recycled plastic slats. Specify 2042.	2045-6	5' 10" [1780mm]	1' 4" [405mm]	1' 4" [405mm]	1' 4" [405mm]	Wall Face
	2045-8	7' 10" [2390mm]	1' 4" [405mm]	1' 4" [405mm]	1' 4" [405mm]	Wall Face
	2045-10¹	9' 10" [2995mm]	1' 4" [405mm]	1' 4" [405mm]	1' 4" [405mm]	Wall Face


Material: Frames of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood slats.
Specify **2042** for 3 x 4 (nominal) recycled plastic slats.

Options: Wall-top mounting, frame color and slat material (wood or recycled plastic). For wall-top mounting rather than wall-face mounting, specify Model **2047** (wood) or **2049** (recycled plastic). Indicate length of seat (-6, -8 or -10) and wall height at each end of seat.


Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic).

Notes: Wall mounting bolts by others.

¹ Models **2045-10** and **2047-10** (wood) and **2042-8**, **2042-10**, **2049-8** and **2049-10** (recycled plastic) include one intermediate frame.



2042



2045



2045-6



2042-6

2045-6

2042-6

TimberForm Parkway	Style	Model	Length	Width	Height	Mounting
Litter Container  Also offered with recycled plastic slats. Specify 2089.	Open Top	2086-OT	2' 0" [610mm]	2' 0" [610mm]	2' 6" [760mm]	Surface*
	Flat Top	2086-FT	2' 0" [610mm]	2' 0" [610mm]	2' 7" [785mm]	Surface*
	Dome Top	2086-DT	2' 0" [610mm]	2' 0" [610mm]	3' 1" [940mm]	Surface*
	Ash/Dome Top	2086-AT	2' 0" [610mm]	2' 0" [610mm]	3' 0" [915mm]	Surface*
	Hamper Top	2086-HT	2' 0" [610mm]	2' 0" [610mm]	3' 2" [965mm]	Surface*

Material: Frame of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood surround.
Specify **2089** for 3 x 4 (nominal) recycled plastic surround.

Options: Top color and surround material (wood or recycled plastic).

Notes: Includes 36-gallon plastic liner. Top matches frame unless otherwise specified except the Hamper Top which is brushed stainless steel. Key-locking tops are standard on -FT, -DT and -AT models.

* For permanent or movable applications only (anchoring bolts by others).

2089-OT

2089-FT

2089-DT

2089-AT

2089-HT



2086-OT



2086-FT



2086-DT




2086-AT




2086-HT

"Large Capacity"



2086



2089

TimberForm Parkway	Model	Length	Width	Height	Mounting
Ash Receptacle  Also offered with recycled plastic slats. Specify 2090.	2087	1' 4" [405mm]	1' 4" [405mm]	2' 6" [760mm]	Surface*

Material: Frame of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood surround.
Specify **2090** for 3 x 4 (nominal) recycled plastic surround.

Options: Ash tray color and surround material (wood or recycled plastic).

Notes: Includes black powder-coated steel ash tray.


* For permanent applications only (anchoring bolts by others).



2087



2087




2090

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm⁸¹
Greenway™





TimberForm Greenway	Model	Length	Width	Height	Seat Height	Mounting Options
Contour Bench  Also offered with recycled plastic slats. Specify 2153.	2140-6	5' 10" [1780mm]	1' 9" [535mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
	2140-8	7' 10" [2390mm]	1' 9" [535mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
	2140-10'	9' 10" [2995mm]	1' 9" [535mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
	2140-12'	11' 10" [3605mm]	1' 9" [535mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P



2153

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 patterned wood slats. Specify **2153** for 3 x 4 patterned recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic).

Suggestions: Specify matching litter container **2148** (wood) or **2157** (recycled plastic). Matching planters are available.

Notes: * Supplied as standard for embedment (permanent) mounting.

* **2140-10** and **2140-12** (wood) and **2153-8**, **2153-10** and **2153-12** (recycled plastic) include one intermediate frame.



2140



2140-6



2153-6

2140-6

2153-6

TimberForm Greenway	Model	Length	Width	Height	Seat Height	Mounting Options
Contour Bench with Armrests  Also offered with recycled plastic slats. Specify 2155.	2141-6	5' 10" [1780mm]	1' 9" [535mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
	2141-7'	6' 10" [2085mm]	1' 9" [535mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
	2141-8	7' 10" [2390mm]	1' 9" [535mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
	2141-10'	9' 10" [2995mm]	1' 9" [535mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
	2141-12'	11' 10" [3605mm]	1' 9" [535mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P



2155

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 patterned wood slats. Specify **2155** for 3 x 4 patterned recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled slats).

Suggestions: Specify matching litter container **2148** (wood) or **2157** (recycled plastic). Matching planters are available.

Notes: * Supplied as standard for embedment (permanent) mounting.

* **2155-8** (recycled plastic) includes one intermediate frame without armrest.

* **2141-7**, **2141-10** and **2141-12** (wood) and **2155-7**, **2155-10** and **2155-12** (recycled plastic) include one intermediate frame "with armrest".



2141



2141-6



2155-6

2141-6

2155-6



A diagram showing a quarter-circle arch supported by a triangular structure. The arch is composed of several blocks. The triangular support is formed by a vertical line on the left, a horizontal line at the bottom, and a diagonal line connecting the top of the vertical line to the right end of the horizontal line. The arch is positioned such that its base rests on the horizontal line of the triangle, and its ends are supported by the vertical and diagonal lines respectively.

2154-E

A schematic diagram of a beam with a central crack. Two sensors are positioned on the beam, one on each side of the crack. The beam is supported by two vertical pillars at its ends.

2156-E

**TimberForm Greenway****Seat**

Also offered with
recycled plastic slats.
Specify 2151.

Model	Length	Width	Height	Seat Height	Mounting Options
2139-4	3' 10" [1170mm]	1' 5" [430mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P
2139-6	5' 10" [1780mm]	1' 5" [430mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P
2139-8	7' 10" [2390mm]	1' 5" [430mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P
2139-10¹	9' 10" [2995mm]	1' 5" [430mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P
2139-12¹	11' 10" [3605mm]	1' 5" [430mm]	1' 4" [405mm]	1' 4" [405mm]	-E* or -P

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 patterned wood slats. Specify **2151** for 3 x 4 patterned recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic slats).

Suggestions: Specify matching litter container **2148** (wood) or **2157** (recycled plastic). Matching planters are available.

Notes: * Supplied as standard for embedment (permanent) mounting.

¹ **2139-10** and **2139-12** (wood); and **2151-8**, **2151-10** and **2151-12** (recycled plastic) include one intermediate frame.

**2151****2139****2139-6****2151-6****2139-6****2151-6****TimberForm Greenway****Style****Model****Length****Width****Height****Mounting****Litter Container****Open Top****2148-OT**

2' 0" [610mm]

2' 0" [610mm]

2' 6" [760mm]

Surface*

Flat Top**2148-FT**

2' 0" [610mm]

2' 0" [610mm]

2' 7" [785mm]

Surface*

Dome Top**2148-DT**

2' 0" [610mm]

2' 0" [610mm]

3' 1" [940mm]

Surface*

Ash/Dome Top**2148-AT**

2' 0" [610mm]

2' 0" [610mm]

3' 0" [915mm]

Surface*

Hamper Top**2148-HT**

2' 0" [610mm]

2' 0" [610mm]

3' 2" [965mm]







Surface*

Material: Frame of black powder-coated steel with kiln-dried 3 x 4 patterned wood surround. Specify **2157** for 3 x 4 patterned recycled plastic slats.

Options: Top color and surround material (wood or recycled plastic slats).

Notes: Includes 36-gallon plastic liner. Top matches frame unless otherwise specified, except the Hamper Top which is brushed stainless steel. Key-locking tops are standard on **-FT**, **-DT** and **-AT** models.

* For permanent or movable applications only (anchoring bolts by others).


**2148-OT****2148-FT****2148-DT****2148-AT****2148-HT****"Large Capacity"**

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com

TimberForm® 85
Tables





TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting Options
Table and Chairs	2052	7' 8" [2335mm]	7' 0" [2135mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P




Also offered with
recycled plastic slats.
Specify **2050** or **2051**.

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood slats.
Specify **2050** for 3 x 4 (nominal) recycled plastic slats.

Options: Mounting method, frame color, slat material (wood or recycled plastic) and chair quantity. For wheelchair accessibility specify **2053** (wood) or **2051** (recycled plastic) with three chairs rather than four.
Can also be special ordered with two, one or no chairs.

Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic) [see page 80]. GameBoard **2095** is available for this table (see page 99).

Notes: *Supplied as standard for embedment (permanent) mounting.



For wheelchair access specify **2053** (wood) or **2051** (recycled plastic) supplied with three chairs rather than four.

TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting Options
Table and Seats	2054	5' 1" [1550mm]	5' 1" [1550mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P




Also offered with
recycled plastic slats.
Specify **2058** or **2059**.

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood slats.
Specify **2058** for 3 x 4 (nominal) recycled plastic slats.

Options: Mounting method, frame color, slat material (wood or recycled plastic) and seat quantity. For wheelchair accessibility specify **2055** (wood) or **2059** (recycled plastic) with three seats rather than four.
Can also be special ordered with two, one or no seats.

Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic) [see page 80]. GameBoard **2095** is available for this table (see page 99).

Notes: *Supplied as standard for embedment (permanent) mounting.



For wheelchair access specify **2055** (wood) or **2059** (recycled plastic) supplied with three seats rather than four.

Mounting Options: -E Add this suffix for embedment (permanent) mounting option. -P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).

TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting Options
Integral Table and Seats	2056	5' 1" [1550mm]	5' 1" [1550mm]	2' 6" [760mm]	1' 4" [405mm]	-E*, -P or -R



Also offered with recycled plastic slats. Specify **2060** or **2061**.


Material: Frames of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood slats.

Specify **2060** for 3 x 4 (nominal) recycled plastic slats.


Options: Mounting method, frame color, slat material (wood or recycled plastic) and seat quantity. For wheelchair accessibility specify **2057** (wood) or **2061** (recycled plastic) with three seats rather than four. Can also be special ordered with two, one or no seats.

Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic) [see page 80]. GameBoard **2095** is available for this table (see page 99).

Notes: *Supplied as standard for embedment (permanent) mounting.



2056



For wheelchair access specify **2057** (wood) or **2061** (recycled plastic) supplied with three seats rather than four.

TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting Options
Picnic Table and Seats	2062	7' 10" [2390mm]	5' 9" [1755mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
Accessible Picnic Table and Seats	2063¹	7' 10" [2390mm]	5' 9" [1755mm]	2' 8" [815mm]	1' 6" [455mm]	-E* or -P



Also offered with recycled plastic slats. Specify **2064** or **2065**.

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood slats.


Specify **2064** or **2065** for 3 x 4 (nominal) recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic).


Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic) [see page 80]. GameBoard **2095** is available for this table (see page 99).

Notes: *Supplied as standard for embedment (permanent) mounting.


¹**2063** (wood) and **2065** (recycled plastic) are wheelchair accessible.



2062 & 2063



2062



2063



Mounting Options -E Add this suffix for embedment (permanent) mounting option. -P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). -R Add this suffix for removable mounting option



TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting Options
Picnic Table and Benches	2073	7' 10" [2390mm]	7' 0" [2135mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
 Accessible Picnic Table and Benches	2072¹	7' 10" [2390mm]	7' 0" [2135mm]	2' 8" [815mm]	1' 6" [455mm]	-E* or -P




Also offered with
recycled plastic slats.
Specify 2071
or 2070.

Material: Frames of black powder-coated steel with kiln-dried 3 x 4 and 3 x 8 (nominal) wood slats. Specify **2070** or **2071** for 3 x 4 (nominal) recycled plastic slats.


Options: Mounting method, frame color and slat material (wood or recycled plastic).

Suggestions: Specify matching litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic) [see page 80]. GameBoard **2095** is available for this table (see page 99).

Notes: *Supplied as standard for embedment (permanent) mounting.
¹2072 (wood) and 2070 (recycled plastic) are wheelchair accessible.




2072 & 2073



2070 & 2071



2073




2071

2072



207C

See complementary TimberForm Parkway site furnishings on pages 77-80.



TimberForm Parkway	Model	Length	Width	Height	Seat Height	Mounting
Picnic Table with Seats	2074-6	5' 10" [1780mm]	4' 3" [1295mm]	2' 8" [815mm]	1' 5" [430mm]	Surface*
 Accessible Picnic Table with Seats	2075-6¹	7' 10" [2390mm]	4' 3" [1295mm]	2' 8" [815mm]	1' 5" [430mm]	Surface*





Also offered with recycled plastic slats.
Specify 2076 or 2077.


Material: Powder-coated schedule 40 steel pipe frames with kiln-dried 2 x 10 (nominal) wood slats. Specify **2076** or **2077** for 2 x 10 (nominal) recycled plastic slats.

Options: Frame color and slat material (wood or recycled plastic).


Notes: * For permanent or movable applications only (anchoring bolts by others).
¹ **2075** (wood) and **2077** (recycled plastic) are wheelchair accessible.



2074, 2075, 2076 & 2077



2074-6 & 2076-6



2075-6 and 2077-6



TimberForm Greenway	Model	Length	Width	Height	Seat Height	Mounting Options
Picnic Table with Seats	2162-6	5' 10" [1780mm]	4' 7" [1395mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
	2162-8	7' 10" [2390mm]	4' 7" [1395mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
 Accessible Picnic Table with Seats	2163-6¹	7' 10" [2390mm]	4' 7" [1395mm]	2' 8" [815mm]	1' 6" [455mm]	-E* or -P
	2163-8¹	9' 10" [2995mm]	4' 7" [1395mm]	2' 8" [815mm]	1' 6" [455mm]	-E* or -P



Also offered with
recycled plastic slats.
**Specify 2166 or
2167.**

Material: Frames of black powder-coated steel with kiln-dried 4 x 6 (nominal) wood slats.


Specify **2166** or **2167** for 4 x 6 (nominal) recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic).


Suggestions: Specify complementary litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic) [see page 80]; or specify complementary litter container **2252** (wood) [see page 76] GameBoard **2095** is available for this table (see page 99).

Notes: * Supplied as standard for embedment (permanent) mounting.

¹2163 (wood) and 2167 (recycled plastic) are wheelchair accessible.



2166 & 2167



2162 & 2163



2162-6



2166-6

2163-6

2167-6



TimberForm Greenway	Model	Length	Width	Height	Seat Height	Mounting
Picnic Table with Seats	2164-6	5' 10" [1780mm]	4' 7" [1395mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*
	2164-8	7' 10" [2390mm]	4' 7" [1395mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*
 Accessible Picnic Table with Seats	2165-6¹	7' 10" [2390mm]	4' 7" [1395mm]	2' 8" [815mm]	1' 6" [455mm]	Surface*
	2165-8¹	9' 10" [2995mm]	4' 7" [1395mm]	2' 8" [815mm]	1' 6" [455mm]	Surface*



Also offered with
recycled plastic slats.
**Specify 2168 or
2169.**

Material: Frames of black powder-coated steel with kiln-dried 4 x 6 (nominal) wood slats.


Specify **2168** or **2169** for 4 x 6 (nominal) recycled plastic slats.

Options: Mounting method, frame color and slat material (wood or recycled plastic).


Suggestions: Specify complementary litter container **2086** (wood) or **2089** (recycled plastic) and ash receptacle **2087** (wood) or **2090** (recycled plastic) [see page 80]; or specify complementary litter container **2252** (wood) [see page 76] GameBoard **2095** is available for this table (see page 99).

Notes: * For permanent or movable applications only (anchoring bolts by others).

¹2165 (wood) and 2169 (recycled plastic) are wheelchair accessible.



2168 & 2169



2164 & 2165



2164-6



2168-6

2165-6

2169-6



Mounting Options: -E Add this suffix for embedment (permanent) mounting option. -P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).




TimberForm Arbor	Model	Length	Width	Height	Seat Height	Mounting
Picnic Table with Seats	2242-6	5' 10" [1780mm]	5' 9" [1755mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*
	2242-8	7' 10" [2390mm]	5' 9" [1755mm]	2' 6" [760mm]	1' 4" [405mm]	Surface*
 Accessible Picnic Table with Seats	2241-6'	7' 10" [2390mm]	5' 9" [1755mm]	2' 8" [815mm]	1' 6" [455mm]	Surface*
	2241-8'	9' 10" [2995mm]	5' 9" [1755mm]	2' 8" [815mm]	1' 6" [455mm]	Surface*

Material: Seasoned free-of-heart-center 3 x 8, 3 x 12, 4 x 4 and 4 x 6 (nominal) Douglas fir, pressure preservatively treated after **all fabrication completed**.


Suggestions: Specify complementary litter container **2252** (see page 76) . GameBoard **2095** is available for this table (see page 99).

Notes: * For permanent or movable applications only (anchoring bolts by others).


[†] Wheelchair accessible.



2241 & 2242



2242-6



2241-6





A




B

TimberForm Arbor	Model	Length	Width	Height	Seat Height	Mounting Options
Picnic Table with Seats	2244-8	7' 10" [2390mm]	5' 4" [1625mm]	2' 6" [760mm]	1' 4" [405mm]	-E* or -P
 Accessible Picnic Table with Seats	2243-8 ¹	9' 10" [2995mm]	5' 4" [1625mm]	2' 8" [815mm]	1' 6" [455mm]	-E* or -P


Material: Seasoned free-of-heart-center 3 x 8, 3 x 12, 4 x 6 and 6 x 6 (nominal) Douglas fir, pressure preservatively treated after **all fabrication completed**.

Suggestions: Specify complementary litter container **2252** (see page 76). GameBoard **2095** is available for this table (see page 99).


Notes: * Supplied as standard for embedment (permanent) mounting.
¹ Wheelchair accessible.



2243 & 2244



2244-8



2243-8



Mounting Options: -E Add this suffix for embedment (permanent) mounting option. -P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).




TimberForm Boulevard	Model	Length	Width	Height	Seat Height	Mounting Options
Picnic Table and Seats	2609-6	6' 2" [1880mm]	6' 2" [1880mm]	2' 6" [760mm]	1' 4" [405mm]	-E or -P
 Accessible Picnic Table and Seats	2619-6¹	6' 2" [1880mm]	6' 2" [1880mm]	2' 8" [815mm]	1' 6" [455mm]	-E or -P

Material: Powder-coated steel with perforated steel table top and seating surfaces.

Options: Mounting method and powder-coating color.

Suggestions: Specify matching litter container **2615** or **2618** and ash receptacle **2616** (see page 61).


Notes: ¹ Wheelchair accessible, one table leg is offset to accommodate wheelchair.



2609 & 2619



2609-6



2609 & 2619



2619-6



See complementary TimberForm Boulevard site furnishings on pages 59-61.


TimberForm Manor	Model	Diameter	Length	Width	Height	Mounting Options
Round Table with Center Support	2902-0030	2' 6" [760mm]			2' 6" [760mm]	-E or -P
	2902-0036	3' 0" [915mm]			2' 6" [760mm]	-E or -P
	2902-0044	3' 6" [1065mm]			2' 6" [760mm]	-E or -P
Square Table with Center Support	2902-3030		2' 6" [760mm]	2' 6" [760mm]	2' 6" [760mm]	-E or -P
	2902-3636		3' 0" [915mm]	3' 0" [915mm]	2' 6" [760mm]	-E or -P
	2902-4444		3' 6" [1065mm]	3' 6" [1065mm]	2' 6" [760mm]	-E or -P
Round Table with Four Legs	2905-0030	2' 6" [760mm]			2' 6" [760mm]	-E, -P or -L
	2905-0036	3' 0" [915mm]			2' 6" [760mm]	-E, -P or -L
	2905-0042	3' 6" [1065mm]			2' 6" [760mm]	-E, -P or -L
Square Table with Four Legs	2905-3030		2' 6" [760mm]	2' 6" [760mm]	2' 6" [760mm]	-E, -P or -L
	2905-3636		3' 0" [915mm]	3' 0" [915mm]	2' 6" [760mm]	-E, -P or -L
	2905-4242		3' 6" [1065mm]	3' 6" [1065mm]	2' 6" [760mm]	-E, -P or -L

Material: Powder-coated steel.

Options: Mounting method and powder-coating color. Specify Table with GameBoard **2903** (with center support) or **2906** (with four legs) or table with umbrella hole **2904** (with center support) or **2907** (with four legs).

Suggestions: See Manor Series for matching benches, seats, litter containers and ash receptacles and TimberForm Chairs and Seats for matching chairs and seats.


Notes: All tables are wheelchair accessible. Tables with center support are shown below.




2903-0030 & 2906-0030




2902-0036 & 2905-0036




2904-0044 & 2907-0042




2903-3030 & 2906-3030




2902-3636 & 2905-3636




2904-4444 & 2907-4242



2902, 2903 & 2904



2902, 2903 & 2904



2902, 2903 & 2904



Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). **-L** Add this suffix for leveling feet option.

See complementary TimberForm Manor site furnishings on pages 50-55.


TimberForm Renaissance	Model	Diameter	Length	Width	Height	Mounting Options
Round Table with Center Support	2912-0030	2' 6" [760mm]			2' 6" [760mm]	-E or -P
	2912-0036	3' 0" [915mm]			2' 6" [760mm]	-E or -P
	2912-0044	3' 6" [1065mm]			2' 6" [760mm]	-E or -P
Square Table with Center Support	2912-3030		2' 6" [760mm]	2' 6" [760mm]	2' 6" [760mm]	-E or -P
	2912-3636		3' 0" [915mm]	3' 0" [915mm]	2' 6" [760mm]	-E or -P
	2912-4444		3' 6" [1065mm]	3' 6" [1065mm]	2' 6" [760mm]	-E or -P
Round Table with Four Legs	2915-0030	2' 6" [760mm]			2' 6" [760mm]	-E, -P or -L
	2915-0036	3' 0" [915mm]			2' 6" [760mm]	-E, -P or -L
	2915-0042	3' 6" [1065mm]			2' 6" [760mm]	-E, -P or -L
Square Table with Four Legs	2915-3030		2' 6" [760mm]	2' 6" [760mm]	2' 6" [760mm]	-E, -P or -L
	2915-3636		3' 0" [915mm]	3' 0" [915mm]	2' 6" [760mm]	-E, -P or -L
	2915-4242		3' 6" [1065mm]	3' 6" [1065mm]	2' 6" [760mm]	-E, -P or -L

Material: Powder-coated steel.

Options: Mounting method and powder-coating color. Specify Table with GameBoard **2913** (with center support) or **2916** (with four legs) or table with umbrella hole **2914** (with center support) or **2917** (with four legs).

Suggestions: See Renaissance Series for matching benches, seats, litter containers and ash receptacles and TimberForm Chairs and Seats for matching chairs and seats.


Notes: All tables are wheelchair accessible. Tables with four legs are shown below.



2913-0030 &
2916-0030




2912-0036 &
2915-0036




2914-0044 &
2917-0042




2913-3030 &
2916-3030




2912-3636 &
2915-3636




2914-4444 &
2917-4242



2915, 2916 & 2917



2915, 2916 & 2917



2915, 2916 & 2917




TimberForm Profile	Model	Diameter	Length	Width	Height	Mounting Options
Round Table with Center Support	2922-0030	2' 6" [760mm]			2' 6" [760mm]	-E or -P
	2922-0036	3' 0" [915mm]			2' 6" [760mm]	-E or -P
	2922-0044	3' 6" [1065mm]			2' 6" [760mm]	-E or -P
Square Table with Center Support	2922-3030		2' 6" [760mm]	2' 6" [760mm]	2' 6" [760mm]	-E or -P
	2922-3636		3' 0" [915mm]	3' 0" [915mm]	2' 6" [760mm]	-E or -P
	2922-4444		3' 6" [1065mm]	3' 6" [1065mm]	2' 6" [760mm]	-E or -P
Round Table with Four Legs	2925-0030	2' 6" [760mm]			2' 6" [760mm]	-E, -P or -L
	2925-0036	3' 0" [915mm]			2' 6" [760mm]	-E, -P or -L
	2925-0042	3' 6" [1065mm]			2' 6" [760mm]	-E, -P or -L
Square Table with Four Legs	2925-3030		2' 6" [760mm]	2' 6" [760mm]	2' 6" [760mm]	-E, -P or -L
	2925-3636		3' 0" [915mm]	3' 0" [915mm]	2' 6" [760mm]	-E, -P or -L
	2925-4242		3' 6" [1065mm]	3' 6" [1065mm]	2' 6" [760mm]	-E, -P or -L

Material: Powder-coated steel.


Options: Mounting method and powder-coating color. Specify Table with GameBoard **2923** (with center support) or **2926** (with four legs) or table with umbrella hole **2924** (with center support) or **2927** (with four legs).

Suggestions: See Profile Series for matching benches, seats, litter containers and ash receptacles and TimberForm Chairs and Seats for matching chairs and seats.


Notes: All tables are wheelchair accessible. Tables with center support are shown below.




2923-0030 &
2926-0030




2922-0036 &
2925-0036




2924-0044 &
2927-0042




2923-3030 &
2926-3030




2922-3636 &
2925-3636




2924-4444 &
2927-4242



2922, 2923 & 2924



2922, 2923 & 2924



2922, 2923 & 2924



Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). **-L** Add this suffix for leveling feet option.

See complementary TimberForm Profile site furnishings on pages 41-49.

TimberForm Boulevard	Model	Diameter	Length	Width	Height	Mounting Options
Round Table with Center Support	2932-0030	2' 6" [760mm]			2' 6" [760mm]	-E or -P
	2932-0036	3' 0" [915mm]			2' 6" [760mm]	-E or -P
	2932-0044	3' 6" [1065mm]			2' 6" [760mm]	-E or -P
Square Table with Center Support	2932-3030		2' 6" [760mm]	2' 6" [760mm]	2' 6" [760mm]	-E or -P
	2932-3636		3' 0" [915mm]	3' 0" [915mm]	2' 6" [760mm]	-E or -P
	2932-4444		3' 6" [1065mm]	3' 6" [1065mm]	2' 6" [760mm]	-E or -P
Round Table with Four Legs	2935-0030	2' 6" [760mm]			2' 6" [760mm]	-E, -P or -L
	2935-0036	3' 0" [915mm]			2' 6" [760mm]	-E, -P or -L
	2935-0042	3' 6" [1065mm]			2' 6" [760mm]	-E, -P or -L
Square Table with Four Legs	2935-3030		2' 6" [760mm]	2' 6" [760mm]	2' 6" [760mm]	-E, -P or -L
	2935-3636		3' 0" [915mm]	3' 0" [915mm]	2' 6" [760mm]	-E, -P or -L
	2935-4242		3' 6" [1065mm]	3' 6" [1065mm]	2' 6" [760mm]	-E, -P or -L

Material: Powder-coated steel.

Options: Mounting method and powder-coating color. Specify Table with GameBoard **2933** (with center support) or **2936** (with four legs) or table with umbrella hole **2934** (with center support) or **2937** (with four legs).

Suggestions: See Boulevard Series for matching benches, seats, litter containers and ash receptacles and TimberForm Chairs and Seats for matching chairs and seats.

Notes: All tables are wheelchair accessible. Tables with four legs are shown below.



**2933-0030 &
2936-0030**




**2932-0036 &
2935-0036**




**2934-0044 &
2937-0042**




**2933-3030 &
2936-3030**




**2932-3636 &
2935-3636**



**2934-4444 &
2937-4242**



2935, 2936 & 2937



2935, 2936 & 2937



2935, 2936 & 2937



Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). **-L** Add this suffix for leveling feet option.

See complementary TimberForm Boulevard site furnishings on pages 59-61.




TimberForm GameBoard	Model	Length	Width	Mounting
GameBoard	2095	1' 6" [455mm]	1' 6" [455mm]	Surface




Material: Porcelain enamel on steel. Colors: red on blue.
Options: Custom colors and attachment to wood or metal with tamper-resistant fasteners.

TimberForm Profile	Model	Length	Width	Height	Mounting Options
Square Table with Center Support	2942-3030	2' 6" [760mm]	2' 6" [760mm]	2' 6" [760mm]	-E or -P
	2942-3636	3' 0" [915mm]	3' 0" [915mm]	2' 6" [760mm]	-E or -P
	2942-4444	3' 6" [1065mm]	3' 6" [1065mm]	2' 6" [760mm]	-E or -P


Material: Powder-coated steel.
Options: Mounting method and powder-coating color. Specify Table with GameBoard 2943 or table with umbrella hole 2944.
Suggestions: See Profile Series for matching benches, seats, litter containers and ash receptacles and TimberForm Chairs and Seats for matching chairs and seats.
Notes: All tables are wheelchair accessible.




2943-3030




2942, 2943 & 2944




2942-3636



2942, 2943 & 2944



2944-4444














2942, 2943 & 2944



See complementary TimberForm Profile site furnishings on pages 41-49.

TimberForm Type & Series	Model	Length	Width	Height	Seat Height	Mounting Options
Chair-Manor	2901-20	1' 8" [510mm]	1' 11" [585mm]	2' 11" [890mm]	1' 4" [405mm]	-E, -P or -L
Chair-Renaissance	2911-20	1' 8" [510mm]	2' 2" [660mm]	2' 10" [865mm]	1' 4" [405mm]	Surface*
Chair-Profile	2921-20	1' 8" [510mm]	2' 6" [760mm]	2' 8" [815mm]	1' 4" [405mm]	-E, -P or -L
	2941-20	1' 8" [510mm]	2' 5" [735mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
	2961-20	2' 5" [735mm]	2' 5" [735mm]	2' 10" [865mm]	1' 4" [405mm]	-E or -P
Chair-Boulevard	2931-20	1' 8" [510mm]	2' 6" [760mm]	2' 8" [815mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated steel.
Options: Mounting method and powder-coating color.
Suggestions: See Manor, Renaissance, Profile and Boulevard Series for matching benches, seats, litter containers and ash receptacles and TimberForm Tables for matching tables.
Notes: * For permanent or movable applications only (anchor bolts by others).



2901-20

2911-20

2921-20








2931-20

2941-20

2961-20

TimberForm Type & Series	Model	Length	Width	Height	Seat Height	Mounting Options
Seat-Manor	2900-20	1' 8" [510mm]	1' 8" [510mm]	1' 4" [405mm]	1' 4" [405mm]	-E, -P or -L
Seat-Renaissance	2910-20	1' 8" [510mm]	1' 11" [585mm]	1' 4" [405mm]	1' 4" [405mm]	Surface*
Seat-Profile	2920-20	1' 8" [510mm]	2' 0" [610mm]	1' 4" [405mm]	1' 4" [405mm]	-E, -P or -L
	2940-20	1' 8" [510mm]	1' 8" [510mm]	1' 4" [405mm]	1' 4" [405mm]	-E or -P
	2960-20	2' 5" [735mm]	1' 8" [510mm]	1' 4" [405mm]	1' 4" [405mm]	-E or -P
Seat-Boulevard	2930-20	1' 8" [510mm]	2' 0" [610mm]	1' 5" [430mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated steel.
Options: Mounting method and powder-coating color.
Suggestions: See Manor, Renaissance, Profile and Boulevard Series for matching benches, seats, litter containers and ash receptacles and TimberForm Tables for matching tables.
Notes: * For permanent or movable applications only (anchor bolts by others).



2900-20

2910-20


2920-20

2930-20


2940-20

2960-20





Original CycLoops



Original CycLoops Specifications

Model	Length	Width	Height	Maximum Bikes
2170-3	1' 3"	3"	3' 0"	Three
2170-5	3' 3"	3"	3' 0"	Five
2170-7	5' 3"	3"	3' 0"	Seven
2170-9	7' 3"	3"	3' 0"	Nine
2170-11	9' 3"	3"	3' 0"	Eleven
2170-13	11' 3"	3"	3' 0"	Thirteen

Supplied as standard for embedment (permanent) mounting.

-P Suffix for pedestal (fixed surface) mounting option.


-C Suffix for powder-coated steel version.

-G Suffix for galvanized version.

-S Suffix for stainless steel version.

Notes: Includes matching base covers on -P pedestal mounting option only.

Super CycLoops



Super CycLoops Specifications

Model	Length	Width	Height	Maximum Bikes
2175-8	6' 5"	1' 0"	3' 3"	Eight
2175-10	8' 5"	1' 0"	3' 3"	Ten

-E Suffix for embedment (permanent) mounting option.

-P Suffix for pedestal (fixed surface) mounting option.

-C Suffix for powder-coated steel version.


-G Suffix for galvanized version.

-S Suffix for stainless steel version.

Notes: Includes matching base covers, as shown, on -P pedestal mounting option only.



Bollard CycLoops



Bollard CycLoops Specifications

Model	Length	Width	Height	Maximum Bikes
2171	9"	5"	3' 0"	One
2172	12"	5"	3' 0"	Two
2173	11"	10"	3' 0"	Three
2172-01	12"	8"	3' 3"	Two

-E Suffix for embedment (permanent) mounting option.

-P Suffix for pedestal (fixed surface) mounting option.

-R Suffix for removable mounting option.

-C Suffix for powder-coated steel version.

-G Suffix for galvanized version. (n/a 2172-01)

-S Suffix for stainless steel version. (n/a 2172-01)

Notes: Includes matching base cover, on -P pedestal mounting option only.

Wall CycLoops



Wall CycLoops Specifications

Model	Length	Width	Height	Maximum Bikes
2174	1' 2"	2"	4"	One


-C Suffix for powder-coated steel version.

-G Suffix for galvanized version.


-S Suffix for stainless steel version.

Notes: Wall mounting bolts by others.

CycLoops Mounting Options



CycLocker



CycLocker Specifications

Model	Length	w/Doors Open	Width	Height	Maximum Bikes
2176-2	7' 4"	12' 7"	3' 3"	3' 10"	Two
2176-4	7' 4"	12' 7"	6' 6"	3' 10"	Four
2176-6	7' 4"	12' 7"	9' 9"	3' 10"	Six
2176-8	7' 4"	12' 7"	13' 0"	3' 10"	Eight
2176-10	7' 4"	12' 7"	16' 3"	3' 10"	Ten
2176-12	7' 4"	12' 7"	19' 6"	3' 10"	Twelve

-C Suffix for powder-coated steel version (standard).

-S Suffix for stainless steel version.

Four bolt-down, leveling feet are supplied with each locker.

Factory installed dual-latch lock on each door is included.

Interior manual safety lock release.

Ten CASPAX-7™ Standard Powder-Coating Colors

Choose from these standard hues or from a wide spectrum of nearly 200 special designer colors.



Due to variations in the printing process the colors shown above are only a guide to the actual powder-coating colors.





Domed or flat-top steel bollards are offered with or without Alaska yellow cedar surround. Marine Teak or Purpleheart is optional. Cast iron adorned bollards feature ball-tops, and additional decorative rings can be specified. Rings for attaching chain are available on most models. A hole cover is available for removable bollards. Ten standard and nearly 200 special designer colors are available.

TimberForm Metal Bollards	Model	Diameter	Height	Mounting
Metal Bollard	2190	5" [125mm]	3' 0" [915mm]	-E*, -P or -R
Metal Bollard with Surround	2191²	7" [180mm]	3' 0" [915mm]	-E*, -P or -R
	2192²	7" [180mm]	2' 9" [840mm]	-E*, -P or -R
Metal Bollard	2193³	5" [125mm]	3' 0" [915mm]	-E*, -P or -R
Metal Bollard with Surround	2194^{2,3}	7" [180mm]	3' 0" [915mm]	-E*, -P or -R
	2195^{2,3}	7" [180mm]	2' 9" [840mm]	-E*, -P or -R
Metal Bollard	2196⁴	5" [125mm]	3' 0" [915mm]	-E*, -P or -R
Metal Bollard with Surround	2197^{2,4}	7" [180mm]	3' 0" [915mm]	-E*, -P or -R
	2198^{2,4}	7" [180mm]	2' 9" [840mm]	-E*, -P or -R
Metal Bollard with Ball Top	2199-01⁶	8" [205mm]	3' 6" [1065mm]	-E*, -P or -R
Metal Bollard with Directional Arrow	2551-3⁷	5" [125mm]	3' 3" [990mm]	-E*
-E Add this suffix for embedment (permanent) mounting option.				
-P ¹ Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).				
-R ⁶ Add this suffix for removable mounting option.				

Material: Powder-coated 4.5" O.D. Schedule 40 steel pipe. Models **2191, 2192, 2194, 2195, 2197** and **2198** include kiln-dried 8/4 patterned Alaska yellow cedar wood surround. Models **2199-01** thru **2199-05** include cast iron decorative ball top and round rings.

Options: Mounting method, coating color and Marine Teak or Purpleheart wood surround. Chain can be supplied for 2193-2198, 2199-02 and 2199-05. Indicate lengths required.


Notes: *Supplied as standard for embedment (permanent) mounting.

¹ Pedestal mount option includes matching base cover. ² Includes kiln-dried 8/4 patterned Alaska yellow cedar wood surround. ³ Includes single eye-ring for chain attachment. ⁴ Includes two eye-rings for chain attachment.


⁵ Model **2199-01** is also available with eye-rings for chain attachment. Specify Model **2199-02** with one eye-ring (top). Model **2199-03** with two eye-rings (top). Model **2199-04** with two eye-rings (one top and one bottom). Model **2199-05** with four eye-rings (two top and two bottom).

⁶ A hole cover is available for removable bollards. Specify Model **2190-RC**.

⁷ When ordering, indicate arrow direction using analog clock settings ("3" Three o'clock position is shown).



Enlarged sleeve and hole cover **2190-RC** detail shown below.



Removable Mount Option Detail

TimberForm Metal Bollards	Model	Length	Width	Height	Mounting
Wide Metal Bollard	2541	4' 5" [1345mm]	5" [125mm]	3' 3" [990mm]	-E* or -P

-E Add this suffix for embedment (permanent) mounting option.


-P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).

Material: Powder-coated 4.5" O.D. Schedule 40 steel pipe.

Options: Mounting method and powder-coating color.

Notes: Includes matching base covers, as shown below, on **-P** pedestal mounting option only.

* Supplied as standard for embedment (permanent) mounting.



2541

TimberForm Metal Bollards	Model	Length	Width	Height	Mounting
Arched Metal Bollard	2542	4' 5" [1345mm]	5" [125mm]	3' 3" [990mm]	-E* or -P

-E Add this suffix for embedment (permanent) mounting option.


-P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).

Material: Powder-coated 4.5" O.D. Schedule 40 steel pipe.

Options: Mounting method and powder-coating color.

Notes: Includes matching base covers, as shown below, on **-P** pedestal mounting option only.

* Supplied as standard for embedment (permanent) mounting.



2542

TimberForm Metal Bollards	Model	Length	Width	Height	Mounting
Loop Metal Bollard	2545	2' 3" [685mm]	3" [75mm]	3' 2" [965mm]	-E* or -P

-E Add this suffix for embedment (permanent) mounting option.


-P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).

Material: Powder-coated 2.875" O.D. Schedule 40 steel pipe.

Options: Mounting method and powder-coating color.

Notes: Includes matching base covers, as shown below, on **-P** pedestal mounting option only.

* Supplied as standard for embedment (permanent) mounting.



2545

Mounting Options: **-E** Add this suffix for embedment (permanent) mounting option. **-P** Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).

PipeLeaners are a unique short-term leaning-while-waiting device which double as pedestrian/traffic dividers. Model 2181 is supplied with Alaska yellow cedar surround; Marine Teak or Purpleheart is optional. Eight standard and nearly 200 special designer colors are available.

Metal Signs are available in a wide range of heights and lengths. Two sizes are illustrated here. Steel sign panels accept self-adhesive vinyl lettering or graphics.



TimberForm PipeLearner	Model	Length	Width	Height	Seat Height	Mounting
PipeLearner	2180-6	6' 5" [1955mm]	5" [125mm]	2' 7" [785mm]	2' 7" [785mm]	-E* or -P
	2180-8	8' 5" [2565mm]	5" [125mm]	2' 7" [785mm]	2' 7" [785mm]	-E* or -P
PipeLearner with Surround	2181-6	6' 5" [1955mm]	8" [205mm]	2' 8" [815mm]	2' 8" [815mm]	-E* or -P
	2181-8	8' 5" [2565mm]	8" [205mm]	2' 8" [815mm]	2' 8" [815mm]	-E* or -P

-E Add this suffix for embedment (permanent) mounting option.


-P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).

Material: Powder-coated 4.5" O.D. Schedule 40 steel pipe. Model **2181** includes kiln-dried 8/4 patterned Alaska yellow cedar wood surround.

Options: Mounting method, powder coating color and Marine Teak or Purpleheart wood surround.

Notes: Includes matching base covers, as shown below, on -P pedestal mounting option only.

* Supplied as standard for embedment (permanent) mounting.



TimberForm Metal Signs	Style	Model	Length	Width	Height	Sign Panel	Mounting
Metal Sign	Arched	2185-4	4' 7" [1395mm]	5" [125mm]	3' 4" [1015mm]	2' 3" x 3' 6" [685 x 1065mm]	-E* or -P
		2186-4	4' 7" [1395mm]	5" [125mm]	3' 4" [1015mm]	2' 0" x 3' 6" [610 x 1065mm]	-E* or -P

-E Add this suffix for embedment (permanent) mounting option.


-P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others).

Material: Powder-coated 4.5" O.D. Schedule 40 steel pipe and steel sign panel.

Options: Mounting method, coating color and wood sign panel. Other lengths and heights available. We can apply graphics on metal sign panels or carve wood sign panels per your specifications.


Notes: Includes matching base covers, as shown below, on -P pedestal mounting option only. Color coated metal sign panels are a preferred base for self-adhesive applied vinyl lettering or graphics.

* Supplied as standard for embedment (permanent) mounting.



2185 2185-4

2186 2186-4




This collection depicts the finest timber bollards available in the world today. Most designs can be made from nominal 8 x 8 (7-1/4" x 7-1/4" net) or 12 x 12 (11-1/4" x 11-1/4" net) free-of-heart-center (F.O.H.C.) Douglas fir timbers. Supplied square or lathe-turned full-length to a constant diameter, these sculpted timbers are offered in (exposed) heights above grade of 2'6", 3'0" and 3'6". Other heights are available.

When specified in the standard direct-burial form, timber bollards are supplied with an additional two feet of length for embedment purposes. All TimberForm wood bollards are pressure treated with preservative after receiving the **MaxTreat™** preservative enhancement process on flat surfaces which will be at or below grade. See lexicon at right for technical details.


Removable bollards, for use as roadway or path barriers are furnished with a pavement socket and are suitable for use with a standard padlock (not included). A hole cover is offered for those times when the bollard is removed.

Custom timber bollards from your design can be produced to TimberForm quality standards. Using the lexicon shown at right, communicate your design ideas to your local TimberForm representative or to our design headquarters.

The TimberForm Timber Bollard Lexicon



TimberForm Timber Bollards	Model Number	Nominal Timber Size	Height	Mounting
Timber Bollard with Directional Arrow	2553-3¹	6 x 6 [150 x 150mm]	2' 10" [865mm]	-E*
-E Add this suffix for embedment (permanent) mounting.				



2553-3

Material: Seasoned free-of-heart-center Douglas fir timbers, square embedded timber ends **MaxTreat** processed prior to preservative treatment after **all fabrication completed**.

Notes: * Supplied as standard for embedment (permanent) mounting.

¹ When ordering, indicate arrow direction using analog clock settings ("3" Three o'clock position is shown).

TimberForm Timber Bollards	Model Numbers	Nominal Timber Size	Height	Mounting
Timber Bollard	Even Model Numbers	12 x 12 [305 x 305mm]	2' 6", 3' 0" or 3' 6" [760, 915 or 1065mm]	-E* or -R
	Odd Model Numbers	8 x 8 [205 x 205mm]	2' 6", 3' 0" or 3' 6" [760, 915 or 1065mm]	-E* or -R
	-E Add this suffix for embedment (permanent) mounting option.			
	-R ¹ Add this suffix for removable mounting option.			
	-LT ² Add this suffix for lathe-turned (round) option.			


Material: Seasoned free-of-heart-center Douglas fir timbers, square embedded timber ends **MaxTreat** processed prior to pressure preservative treatment after **all fabrication completed**.

Options: Bollard height, mounting method and lathe-turning.


Notes: * Supplied as standard for embedment (permanent) mounting.

¹ A hole cover is available for removable bollards. Specify Model **2500-RC**. Removable mount not offered in the 2' 6" [760mm] height on Models **2564**, **2565**, **2572**, **2573**, **2592** and **2593**.


² Lathe-turning not available for models **2584** through **2599**.




2560 12 x 12
2561 8 x 8




2562 12 x 12
2563 8 x 8




2564 12 x 12
2565 8 x 8




2566 12 x 12
2567 8 x 8




2568 12 x 12
2569 8 x 8




2570 12 x 12
2571 8 x 8




2572 12 x 12
2573 8 x 8




2584 12 x 12
2585 8 x 8




2586 12 x 12
2587 8 x 8




2588 12 x 12
2589 8 x 8




2590 12 x 12
2591 8 x 8




2592 12 x 12
2593 8 x 8




2594 12 x 12
2595 8 x 8




2596 12 x 12
2597 8 x 8



2598 12 x 12
2599 8 x 8



2500-RC
Hole Cover
(enlarged detail)



2560-3-R
Removable
Mount option



For product information or design assistance, please contact your local representative or call us at 1-800/547-1940, Ext. 991.

TimberForm^{®111} Custom Site Furnishings



A



B



E



C



D



F



G



H



I



J



K

We are often called upon by architects, landscape architects and professional designers to manufacture unique products of their own design or to modify cataloged items "For Signature Projects." For additional information contact your nearby local representative or our design headquarters at Portland.



For the latest TimberForm® & PipeLine
Play Equipment catalog, please contact
your local representative or call us at
1-800/547-1940, Ext. 991.

TimberForm® & PipeLine¹¹³
Playground Equipment







For additional information about TimberForm & PipeLine Fitness Systems contact your nearby local Columbia Cascade representative.

Unique Mounting Options & Colors

Mounting Options for Chairs, Seats, Benches and Tables with Legs



Mounting Options for Litter Containers (-E, -P and -L) and Tables with Center Column (-E and -P only)



- E** Add the suffix **-E** to the product model number for embedment (permanent) mounting in concrete. Holes are provided in the embedment extension for two No. 4 steel re-bars. Re-bars are not included.
- P** Add the suffix **-P** to the product model number for pedestal (fixed surface) mounting. Pedestal mounting hardware enables leveling of the product on uneven surfaces. Anchoring to the established base or floor surface is facilitated through 5/8" diameter holes. Anchoring bolts are not included.
- L** Add the suffix **-L** to the product model number for the movable option. Product is movable and leveling feet each have a nylon sole to prevent scratching polished floors.

THESE VALUABLE MOUNTING OPTIONS ARE NOT AVAILABLE ON SIMILAR-LOOKING COMPETITORS' PRODUCTS

Specifications and CAD details are available via e-mail. Simply contact your local representative, e-mail us at design@timberform.com or call us toll-free at 1-800/547-1940; extension 991.



Ten CASPAX-7™ Standard Powder-Coating Colors

Choose from these standard hues or from a wide spectrum of nearly 200 special designer colors.



Regal Blue



Evergreen



Red



Brown



Black



Chrome Yellow



Ocean Teal



Burgundy



Coffee Tan



White

Due to variations in the printing process the colors shown above are only a guide to the actual powder-coating colors.

"For Signature Projects"

For representative or product information, call
toll-free 1-800-547-1940; request extension 991.



Madison™



Willow®



Skyline®



Palomar®



Arbor™



Greenway™



Columbia Cascade

1975 S.W. Fifth Avenue
Portland, Oregon 97201-5293 U.S.A.
Telephone 503/223-1157 Facsimile 503/223-4530
www.timberform.com e-mail: hq@timberform.com
Publication No. SCW-2007

Makers of TimberForm & PipeLine Playground
Equipment and Outdoor Fitness Systems,
TimberForm Site Furniture and CycLoops®
& CycLocker® Bicycle Management Products.
Copyright 2007 Columbia Cascade Company. All rights reserved. Printed in U.S.A.