


Chamfer Strips

Five types for any project

Sylvan Products
Tel. (800) 8421990
or (503) 639-9000

email: info@sylvan-products.com www.sylvan-products.com/concrete



The best corner on the market

Chamfer Feature Comparison Chart

and cost ranges to fit every project requirement. Depending on the material type, Sylvan's chamfer strips are available for quick shipment in standard sizes and provide eye-catching architectural results for any tilt-up, precast and site-cast project. Accessories include Sylvan Chamfer Cutters (two types) which enable

precision cuts for compound miter-joints and straight angles.

Pick the right chamfer for each project.

	Poly-Comp® Gold Chamfer	Plastic-Flex™ Custom Chamfer	Select Hardood Chamfer	Clear Pine Chamfer	Magnetic Steel Chamfer
Architectural Smoothness	Best	Best	Moderate	Moderate	Very Good
Casting Method	All	All*	Tilt-Up, Site-Cast	Tilt-Up, Site-Cast	Precast
Shipment Lead-Time	2 Days	5-7 Days	2 Days	3 Days	2-5 Days
Custom Features	Few	No	No	Custom	No
Re-use	Moderate	High	Low	Low	High
Cost	Low/Medium	Medium	Low	Low	High

^{*} Shipment Lead- times are subject to subject to prior sale, change without prior notice, varying order files, and availability of raw materials and trucks.

All of Sylvan's chamfers are easy to attach to forms with approved adhesives, double-sided tapes, staple guns, or finish nails, except for magnetic steel chamfers which self-adhere to metal forms.


Poly-Comp® Chamfer

Poly-Comp® Gold Plastic Chamfer strips deliver clean edges and straight lines in less time, with less hassle and at a low overall cost. Project owners will appreciate the smooth, flawless finish on beveled corners and sharp details on V-grooves & panel joints for precast, tilt-up and site-cast projects.



Features and Benefits of Poly-Comp® Gold Chamfer:

- Provides a non-absorbent surface for an ultra-smooth architectural finish.
- Huge labor savings on prep and finish work.
- Little waste due to convenient and common lengths.
- Clean release, even with little or no release agent or bond breaker.
- Clearly labeled rectangular bundles stack and store easily



Sylvan Poly-Comp® Gold Chamfer Size Chart

Standard sizes & lengths available for prompt shipment*

Part Number	A	В	C	Length	LF per bundle	LBS/bundle
CHM-PC-050x10'	1/2"	1/2"	3/4"	10′	1,000 LF	38 lbs.
CHM-PC-075x10′	3/4"	3/4"	1-1/16"	10′	1,000 LF	55 lbs.
CHM-PC-075x12′	3/4"	3/4"	1-1/16"	12′	1,008 LF	56 lbs.
CHM-PC-106x10'	1-1/16"	1-1/16"	1-1/2"	10′	500 LF	48 lbs.

Note: For best results, refer to the Poly-Comp User Guidelines in precast production, and also for selective us in tilt-up and cast-in-place application. Talk with a Sylvam representative. Product availability subject to prior sale of stock on hand, production order files, raw material supplies, and shipping schedules. Weights are reflective of bundle handling weights, but do not include weights of crating or shipping protection covers.

Chamfer Cutters by Sylvan

Get the accuracy of a miter box with the speed and convenience of a hand tool while on the jobsite. The two models make cutting plastic or wood chamfer and mouldings quick, precise and efficient. Both the Miter-Jaws™ Cutter (stainless steel) and the & Miter-Boss™ Cutter (hardended steel) pay for themselves in days, and last for years.



Features and Benefits of Sylvan Chamfer Cutters:

- Save on labor. Time and cost compared to a miter box
- · Makes compound joints easily
- Accurately cuts both left and right angles
- Replaceable blades and anvils are available

Plasti-Flex™ Red Reusable Flange Chamfer

Plasti-Flex™ Flange Chamfer is made of a high-density polyethylene plastic, with an ultra-smooth face and a nailable edge flange. This chamfer is highly durable for many reuses, and can be quickly stapled, screwed, nailed or glued into place. This product is ideal for top chamfers on forms, as well as door and window block-outs. The high-end architectural finish is especially valued for precast and tilt-up applications.


Current Sizes: 1/2" x 10' (Part No. CHM-PFAB-050x10') 500 LF / bundle 32 lbs/ bundle

3/4" x 10' (Part No. CHM-PFAB-075x10') 500 LF / bundle 61 lbs/ bundle

Features and Benefits of Plasti-Flex™ Red Flange Chamfer:


- Reusable extended use from durable plastic compound
- Easy to install to edge of plywood or wood form
- · Smooth flawless finish
- Little to no need for silicone caulking along edges





Magnetic Steel Chamfer

Magnetic Steel Chamfer Strips are designed to work with steel casting beds or with metal faceplates and/or bulkheads. The strongest magnets of their kind on the market enable the steel chamfers to be quickly attached, adjusted, and removed from the forms.



Features and Benefits of Magnetic Steel Chamfer:

- Powerful magnets provide maximum adhesion to any steel surface
- Durable steel and magnets offer an exceedingly long service life
- Design assures speedy installations, adjustments, and removal
- Extended durability and fast change-overs provide quick ROI for precasters

Magnetic Steel Chamfer Size Chart

Which sizes best fit your precast requirements?

Part Number	A	В	C	Length	LF per bundle	LBS/bundle
BT2002179-CHM10	3/8"	3/8"	1/2"	10′	20 LF/bundle	9 lbs.
BT2002283-CHM10	1/2"	1/2″	3/4"	10′	20 LF/bundle	14 lbs.
BT2002284-CHM12	1/2"	1/2″	3/4"	12′	24 LF/bundle	17 lbs.
BT2002285-CHM10	3/4"	3/4"	1-1/16"	10′	20 LF/bundle	23 lbs.
BT2002286-CHM12	3/4"	3/4"	1-1/16"	12′	24 LF/bundle	28 lbs.
BT2002287-CHM10	1″	1"	1-3/8"	10′	20 LF/bundle	46 lbs.


^{*} Availability is subject to prior sale, and dependent on production order files and ship times at the time of order.

Select Hardwood Chamfer

Sylvan's Select Hardwood Chamfer has no knots, and provides a consistently smooth result, with the most competitive prices and best lengths on the market. This reliable and user-friendly forming chamfer is neatly packaged in rectangular bundles, and is highly valued for tilt-up and site-cast forming applications.

Features and Benefits of Select Hardwood Chamfer

- Economical saves on material costs and on labor for installation and stripping
- No Knots, No splits
- Convenient rectangular bundles for easy stacking & counting
- Precision machined for exact sizes





Select from these sizes for quick shipment *

	ı	ı				
Part Number	A	В	C	Length	LF per bundle	LBS/bundle
CHM-H2-050x10	1/2"	1/2″	3/4"	10′	1,000 LF/bundle	30 lbs.
CHM-HW-075xRL	3/4"	3/4"	1-1/16"	8′, 10′, 12′	1,000 LF/bundle	42 lbs.
CHM-H2-075x16′	3/4"	3/4"	1"	16′	480 LF or 800 LF	21 or 34 lbs.
CHM-HW-100x102dgx10	1"	1"	1-1/2"	10′	500 LF/bundle	43 lbs.
CHM-HW-100x10	1"	1"	1-3/8"	10′	500 LF/bundle	41 lbs.
CHM-HW-106x10	1-1/16"	1-1/16"	1-1/2"	10′	500 LF/bundle	42 lbs.
CHM-H2-150x10	1-1/2"	1-1/2"	2-1/8"	10′	240 LF/bundle	41 lbs.
CHM-H2-200x10	2″	2"	2-7/8"	10′	160 LF/bundle	45 lbs.

^{*} Contact your Sylvan Representative for Custom sizes. Weights are reflective of bundle handling weights, but do not include weights of crating or shipping protection cover.

Clear Pine Chamfer

Sylvan's Clear Pine Chamfer provides the preferred characteristics for successful forming with wood chamfer which includes surface smoothness, straightness, no splits, no knots, and highly durable against casual dents or breakage. Sylvan regularly produces the below sizes for quick shipment in rectangular bundles.



Clear Pine Chamfer Size Chart

Select from these sizes. Available for quick shipment.

Part Number	A	В	c	Length	LF per bundle	LBS/bundle
CHM-SW-050x10	1/2"	1/2″	3/4"	10′	1,000 LF/bundle	30 lbs.
CHM-SW-075x10	3/4"	3/4"	1″	10′	1,000 LF/bundle	60 lbs.
CHM-SW-075x16	3/4"	3/4"	1″	16′	480 LF, 640 LF, 800 LF	39 or 48 lbs
CHM-SW-106x10	1.06"	1.06"	1-1/2"	10′	500 LF/bundle	62 lbs
CHM-SW-150x10	1-1/2"	1-1/2"	2-1/8"	10′	240 LF/bundle	58 lbs