


AMIGUARD® 6000 & 7000 MESHES




AMICO
PERIMETER SECURITY

AMIGUARD® 6000 & 7000 MESHES



AMIGUARD®
FENCING INFILLS

Each AMIGUARD® 6000 Security Mesh and AMIGUARD® 7000 High Security Mesh panel goes through a process of slitting and stretching metal sheet to form the desired style. The Security Panel has strands and intersecting strands called bonds forming a sharp angle to the original plane of the solid sheet. This process creates the unique pattern and allows a single sheet of metal to be processed into several sheets of Security Mesh Panels.



AMICO Security offers a wide range of AMIGUARD® 6000 Security Mesh and AMIGUARD® 7000 High Security Meshes. Meshes differentiate by weight and the size of the diamond openings. All meshes are available in Hot Dipped Galvanized or Black Powder coating over zinc primer/zinc e-coating.

AMIGUARD® Mesh Style	Short Way of Diamond	Long Way of Diamond	Strand Thickness	Strand Width	Percent Open Area	Weight per sq. ft. galv.
6030	1.85"	4.00"	.134"	.149"	84%	.990 lbs
6050	1.33"	3.00"	.134"	.144"	78%	1.31 lbs
6100	.500"	1.20"	.090"	.096"	62%	1.63 lbs
6200	.923"	2.10"	.108"	.165"	64%	1.75 lbs
6300	.923"	2.00"	.134"	.150"	67%	1.96 lbs
6800	1.33"	3.00"	.198"	.203"	69%	2.65 lbs
7100	.500"	1.20"	.090"	.188"	25%	3.10 lbs
7300	1.28"	3.00"	.075"	.600"	6%	3.18lbs
7500	.925"	3.00"	.090"	.400"	14%	3.50 lbs
7700	1.00"	2.40"	.179"	.240"	52%	3.76 lbs
7800	1.00"	2.25"	.179"	.250"	50%	3.92 lbs

Tolerances: Short Way of Diamond (SWD) & Long Way of Diamond (LWD) 0 + 0.25" per 12" of width.



AMIGUARD® 6000 SERIES SECURITY MESHES



AMIGUARD® 6030 Security Mesh



AMIGUARD® 6050 Security Mesh



AMIGUARD® 6100 Security Mesh




AMIGUARD® 6200 Security Mesh



AMIGUARD® 6100 Security Mesh

Samples shown in 1:1 scale



AMIGUARD® 6300 Security Mesh




AMIGUARD® 6800 Security Mesh



AMIGUARD® 6300 Security Mesh

AMIGUARD® 7000 SERIES HIGH SECURITY MESHES



AMIGUARD® 7100 High Security Mesh




AMIGUARD® 7100 High Security Mesh

Samples shown in 1:1 scale



AMIGUARD® 7300 Security Mesh



AMIGUARD® 7500 Security Mesh

MESH SAMPLES

855-552-6426
amicosecurity.com




AMIGUARD® 7700 Security Mesh



AMIGUARD® 7700 Security Mesh



AMIGUARD® 7700 Security Mesh



AMIGUARD® 7800 Security Mesh



AMIGUARD® 7800 Security Mesh

AMICO Security offers three highly corrosion resistant finishing options:

- **Hot-Dip Galvanizing**
- **AMICOAT™ Powder coating over E-Coating or primer**
- **AMICOAT™ Duplex Coating, Powder coating over Hot-Dip Galvanizing**

All of AMICO Security's finishing processes involve a zinc layer for superior corrosion protection. While a traditional paint layer aims to prevent water from touching the steel, a zinc layer provides a superior cathodic protection replacing the steel anode with a zinc anode resulting in zinc oxide which forms a protective layer instead of rust.

AMICOAT™ Standard Colors for AMIGUARD® 6000 & 7000 Security Meshes



Please note that standard AMICOAT™ colors shown in here are for reference only as they can deviate slightly from the actual colors depending on electronic screen or printing.



AMICO Security
3245 Fayette Avenue
Birmingham, AL 35208
855-552-6426

amicosecurity.com
info@amicosecurity.com
[linkedin.com/company/amicosecurity](https://www.linkedin.com/company/amicosecurity)