

DOG PARK ARCHITECTURAL DESIGN AND PLANNING GUIDE



THANK YOU FOR CHOOSING OUR PRODUCTS –
THE BEST FOR MAN’S BEST FRIEND.

TABLE OF CONTENTS



The Dog Park Amenity

Operating or managing a dog park is like many other popular amenities, it requires a significant commitment of daily upkeep, maintenance and cleaning. The most important aspect when putting together a dog park is that it is safe and that you are hopefully minimizing the dogs to any health or safety risk at the park.

It is vital to have a diligent pet waste management system. Set an expectation goal for your park visitor’s such as; ‘please pick up your pets waste completely and promptly’ – using the 15-30 second rule.

It is important that you have the rules posted and it is best to give the visitors a goal or expectation of picking up their dog’s waste and disposing of it properly. For Rules Signage and Pet Waste and Sanitation products, visit www.ThePetWasteStation.com.

Providing a fresh water source for the dogs to drink from is recommended. It is best to have a fresh water supply dog drinking fountain that drains so the dogs are not sharing the same water and that they have fresh clean water. For Water Fountains, visit www.CoolDogWaterFountains.com.

In the middle of summer, it is a great fun to put a small shallow splash pool for the dogs to play in and cool off. For Doggie Splash Pools, visit www.CoolDogSplashPool.com.

Providing some shade in the park makes for a nice addition for the dogs and people to stay cool during hot months. If you use natural trees, use a tree that has a great canopy shade format.

Gyms For Dogs equipment is designed to provide challenging and fun play and agility movements for dogs to increase their cardiovascular performance as well as balance, agility and strength conditioning – all while strengthening the bond with their owners and trainers. This guide will help you design, maintain and safely operate your dog park to provide enjoyment and enrichment – for you and your four-legged friends. For more details, visit www.GymsforDogs.com.



The USDA Animal Welfare Act states that certain types of pet care providers must provide an appropriate plan to provide exercise for dogs under their care. In developing an exercise plan, it should consider providing positive physical contact with humans that encourages exercise through play or other similar activities.


Play and Agility Equipment	4
Water Fountains	12
Pet Waste Stations	16
Park Signage	18
Benches	20
Splash Pool	22
Dog Wash Tubs	23
Dog Park Fencing	24
Design – Sample Renderings	26

Products are designed and manufactured specifically for DOGS ONLY and should not be used for other purposes. Lead times may vary. Custom Colors add additional fees and lead time. All products require regular inspection, maintenance, and cleaning. Actual product specifications, shapes, dimensions, weights and colors may vary slightly from as featured in catalog or on internet. Changes represent most current product revisions as we strive for the highest quality materials and products and in doing so on-going changes can occur.




Bridge Climb (S/M)

ITEM#: DL-BC1-RPW (S/M)
SOURCE: www.GymsForDogs.com




Bridge Climb (L/XL)

ITEM#: DL-BC2-RPW (L/XL)
SOURCE: www.GymsForDogs.com



Jump Balance Beam


ITEM#: DL-JBB-RPW
SOURCE: www.GymsForDogs.com



Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.


Hill Climb

ITEM#: DL-HC-RPW
SOURCE: www.GymsForDogs.com



Mini Hill Climb (S/M)



ITEM#: DL-MH1-RPW (S/M)
SOURCE: www.GymsForDogs.com



Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.


Mini Hill Climb (L/XL)

ITEM#: DL-MH2-RPW (L/XL)
SOURCE: www.GymsForDogs.com




Tunnel House (S/M)

ITEM#: DL-TH1-RPW (S/M)
SOURCE: www.GymsForDogs.com




Tunnel House (L/XL)

ITEM#: DL-TH2-RPW (L/XL)
SOURCE: www.GymsForDogs.com



The Dog Post (Leash Post, Toy Box & Sanatation Depot)


ITEM#: DL-DP-RPW
SOURCE: www.GymsForDogs.com



Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.


Training Platform (S/M)

ITEM#: DL-TP1-RPW (S/M)
SOURCE: www.GymsForDogs.com




Training Platform (L/XL)

ITEM#: DL-TP2-RPW (L/XL)
SOURCE: www.GymsForDogs.com



Adjustable Jump Hurdle

ITEM#: DL-AJH-RPW L/XL
SOURCE: www.GymsForDogs.com





Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.

Jump Hurdle (Small)




ITEM#: DL-JS-RPW
SOURCE: www.GymsForDogs.com



Jump Hurdle (Medium)





ITEM#: DL-JM-RPW
SOURCE: www.GymsForDogs.com



Jump Hurdle (Large)





ITEM#: DL-JL-RPW
SOURCE: www.GymsForDogs.com



Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.


Ellie's Boulder Bridge

ITEM#: DL-EBB-RPW
SOURCE: www.GymsForDogs.com



Climbing Boulder (Large)

ITEM#: DL-NCBLRG-RPW
SOURCE: www.GymsForDogs.com



Climbing Boulder (XLarge)


ITEM#: DL-NCBXLG-RPW
SOURCE: www.GymsForDogs.com



Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.

Ellie’s Jump Balance Beam

ITEM#: DL-EJBB-RPW
SOURCE: www.GymsForDogs.com





Hammie’s Tunnel House (S/M)

ITEM#: DL-HTH1-GRC (S/M)
SOURCE: www.GymsForDogs.com



Hammie’s Tunnel House (L/XL)

ITEM#: DL-HTH2-GRC (L/XL)
SOURCE: www.GymsForDogs.com



Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.

Agility Bone (S/M)

ITEM#: DL-EBPB1-CRT (S/M)
SOURCE: www.GymsForDogs.com



HEAVY – approximately 850 lbs.
This product is designed to stay in place. Heavy equipment is required to move this product.



Agility Bone is heavy. Special equipment may be needed to move product into park.

Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.

Agility Bone (L/XL)

ITEM#: DL-EBPB2-FBR (L/XL)
SOURCE: www.GymsForDogs.com



MEDIUM WEIGHT – approximately 125 lbs.
This product can be moved and is a good product to put in the middle of the park area.

Water Fountain Single Basin

ITEM#: DL-1000-STE
SOURCE: www.CoolDogWaterFountains.com
316 Stainless Steel



Water Fountain Single Basin with Hose

ITEM#: DL-1000-DWC-STE
SOURCE: www.CoolDogWaterFountains.com
316 Stainless Steel



Water Fountain Double Basin




ITEM#: DL-2000-ADA-STE
SOURCE: www.CoolDogWaterFountains.com
316 Stainless Steel



Water Fountain Double Basin with Hose


ITEM#: DL-2000-ADA-DWC-STE
SOURCE: www.CoolDogWaterFountains.com
316 Stainless Steel





Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.


Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.



FOUNTAIN NOTES:

1. The fountain is to be mounted on a smooth (preferably concrete or wood), flat but sloped slightly (2-3%) to drain excess water, finished surface with adequate support structure. See drawings or some mounting or pad examples.
2. NOTE: Mounting surface structure must be capable of supporting 300 lb. load on fountain.
3. Refer to rough-in specifications for specific plumbing requirements.
4. It is recommended that you install an easy external shut-off valve on water supply line for ease of shutting off or winterizing. (Valve not furnished)
5. Surface mounting hardware to install fountain using concrete anchor fasteners. (Fasteners not furnished)
6. Connect water supply and fountain drain. Connect drain waste "Tee" to fountain drain tubes. Connect outlet of "Tee" to drainage system. Water connection and drain must comply with local codes. Some fountains drain into a 24-36" deep pea gravel pit and some drain into drain lines, please check with local building codes for the proper way to drain the fountain.

7. Turn on water supply and check all connections for leaks. CAUTION: This fountain is rated for inlet water pressure of 20-105 PSI. A pressure reducing regulator should be used if the inlet water supply exceeds 105 PSI. Any damage caused by reason of connecting this product to supply line pressures lower than 20 PSI or higher than 105 PSI is not covered by warranty.
8. Water supply line O.D. unplated copper tube (3/8" STE Series, 1/2" SS Series). Drain or waste line IPS (1 1/2" STE Series, 1 1/4" SS Series). Contractor to supply waste trap and service stop valve in accordance with local code. *Please see individual specification sheets for exact details and sizing of lines.
9. Connecting lines to be made of unplated copper and should be thoroughly flushed to remove all foreign matter before being connected to fountain. This fountain is manufactured in such a manner that it does not in any way cause taste, odor, color, or sediment problems.
10. Connect fountain to supply line with a shut-off valve and install an unplated copper water line between the valve and the fountain. Remove any burrs from outside of water line. Push the tubes straight into the fittings until they reach a positive stop, approximately 3/4" (See Fig. 2). DO NOT SOLDER TUBES INSERTED INTO THE STRAINER AS DAMAGE TO THE O-RINGS MAY RESULT.




PLAN NOTES:

1. FULL ADA ACCESSIBILITY WILL REQUIRE ADDITIONAL ADA COMPLIANT SURFACING TO ALLOW ACCESS TO THE DRINKING FOUNTAIN/PUSHBUTTON AND THE PET FOUNTAIN PUSHBUTTON.
2. SLOPE SURFACE AWAY FROM FOUNTAIN BASE AT 2% SLOPE.

PLAN - NOT TO SCALE

**DRINKING FOUNTAIN
BASE AND DRAIN**



SECTION NOTES:

1. WATER SUPPLY LINE DEPTH SHALL BE ACCORDING TO LOCAL REGULATING CODES AND SIZE SHALL BE ACCORDING TO FOUNTAIN MODEL SPECIFICATIONS.
2. DRAIN PIPE SIZE SHALL BE ACCORDING TO FOUNTAIN MODEL SPECIFICATIONS.
3. DRY WELL SIZE SHOULD BE ADJUSTED ACCORDING TO LOCAL REGULATING CODES OR RECOMMENDATIONS, AND/OR MAY REQUIRE MODIFICATION TO ENSURE ADEQUATE INFILTRATION RATE BASED ON LOCAL SOIL AND ENVIRONMENTAL CONDITIONS.

SECTION - NOT TO SCALE


www.CoolDogWaterFountains.com




**COOL DOG™
WATER FOUNTAINS**

The Paw Station




ITEM#: DL-PWS100-FS (FREE STANDING)
 SOURCE: www.ThePetWasteStation.com
 Great for artificial turf areas.
 Surface mount holes available.



THE
 PET WASTE
 STATION.COM



Optional
 Pooper
 Scooper
 Station




Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.

Pet Waste Station



ITEM#: DL-PWS100-IG (IN-GROUND)
 ITEM#: DL-PWS100-SM (SURFACE MOUNT)
 SOURCE: www.ThePetWasteStation.com



THE
 PET WASTE
 STATION.COM




Optional
 Pooper
 Scooper
 Station



Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.

Welcome Sign

ITEM#: DL-WELCOME-AR-SIGN
SOURCE: www.GymsForDogs.com




Pick Up Waste Promptly

ITEM#: DL-POTTY-AR-SIGN
SOURCE: www.GymsForDogs.com



Dog Park Sign Kit – Art

ITEM#: DL-RULES-SIGN-AR
SOURCE: www.GymsForDogs.com



Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.


Welcome Sign

ITEM#: DL-WELCM-SIGN
SOURCE: www.GymsForDogs.com



Dog Park Rules Sign

ITEM#: DL-RULES-SIGN
SOURCE: www.GymsForDogs.com



Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.

Trail Bench with Back


ITEM#: DL-TB-4-RPW (IN-GROUND MOUNT)
SOURCE: www.GymsForDogs.com



These benches are great placed far out in the park to get people further into the park.

Trail Bench Seat


ITEM#: DL-TBS-4-RPW (IN-GROUND MOUNT)
SOURCE: www.GymsForDogs.com



Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.


Natural Park Bench Seat

ITEM#: DL-NPS4-RPW
SOURCE: www.GymsForDogs.com
Free standing, portable, surface mount
Approximately 78 lbs.
Great for artificial turf areas.



Architectural Park Bench

ITEM#: DL-RBA-6
SOURCE: www.GymsForDogs.com
Free standing, portable, surface mount
Approximately 175 lbs.



Park Waste Receptable


ITEM#: DL-PWR-RB - BONNET LID
ITEM#: DL-PWR-FT - FLAT LID
SOURCE: www.GymsForDogs.com



Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.

Cool Dog Splash Pool

ITEM#: DL-POOL-FBR
SOURCE: www.CoolDogSplashPool.com



Ships created.
Semi-permanent,
seasonal, portable pool.
Can be stored during
winter months.

Has jumper hose and
drain so pool can be
easily drained.
No deck needed.
Doggie safe steps
on inside and
outside of pool.

Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.

Cool Dog Wash Tub



ITEM#: DL-DWT-FEN-ARC (LEFT OR RIGHT DRAIN)
SOURCE: www.CoolDogWashTubs.com



indoor or
outdoor
use




Tubs come complete with
spray faucet, comfort mat,
safety steps, and cover.



Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.


Doggie DVR Fence Series

SOURCE: www.DogParkFencing.com




Fence Kit

BLACK FRAMED FENCE WITH
POST AND HARDWARE
SOURCE: www.DogParkFencing.com




Doggie Entrance Gate

DOGGIE GATE WITH SELF-CLOSE
HINGE AND LATCH
SOURCE: www.DogParkFencing.com



Entrance Gate

ENTRANCE GATE WITH
SELF-CLOSE HINGE AND LATCH
SOURCE: www.DogParkFencing.com



Service Gate

SERVICE GATE WITH SELF-CLOSE
HINGE AND LATCH
SOURCE: www.DogParkFencing.com

Doggie DVR Fence Series

SOURCE: www.DogParkFencing.com



STRONG SAFE SECURE

Use	Fence Heights
Small Dogs (under 35 lbs.)	minimum 4' (46") tall with Doggie DVR safe spacing between pickets
Large Dogs (over 35 lbs.)	minimum 5' (58") tall with Doggie DVR safe spacing between pickets
All Size Dogs Play Area	minimum 5' (58") tall with Doggie DVR safe spacing between pickets
Park or Pool Areas (non-dog)	minimum 5' (58") tall with standard spacing

Always check local codes for any fence specification requirements or codes.





Doggie Safe Spacing is 3"
spacing between pickets.




Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.


Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.





Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.






Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.



Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.




Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.






Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.




Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.




Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.


Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.



Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.



Some products offered may have special unique designs, features or specifications that may be reserved and should not be copied or simulated in any manner without written consent or agreement.



Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement.



For product information and other product needs, contact:
Sales@GymsForDogs.com
www.GymsForDogs.com
800-931-1562 Customer Support