



"Vistafolia®'s lush artificial green wall system panels have been designed to create a beautiful green environment with a realistic effect even in the most inhospitable planting locations."

PRODUCT DESCRIPTION

The standard size panel comprises UV Stabilized & Fire Rated artificial foliage fixed to a powder coated mild steel grid.

FEATURES

- Three-panel system prevents repetition in planting and removes join lines
- Durable panels manufactured to ISO 9001
- UV & Fire Rated with test certificates
- REACH Compliant
- Quick and easy installation
- Sixteen different plant varieties
- Customizable with a range of Colour & Texture boxes

Quality Standards / Certification:

UV Test: BS EN ISO 4892-2: 2013 - 'Plastics - Methods of Exposure to Laboratory Light Sources - Xenon-arc lamps.

Reaction to fire classification: B-s1, d0. BS EN ISO 13501-1:2007+A1:2009 Fire classification of construction products and building elements. Part 1: Classification using data from reaction to fire tests. Test to flammability UL94HB classified HB.

Freeze/Thaw test: MIL-STD-810G Method 524.

TECHNICAL SPECIFICATIONS

Standard Size Panel	Height: 31.5" Width: 31.5" Depth: up to 8"
Coverage	1 Panel = 6.9 sq. ft.
Weight	Approx. 15.5 pounds per panel
Distribution	72 plants per panel
Color Reference	Mixed colors
Manufacturing process	Injection molded polyethylene / Foliage fixed to the grid manually
Packing	Box of three panels A, B, C
Warranty	5 year US Limited Liability Warranty*

*For more information visit www.vistafolia.com



UV - IFR
Technology



Quality
Standard



Tested &
Certified



5 Year US
Limited Liability
Warranty



Low
Maintenance




Recyclable*
*Check with local
authority

For more information see our [Vistafolia® Technical Guide](#)


PANEL PROFILE

1 Panel = 6.88 sq. ft.


REAR VIEW



SIDE VIEW



PANEL SYSTEM



THE VISTAFOLIA® PANEL WAS DESIGNED WITH A SMALL ALLOCATION OF 'PLANTING OVERLAP' TO ALLOW FOR SEAMLESS INSTALLATION OF MULTIPLE PANELS. THE TOP OVERLAP IS SLIGHTLY GREATER THAN THE BOTTOM ONE WHEREAS THE SIDE OVERLAPS ARE THE SAME. THE OVERLAP ALSO SERVES TO DISGUISE THE GRID THAT HOLDS THE PLANTS.

THREE-PANEL SYSTEM PREVENTS REPETITION IN PLANTING AND REMOVES JOINT LINES

SPECIFICATIONS

DESCRIPTION: ARTIFICIAL FOLIAGE FIXED TO A 4 MM STEEL GRID

TECHNOLOGY: UV-IFR

WEIGHT: APPROX. 15.5 POUNDS (7KG) PER PANEL

DISTRIBUTION: 72 PLANTS PER PANEL (16 PLANT SPECIES PER PANEL 3-PANEL SYSTEM)

COLOR REFERENCE: MIXED COLORS

MANUFACTURING PROCESS: ASSEMBLED BY HAND ISO 9001 STANDARDS



PACKING: BOX OF THREE PANELS (A, B, C)

PANEL RELIEF AREA: 3-8" (75-200 MM) PROTRUSION FROM WALL

FOLIAGE MATERIAL: POLYETHELENE AND STEEL WIRE, MIXED COLORS

BACKING: MILD STEEL, STEEL GRID, POSTER COATED GREEN FINISH

PANEL FIXING



FIXINGS

AVAILABLE IN TWO CONVENIENT PACKS CONTAINING EITHER 12 OR 120 FIXINGS. EACH VISTAFOLIA® PANEL REQUIRES A MINIMUM OF 4 FIXINGS.

SPECIFICATIONS

DESCRIPTION: FIXINGS ARE USED FOR A NEAT AND RELIABLE INSTALLATION.


- THE VISTAFOLIA® FIXING SYSTEM HAS BEEN SPECIFICALLY DESIGNED TO SECURELY HOLD THE PANELS IN THE OPTIMUM POSITION AND TO GIVE THE BEST RESULT IN A WIDE VARIETY OF APPLICATIONS.
- EACH PANEL REQUIRES A MINIMUM OF 4 FIXINGS.

FIXING: THE FIXINGS CAN BE ATTACHED TO THE VERTICAL OR HORIZONTAL WIRES OR PLACED AT THE JOINTS.


- IT CAN BE ATTACHED TO MOST SURFACES SIMPLY OR QUICKLY USING STANDARD TOOLS.
- CREATE A GAP BETWEEN THE PANELS TO BE REMOVED AND REMOUNTED EASILY TO ALLOW FOR CLEANING AND MAINTENANCE.

☒ **SELECT DESIRED INSTALLATION METHOD**


- ☐ BRICK/ CINDER BLOCK WALL USING VISTAFOLIA® FIXING
- ☐ TIMBER FRAME USING SCREW AND WASHER
- ☐ ALUMINUM (METAL) BAR
- ☐ DRYWALL/ PLYWOOD BOARD/ MDF




BRICK/ CINDER BLOCK WALL



TIMBER FRAME



ALUMINUM (METAL) BAR



DRYWALL/ PLYWOOD BOARD/ MDF

MANUFACTURER NOTES:

VISTAFOLIA® RECOMMENDS A TRAINED, CERTIFIED VISTAFOLIA INSTALLER BE SPECIFIED FOR ALL PROJECTS.

NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWING.
3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.