

NaturalPlay

OPTIMAL PERFORMANCE WITH NATURAL MOISTURE



INSTALLATION PROCEDURES

shaw[®]
SPORTS TURF

shawsportsturf.com

NATURALPLAY INSTRUCTION PROCEDURES

1. First, drop all the Sand in several lifts to avoid trapping the turf fibers. Use a LayMor and Groomer with spring tines lowered to work the sand into the system while standing up the turf fibers.
2. Next drop all the Safeshell and use a LayMor to softly brush the top layer to avoid mixing the two components.
3. Drop all of the Geofill last. Using a LayMor and Groomer with spring tines up, work the Geofill into the system while standing up the turf fibers.
4. Using a groomer, groom the entire surface with spring tines up.
5. Using a baseball type drag mat, drag the surface continuously to break down the remaining Geofill until all the husk hairs and large cork particles come to the surface.
6. For the final step, use the LayMor to clean the field and level the entire surface.

1.



2.



3-4.



5.



6.



NATURALPLAY DEALER ORDERING PROCEDURES

NaturalPlay is a mixture of Geofill & Safeshell that is mixed on site by the dealer. (see installation instructions in separate document). *The Shaw Sports Turf NaturalPlay System does require a shockpad.*

Please contact Shaw Sports Turf when ordering NaturalPlay for the correct amount of Geofill and Safeshell to order based on project size, and turf product needed.

As a general rule, the amount of NaturalPlay that will be installed is below. Please note that there are equal parts of both Geofill & Safeshell for NaturalPlay.

NaturalPlay Infill System Ratio (ratios may be subject to change)

Product Pile Height	Ballast	Performance Layer Blend
1.75"	75% Sand – 5 lbs sq.ft.	25% NaturalPlay – 1.2 lb sq.ft. (.6 lbs of Safeshell/.6 lbs of Geofill)
2.0"	75% Sand – 6 lbs sq.ft.	25% NaturalPlay – 1.5 lb sq.ft. (.75 lbs of Safeshell/.75 lbs of Geofill)

Quoting & Procurement

The appropriate amount of sand will be procured directly from the dealer once the correct amounts of both Geofill & Safeshell have been obtained from Shaw Sports Turf. The Geofill should be ordered through Shaw Sports Turf using the same dealer ordering procedures in use today. Safeshell should be ordered through USGreentech. Please see the regional map for proper USGreentech contact. You will need to submit the following information to obtain Safeshell product and delivery quotes.

NATURALPLAY DEALER ORDERING PROCEDURES

Safeshell Order Form for NaturalPlay to be submitted to US Greentech

Your Company Name	
Contact Name, Email and Phone Number	
Project Name	
Project/Delivery Location	
Estimated Delivery Time Frame	
Safeshell Quantity Needed	