




CROSSING OF GIANTS



TREKFIT system
2021

FOR REPLACEMENT PARTS,
CONSULT THE CHART BELOW FOR
PART NUMBERS ACCORDINGLY
TO CONFIGURATIONS.

EACH POST IS DELIVERED FULLY
ASSEMBLED.



COMPONENT LIST PER POST			
QTY	CODE	DESCRIPTION	MATERIALS
1X	P-15 / P-16 / P-17 / P-18	Bamboo post, see configurations	Zinc plated steel
1X	Q-20	Anti-theft countersunk screw T30 Torx 1/4-20 x 2-1/4"	Stainless steel
1X	Q-21	Finishing washer Ø 1-1/4"	
1X	Q-22	Hex screw 1/2"x 1-5/16"	
1X	Q-23	Ø 1/2" Washer mill spec OD 0.875"	
1X	F-16	Tilted stem grip	EPDM



ANCHOR FOR CHEMICAL ANCHORING*

Ø 5/8" [16mm] x 8" [203mm] Hilti HIT-Z (no equivalent)

Chemical adhesive: HIT-HY 200-A (no equivalent) Not included

***Anchors, washers and locknuts are not included with the tilted stems**

NOTES:

1. Use ARM.CSA G30.18-M92 400W. Galv. G164
2. The concrete must be mixed to achieve a minimum compression strength of 30 MPa @ 28 days with 4-6% air entrainment.
3. The anchor bolts must be Hilti type HIT-Z 5/8" x 8" zinc plated carbon steel, no equivalent


CROSSING OF GIANTS - 36 POSTS CIRCLE

4


OVERVIEW

of 7

POSTS QUANTITY			
QTY	CODE	DESCRIPTION	MATERIAL
4X	P-15	Bamboo post 10"	Zinc plated steel
9X	P-16	Bamboo post 20"	
14X	P-17	Bamboo post 30"	
9X	P-18	Bamboo post 40"	




SAFETY ZONE
[9144,0mm]
Ø 360"



OVERVIEW

of 7


POSTS QUANTITY			
QTY	CODE	DESCRIPTION	MATERIAL
8X	P-15	Bamboo post 10"	Zinc plated steel
8X	P-16	Bamboo post 20"	
8X	P-17	Bamboo post 30"	
8X	P-18	Bamboo post 40"	



CROSSING OF GIANTS - 32 POSTS JUNIOR

OVERVIEW

POSTS QUANTITY			
QTY	CODE	DESCRIPTION	MATERIAL
8X	P-15	Bamboo post 10"	Zinc plated steel
8X	P-16	Bamboo post 20"	
16X	P-17	Bamboo post 30"	



CROSSING OF GIANTS - 18 POSTS JUNIOR

OVERVIEW

POSTS QUANTITY			
QTY	CODE	DESCRIPTION	MATERIAL
3X	P-15	Bamboo post 10"	Zinc plated steel
9X	P-16	Bamboo post 20"	
6X	P-17	Bamboo post 30"	

