

PRO-BROCHURE

# THE LOOK OF WOOD WITHOUT THE WORK

EDITION 2025-V1



# Thinking green

We believe sustainability and recycled materials are essential for the future of our environment - right down to the products used in your backyard or outdoor space. That's exactly why, at **NewTechWood**, we help you make green design choices through our recycled composite decking and other products made from recycled materials.

## COLLECTION

|                          |    |
|--------------------------|----|
| Siding                   | 5  |
| Decking                  | 17 |
| Fencing                  | 25 |
| Hybrid Composite Railing | 29 |
| <b>AL</b> usions®        | 33 |
| ALLURE® Aluminum Railing | 39 |



### ECO-FRIENDLY


Investing in eco-friendly products, such as our recycled decking boards, not only gives you a durable product, but also is a responsible choice for the current environmental crisis. When you buy from NewTechWood, you can feel confident your purchase will lead to a greener, more sustainable home.



### SUSTAINABLE

Sustainability, or green living, is not just a buzzword. It is a way of life that is important for the future health of the environment. The philosophy includes three main pillars:

- Environmental protection
- Social development
- Economic development



### A GREEN FOUNDATION

NewTechWood's foundation was built upon the following green principles and values:

- Products are made from 95% recycled materials, including plastic bottles and reclaimed wood fibers.
- Yearly third-party audits to comply with environmental, health, and safety guidelines and regulations.
- Reducing our carbon footprint through waste reduction, energy conservation, and utilizing an optimum process.

## 30 YEARS

We have been recycling plastic materials for almost 30 years.

## 12,000,000 lb

Every month we save over 12,000,000 lb of plastic from being buried in our landfills forever.

## 25 YEARS

Backed by a 25-year limited warranty, this eco-friendly products supports sustainability.



ULTRASHIELD



# NewTechWood

## The Look of Wood Without the Work


When you want the look of real wood, but don't want the headaches of maintaining that beautiful façade, **NewTechWood** solves the problem. **NewTechWood** with **UltraShield** lasts longer, requires less maintenance, and puts recycled materials to good use creating the natural look of wood without all the work.



-   
25 Year Warranty
-   
UltraShield Technology
-   
Natural Surface
-   
Environmentally Friendly
-   
Low Maintenance

Transform your spaces with **UltraShield®**: The ultimate blend of durability, innovation, and style. Engineered with a capped wood plastic composite, this advanced cladding solution delivers exceptional toughness and longevity.

### UltraShield® technology



-  **RECYCLED MATERIALS**
-  **ADHERENCE TO REGULATIONS**
-  **REDUCED CARBON EMISSIONS**
- CO-EXTRUDED CAP**  
Impenetrable layer that can withstand staining, fading, scratching, cupping, swelling, mold and mildew.
- COMPOSITE CORE**  
High-quality recycled materials with dense hardwood and softwood fibers provide the product with impressive strength and durability.

- |                                                                                                             |                                                                                                           |                                                                                                                 |                                                                                                                   |                                                                                                                    |                                                                                                                 |                                                                                                                      |                                                                                                                 |                                                                                                               |                                                                                                          |
|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <br>UV Protection      | <br>Stain Resistance | <br>Dual Surface           | <br>Environmentally Friendly | <br>UltraShield Coating Layer | <br>Mold/Mildew Resistance | <br>Water Absorption Resistance | <br>Internationally Tested | <br>Corrosion Resistance | <br>Pest Resistance |
| <br>Scratch Resistance | <br>Natural Surface  | <br>Hidden Fastener Groove | <br>Splinter Free            | <br>Matte Finish              | <br>360 Degree Capstock    | <br>25 Year Warranty            | <br>Low Maintenance        | <br>Multichromatic Color | <br>Fade Resistance |

Years of dedicated engineering and extensive field testing have created a product that excels in both performance and aesthetics.

**UltraShield®**: Designed for unmatched durability and long-lasting beauty, **UltraShield®** provides superior protection against scratches, stains, and fading.

# ALL WEATHER

## UltraShield® technology

All Weather Siding is the top choice for exterior walls, offering both exceptional durability and impressive aesthetic appeal. This Siding combines the toughness and longevity of a capped wood plastic composite with an engineered design. The shield gives the composite exterior wall panels unbeatable colors and textures, with high stain and UV resistance, making them long-lasting and ultra-low maintenance.



TONGUE & GROOVE US09



TONGUE & GROOVE US09

### COLORS AVAILABLE\*




\* Visit the Website for updated color options.

## SIDING

| Visual Profile | Description                     | Code | Dimensions          | Length | Weight     | Finished Product |
|----------------|---------------------------------|------|---------------------|--------|------------|------------------|
|                | Tongue & Groove                 | US09 | 5-9/16" X 1/2"      | 16'    | 1.31 lb/ft |                  |
|                | All-Weather F-Trim              | US44 | 1-7/8" x 1-3/4"     | 8'     | 0.53 lb/ft |                  |
|                | All-Weather H-Trim              | US45 | 3-1/8" x 1"         | 8'     | 0.71 lb/ft |                  |
|                | All-Weather Outside Corner Trim | US46 | 2-5/16" x 2-5/16"   | 8'     | 0.85 lb/ft |                  |
|                | All-Weather Inside Corner Trim  | US47 | 2-13/16" x 2-13/16" | 8'     | 1.13 lb/ft |                  |

## ACCESSORIES

| Visual Profile | Description          | Code | Size                    | Material |
|----------------|----------------------|------|-------------------------|----------|
|                | Rubber Stopper       | T-7  | Ø11/16" x H 5/16"       | Rubber   |
|                | Siding Clip          | AW08 | 1-1/8" x 9/16" x 13/16" | Aluminum |
|                | Siding Starting Trim | AW02 | 11/16" x 9/16"          | Aluminum |



Product

# EUROPEAN

## UltraShield® technology

European Siding delivers an exceptional solution for exterior walls with European elegance and sophistication. This Siding combines the toughness and longevity of a capped wood plastic composite with an engineered design. The shield gives the composite exterior wall panels unbeatable colors and textures, with high stain and UV resistance, making them long-lasting and ultra-low maintenance.





### COLORS AVAILABLE\*



\* Visit the Website for updated color options.

### SIDING AND TRIMS

| Visual Profile                                                                        | Description                   | Code | Dimensions        | Length   | Weight     | Finished Products                                                                     |
|---------------------------------------------------------------------------------------|-------------------------------|------|-------------------|----------|------------|---------------------------------------------------------------------------------------|
|    | Norwegian Board               | UH46 | 4-13/16" x 1"     | 16'      | 1.19 lb/ft |    |
|    | Norwegian End Trim            | UH50 | 3" x 2-1/8"       | 8'       | 0.91 lb/ft |    |
|    | Norwegian Outside Corner Trim | UH51 | 3-3/16" x 3-3/16" | 8'       | 1.01 lb/ft |    |
|   | Belgian Board                 | UH58 | 7-3/4" x 1"       | 16' & 8' | 1.67 lb/ft |   |
|  | Belgian End Trim              | UH59 | 3-9/16" x 2-3/16" | 8'       | 1.6 lb/ft  |  |
|  | Belgian Outside Corner Trim   | UH60 | 5-3/16" x 5-3/16" | 8'       | 1.6 lb/ft  |  |
|  | European I-Trim               | UH70 | 4" x 1-3/8"       | 8'       | 0.73 lb/ft |  |
|  | European F-Trim               | US73 | 3" x 2-5/16"      | 8'       | 0.8 lb/ft  |  |
|  | European L-Trim               | US20 | 1-9/16" x 1-9/16" | 8'       | 0.48 lb/ft |  |

### ACCESSORIES

| Visual Profile                                                                        | Description          | Code | Size                    | Material |
|---------------------------------------------------------------------------------------|----------------------|------|-------------------------|----------|
|  | Rubber Stopper       | T-7  | Ø11/16" x H 5/16"       | Rubber   |
|  | Siding Clip          | AW08 | 1-1/8" x 9/16" x 13/16" | Aluminum |
|  | Siding Starting Trim | AW02 | 11/16" x 9/16"          | Aluminum |



# NOIR EUROPEAN

UltraShield® technology



Noir European Siding is a premium choice for exterior walls, featuring exceptionally bold and distinctive black strips, a truly special feature that brings unparalleled sophistication and elegance to any façade. This Siding combines the toughness and longevity of a capped wood plastic composite with an engineered design. The shield gives the composite exterior wall panels unbeatable colors and textures, with high stain and UV resistance, making them long-lasting and ultra-low maintenance.

NORWEGIAN



UH118




UH118 INSTALLED

BELGIAN



UH119



UH119 INSTALLED

## COLORS AVAILABLE\*



PERUVIAN TEAK  
(TK)



BRAZILIAN IPE  
(IP)

\* Visit the Website for updated color options.

## SIDING

| Visual Profile | Description          | Code  | Dimensions    | Length | Weight     | Finished Products |
|----------------|----------------------|-------|---------------|--------|------------|-------------------|
|                | Noir Norwegian Board | UH118 | 4-13/16" x 1" | 16'    | 1.19 lb/ft |                   |
|                | Noir Belgian Board   | UH119 | 7-3/4" x 1"   | 16'    | 1.67 lb/ft |                   |

## ACCESSORIES

| Visual Profile | Description          | Code | Size                    | Material |
|----------------|----------------------|------|-------------------------|----------|
|                | Rubber Stopper       | T-7  | Ø11/16" x H 5/16"       | Rubber   |
|                | Siding Clip          | AW08 | 1-1/8" x 9/16" x 13/16" | Aluminum |
|                | Siding Starting Trim | AW02 | 11/16" x 9/16"          | Aluminum |


## INSTALLED PRODUCT



VERTICAL INSTALLATION



HORIZONTAL INSTALLATION



# SHADOWLINE

UltraShield® technology

The Shadowline Siding offers an unparalleled solution for exterior walls, facilitating air circulation between the composite cladding and joists. This design ensures a dry interior by effectively isolating water from the outside. This Siding combines the toughness and longevity of a capped wood plastic composite with an engineered design. The shield gives the composite exterior wall panels unbeatable colors and textures, with high stain and UV resistance, making them long-lasting and ultra-low maintenance.



UH68

UH68 INSTALLED

COLORS AVAILABLE\*



\* Visit the Website for updated color options.

SIDING

| Visual Profile | Description                          | Code | Dimensions         | Length | Weight     | Finished Products |
|----------------|--------------------------------------|------|--------------------|--------|------------|-------------------|
|                | Shadowline Board                     | UH68 | 6-11/16" x 1"      | 16'    | 1.41 lb/ft |                   |
|                | Shadowline Board End Trim            | UH50 | 3" x 2-1/8"        | 8'     | 0.91 lb/ft |                   |
|                | Shadowline Board Outside Corner Trim | UH51 | 3-3/16" x 3-3/16"  | 8'     | 1.01 lb/ft |                   |
|                | Shadowline I-Trim                    | UH70 | 4" x 1-3/8"        | 8'     | 0.48 lb/ft |                   |
|                | Shadowline F-Trim                    | US73 | 3" x 2-5/16"       | 8'     | 0.8 lb/ft  |                   |
|                | Shadowline L-Trim                    | US20 | 1-19/16" x 1-9/16" | 8'     | 0.48 lb/ft |                   |

ACCESSORIES

| Visual Profile | Description          | Code | Size                    | Material |
|----------------|----------------------|------|-------------------------|----------|
|                | Rubber Stopper       | T-7  | Ø11/16" x H 5/16"       | Rubber   |
|                | Siding Clip          | AW08 | 1-1/8" x 9/16" x 13/16" | Aluminum |
|                | Siding Starting Trim | AW02 | 11/16" x 9/16"          | Aluminum |

# BOARD & BATTEN

UltraShield® technology

**Board & Batten** provides a remarkable solution that enhances your exterior walls with a distinctive and powerful aesthetic. This siding combines the toughness and longevity of a capped wood plastic composite with an engineered design. The shield gives the composite exterior wall panels unbeatable colors and textures, with high stain and UV resistance, making them long-lasting and ultra-low maintenance.



**US86**  
10-15/16"x 13/16"

## COLORS AVAILABLE\*



ARCTIC SNOW  
(ASN)



PERUVIAN TEAK  
(TK)



INDIAN EBONY  
(EB)

\* Visit the Website for updated color options.



## SIDING

| Visual Profile | Description    | Code | Dimensions                                                    | Length      | Finished Product |
|----------------|----------------|------|---------------------------------------------------------------|-------------|------------------|
|                | Board & Batten | US86 | 10-15/16"x 13/16"<br>2" Batten reveal,<br>7-3/4" Board Reveal | 10' and 12' |                  |

## ACCESSORIES

| Visual Profile | Description          | Code | Size                    | Material |
|----------------|----------------------|------|-------------------------|----------|
|                | Rubber Stopper       | T-7  | Ø11/16" x H 5/16"       | Rubber   |
|                | Siding Clip          | AW08 | 1-1/8" x 9/16" x 13/16" | Aluminum |
|                | Siding Starting Trim | AW02 | 11/16" x 9/16"          | Aluminum |



**US86 INSTALLED**



NOIR Norwegian Siding UH118, Peruvian Teak (TK)



Norwegian Siding UH46, Brazilian Ipe (IP)



Shadowline Siding UH68, Peruvian Teak (TK)



All Weather Siding US09, Japanese Cedar (CE)

# MONARCH


Series

**Monarch Decking** is our premium selection for decking solutions. This “High Scalloped” Series of decking is engineered for those looking for unrivaled style and performance – and features a high-quality grain style. This decking combines the toughness and longevity of a capped wood plastic composite with an engineered design. The shield gives the composite unbeatable colors and textures, with highly stain and UV resistance, making it long-lasting and ultra-low maintenance.



- Crowned decking to help shed water.
- One solid board for edging and one grooved board for hidden fastening.
- Features a Mottled Wood Grain finish on one side of the board.
- Capped on all four sides for enhanced weather resistance.
- Great for residential use.
- 25-Year fade and stain warranty.
- 25-Year product warranty.

## COLORS AVAILABLE\*




## UltraShield® Pattern


Monarch Emperor and Monarch Empress deck boards come with Mottled Wood Grain.



## CLIPPING SYSTEMS



## INSTALLED PRODUCT



US129

US125



**Bell Decking** stands out in our premium decking selection. Designed with grooved edges for effortless hidden fastener installation. This solid board ensures an exceptional look for your space. This decking combines the toughness and longevity of a capped wood plastic composite with an engineered design. The shield gives the composite unbeatable colors and textures, with highly stain and UV resistance, making it long-lasting and ultra-low maintenance.



**US53 GROOVED**

5-7/16" x 7/8" - 2.14 lb/ft

- Solid boards with Grooved edges for easy hidden fastener installation.
- Features a mottled wood grain finish on one side of the board.
- Capped on all four sides for enhanced weather resistance.
- Compatible with Cortes & Magellan Series.
- Great for commercial use.
- 25-Year fade and stain warranty.
- 25-Year Product Warranty.

## COLORS AVAILABLE\*




\* Visit the Website for updated color options.

## UltraShield® Pattern


Bell Series deck boards come with Cathedral Wood Grain.



## CLIPPING SYSTEMS



## INSTALLED PRODUCTS



# CORTES & MAGELLAN

Series

**Cortes and Magellan Decking** are the highlights of our decking series boasting a Dual Finish with Rustic Wood Grain on one side and Cathedral Wood Grain on the other. This innovative design provides outstanding performance and versatile style. This decking combines the toughness and longevity of a capped wood plastic composite with an engineered design. The shield gives the composite unbeatable colors and textures, with highly stain and UV resistance, making it long-lasting and ultra-low maintenance.

CORTES



**US07** SOLID

- Solid boards with no grooves for a clean picture framing finish.



5-7/16" x 7/8" – 2.52 lb/ft

MAGELLAN



**US01** GROOVED


- Solid boards with grooves edges for easy hidden fastener installation.



5-7/16" x 7/8" – 2.43 lb/ft

- Features Dual Finish: Cathedral Wood Grain on one side and Rustic on the other.
- Compatible with Bell Series.
- Great for commercial and residential use.
- 25-Year fade and stain warranty.
- 25-Year Product Warranty.

## COLORS AVAILABLE\*




\* Visit the Website for updated color options.

## UltraShield® Pattern

Cortes and Magellan Series deck boards come with Cathedral Wood Grain on one side and Rustic on the other.



## CLIPPING SYSTEMS



## INSTALLED PRODUCT



**US07**





Cortes Series US07, Peruvian Teak (TK)



Magellan Series US01, Roman Antique (AT)



Bell Series US53, Spanish Walnut (WN)



Cortes Series US07, Roman Antique (AT)

# ULTRAEASY

UltraShield® technology



UltraEasy Fencing provides the appearance of wood without the maintenance, featuring a streamlined and straightforward design for easy installation. This fencing boasts a smooth, screw-free surface for a sleek look. With UltraEasy Fence, you achieve a low-maintenance, attractive, and durable fencing solution.




UH66

UH66 INSTALLED

## COLORS AVAILABLE\*



\* Visit the Website for updated color options.



\*Black and gray metal finishes. Gate kit available Spring 2025.

## FENCING

| Visual Profile | Description | Code | Dimensions       | Length | Weight     | Finished Product |
|----------------|-------------|------|------------------|--------|------------|------------------|
|                | Flat Board  | UH66 | 6-5/16" X 13/16" | 69"    | 5.17 lb/pc |                  |

## POST KIT

| Visual Profile | Description | Size                 | Material |
|----------------|-------------|----------------------|----------|
|                | POST        | 11/16"x H 5/16       | Aluminum |
|                | POST CAP    | 13/16"x 9/16"x 1-1/8 | Aluminum |
|                | POST MOUNT  | 13/16"x 9/16"x 1-1/8 | Aluminum |



UltraEasy Fencing UH66, Peruvian Teak (TK) with Gray Frame.



UltraEasy Fencing UH66, Peruvian Teak (TK) with Black Frame.



UltraEasy Fencing UH66, Peruvian Teak (TK) with Gray Frame.




UltraEasy Fencing UH66, Brazilian Ipe (IP) with Black Frame.

# HYBRID COMPOSITE RAILING

UltraShield® technology



**Hybrid Composite** railing offers exceptional strength, durability, and beauty. Its advanced composition makes it highly resistant to the elements, ensuring it maintains its pristine appearance over time. This low-maintenance feature, combined with its resistance to splintering, warping, and fading, makes composite railing an increasingly popular choice among homeowners seeking both practicality and elegance.




\*This kit contains all the parts needed to build booth stairs and railings.

## COLORS AVAILABLE\*



## COMPONENTS

| Visual Profile | Description                                                                                                                                   | Code             | Dimensions     | Weight      |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------|-------------|
|                | Railing Kit<br>(Top Rail with Metal Insert, Metal Cap & Skirt, Foot Block, Baluster, Post with Metal Insert, Railing Brackets and Accesories) | US-636RK-ALU-ZX  | 74" x 10" x 3" | 37 lbs/Box  |
|                | Post Kit with Metal Insert                                                                                                                    | US-636PK-ALU-ZX- | 42" x 6" x 6"  | 23 lbs/Box  |
|                | Post wedge for 45 degree angle bracket installation<br>(Contains 2 Pieces)                                                                    | R0227-45-L/R     | 4" x 4" x 2"   | 3.6 lbs/Box |





Hybrid Composite Railing, Peruvian Teak (TK)



Hybrid Composite Railing, Argentinian Silver Gray (SI)




Hybrid Composite Railing, Roman Antique (AT)



Hybrid Composite Railing, Peruvian Teak (TK)

# AL<sup>13</sup>usions<sup>®</sup> technology

ALusions Blocks feature our exclusive **UltraShield<sup>®</sup>** technology, where a protective layer of composite material is meticulously wrapped around hollow aluminum cores. This combination creates a product that is not only stunning in appearance but also remarkably resilient.



## AL<sup>13</sup>usions<sup>®</sup> technology



### CO-EXTRUDED CAP

Impenetrable layer that can withstand staining, fading, scratching, cupping, swelling, mold and mildew.

### ALUMINUM CORE

Premium aluminum materials featuring outstanding strength and durability.



UV Protection



Stain Resistance



Fire Resistance



Environmentally Friendly



Pest Resistance



Mold/Mildew Resistance



Water Absorption Resistance



Scratch Resistance



Internationally Tested



Fade Resistance



Corrosion Resistance



Matte Finish



Low Maintenance



Lightweight

Years of dedicated engineering and extensive field testing have created a product that excels in both performance and aesthetics.

**UltraShield<sup>®</sup>**: Designed for unmatched durability and long-lasting beauty, **UltraShield<sup>®</sup>** provides superior protection against scratches, stains, and fading.



Product



**ALusions Blocks** feature a straight grain profile that elevates the visual appeal of any project, adding a refined touch of sophistication and elegance. Perfect for architects, designers, and homeowners, these blocks incorporate our exclusive UltraShield technology. This innovation includes a composite protective layer meticulously wrapped around hollow aluminum cores, ensuring both durability and style.



CAF09



CAF11

**NewTechWood CAF09 and CAF11** can be installed both horizontally and vertically. For detailed instructions, review the information in the Installation section.


COLORS AVAILABLE\*



COMPONENTS

| Visual Profile | Description                                                   | Code     | Dimensions        | Length | Weight     | Finished Product |
|----------------|---------------------------------------------------------------|----------|-------------------|--------|------------|------------------|
|                | Alusions Decorative Block Beam Profile<br>2.22 in. x 1.28 in. | CAF09    | 2-1/4" x 1-1/4"   | 12'    | 1.95 lb/pc |                  |
|                | Alusions Aluminum End Cap 1 in. x 2 in.                       | EC-CAF09 | 4" x 2"           | N/A    | 0.6 lb/pc  |                  |
|                | Alusions Decorative Block Beam Profile<br>3.94 in. x 2.05 in. | CAF11    | 3-1/8" x 1"       | 12'    | 3.15 lb/pc |                  |
|                | Alusions Aluminum End Cap 2 in. x 4 in.                       | EC-CAF11 | 2-5/16" x 2-5/16" | N/A    | 0.18 lb/pc |                  |

PROJECTS





ALusions CAF11, Peruvian Teak (TK)



ALusions CAF11, Peruvian Teak (TK)



ALusions CAF09, Peruvian Teak (TK) and Indian Ebony (EB)




ALusions CAF09, Peruvian Teak (TK)

# ALLURE<sup>®</sup> ALUMINUM RAILING

ALLURE<sup>®</sup> technology

Allure Railing from NewTechWood brings a perfect combination of modern design, strength, and low maintenance to your outdoor and indoor spaces. Crafted from premium, weather-resistant materials, Allure Railing offers the timeless elegance of aluminum, delivering a last solution of style and durability.




**ALUMINUM CORE**  
Premium aluminum materials featuring outstanding strength and durability.

- |                    |                        |                 |                          |                 |                        |                             |
|--------------------|------------------------|-----------------|--------------------------|-----------------|------------------------|-----------------------------|
|                    |                        |                 |                          |                 |                        |                             |
| UV Protection      | Stain Resistance       | Fire Resistance | Environmentally Friendly | Pest Resistance | Mold/Mildew Resistance | Water Absorption Resistance |
|                    |                        |                 |                          |                 |                        |                             |
| Scratch Resistance | Internationally Tested | Fade Resistance | Corrosion Resistance     | Matte Finish    | Low Maintenance        | 25 Year Warranty            |

Years of dedicated engineering and extensive field testing have created a product that excels in both performance and aesthetics.

**Allure<sup>®</sup>:** Designed for unmatched durability and long-lasting beauty, **Allure<sup>®</sup>** provides superior protection against scratches, stains, and fading.




# ALLURE<sup>®</sup> ALUMINUM RAILING

ALLURE<sup>®</sup> technology

Allure railing offers a quick and convenient solution for installing a railing system. The Allure Railing line features a durable powder-coated finish designed to resist harsh weather conditions and retain its color over time. This low-maintenance feature, combined with its resistance to splintering, warping, and fading, makes aluminum railing an increasingly popular choice among homeowners seeking both practicality and elegance.



## COLORS AVAILABLE\*



\* Visit the Website for updated color options.

## COMPONENTS

| Visual Profile | Description                                 | Code           | Dimensions              | Weight        |
|----------------|---------------------------------------------|----------------|-------------------------|---------------|
|                | Preassembled Railing<br>72 in. x 36 in.     | AL-36-6-       | 72" x 2.36" x 34"       | 15.44 lbs/Box |
|                | Preassembled Railing Kit<br>96 in.          | AL-36-8-       | 95.5" x 2.05" x 33.25"  | 20.13 lbs/Box |
|                | Preassembled Railing Kit<br>72 in. x 42 in. | AL-42-6        | 71.5" x 2.05" x 39.25"  | 16.54 lbs/Box |
|                | Preassembled Railing Kit<br>96 in. x 42 in. | AL-42-8        | 95.5" x 2.05" x 39.25"  | 21.67 lbs/Box |
|                | Deck Post Kit<br>3 in. x 3 in. x 36 in.     | AL-POST-36     | 41.73" x 5.5" x 5.5"    | 7.23 lbs/Box  |
|                | Deck Post Kit<br>3 in. x 3 in. x 42 in.     | AL-POST-42     | 47.73" x 5.5" x 5.5"    | 8.12 lbs/Box  |
|                | Preassembled Stair Kit<br>96 in. x 36 in.   | AL-STR-36-8    | 72.44" x 2.36" x 32.87" | 19.14 lbs/Box |
|                | Preassembled Stair Kit<br>96 in. x 36 in.   | AL-STR-42-8    | 96.45" x 2.36" x 32.87" | 20.84 lbs/Box |
|                | Stair Bracket                               | AL-STR-BRACKET | 12.59" x 10" x 6.29     | 1 lb/Box      |
|                | Straight Railing Bracket                    | AL-BRACKET     | 12.59" x 10" x 6.29     | 1 lb/Box      |
|                | Preassembled Aluminum Gate<br>36 in.        | AL-36-GATE     | 48.62" x 3.54" x 37"    | 16.84 lbs/Box |
|                | Preassembled Aluminum<br>42 in.             | AL-42-GATE     | 48.62" x 3.54" x 43.11" | 17 lbs/Box    |
|                | Drink Rail<br>6 ft.                         | DRINK-6        | 70.86" x 4.52" x .09"   | 3 lbs/Box     |
|                | Drink Rail<br>8 ft.                         | DRINK-8        | 94.88" x 4.52" x .09"   | 4 lbs/Box     |



Product



Aluminum Railing, White



Aluminum Railing, Black



Aluminum Railing, White



Aluminum Railing, Black



**[www.newtechwood.com](http://www.newtechwood.com)**

[inquiry@newtechwood.com](mailto:inquiry@newtechwood.com) - Toll free in USA: 1866 728 5273

NewTechWood® and UltraShield® are registered trademarks © All rights reserved.



UltraShield® Product Catalog.

