


SOLUTIONS CATALOG



WEATHER RATED
AUTOMATIC
PEDESTRIAN
GATE
OPERATOR

UL 325 LISTED
ANSI & ADA COMPLIANT

SECURE | BEAUTIFUL | QUIET | RELIABLE | HIGHLY CUSTOMIZABLE

MOTION CRAFTED DESIGN™
PERFECTED AUTOMATED PERIMETER SOLUTIONS FOR DRIVE & WALK

TORXUN.com

DRIVE

QUICKFOLD GATE | MODEL 3 TOWER OPERATOR




All TORXUN Walk And Drive Gate Solutions are Highly Customizable for Architectural Pairing with the Building and Property Design.



Quiet Operation is at The Core of Each TORXUN Product Design.



Replacement for Rolling Grille Door San Francisco



Replacement for Rolling Grille Door Silicon Valley



High Speed, Solid Panel Police Headquarters Installation



Quickfold SecureMax™ Installation Monterey Jail



Quickfold SecureMax™ Installation Sheriff's Facility

CORRECTIONS

QUICKFOLD™

SECUREMAX

TORXUN

MILITARY

TORXUN

MODEL 3




Features

- Equipment mounted inside a secure tower operator
- Fast, simple installation — two conduit runs into operator and eight slotted bolt-holes for easy mounting
- Rated for continuous use up to 1,200 lbs solid gate panels
- Whisper quiet. No attachment to the ceiling or wall to further prevent noise or vibration into living spaces*
- Flexible design for either track (FLEXGUIDE™) or trackless (FLEXARM™) installations
- QUICKFOLD™ gates open fully out of drive aisle
- UL325 listed
- Made in the USA with USA steel
- Tested to over 1 million cycles
- 7 second RAPID option

* An isolated bracket is recommended only for extreme-sized gates

How to buy: Call 888-491-4283 • Visit www.TORXUN.com • Email sales@TORXUN.com

TORXUN MODEL 3



Technical Data

	Data
Duty cycle	Continuous
Drive	1/3 HP DC motor
Gate swing	100°
90° Opening time	13 seconds 7 second RAPID option
Max gate weight	1,200 lbs
Max gate width	24 feet
Max gate height	15 feet
Power	110v, 20 amp 5-year limited warranty

Product	Part #
MODEL 3 8 foot tower	M308.0000
MODEL 3 10 foot tower	M310.0000
MODEL 3 custom height	M399.0000
Available Packages:	SecureMAX Harsh Environment Cold Environment RAPID (7 second)

About TORXUN

TORXUN engineers architectural-grade products for vehicle access controlled systems. Everything is produced in Tracy, California.

TORXUN
50 Sloan Court, Tracy, CA 95304
(888) 491-4283

Rev. 2022-11-18


Precision Handcrafted
in Northern California
from U.S. Steel.



QUICKFOLD™ Gate Systems



FlexGUIDE Installation



FlexARM™ Installation



FlexARM™ SecureMAX Installation

Features

- Engineering and drafting services for each project
- Incorporates proprietary FLEXGUIDE™ or FLEXARM™ folding gate systems.
- Ships with **MODEL 3** operator or "operator ready" as required
- Includes HeavyHinge™ heavy duty folding gate hinge for durable operation
- Custom panels and finish
- Fully assembled and tested prior to shipping
- UL325 compatible design
- Made in the USA with USA steel
- **MODEL 3** QuickFold System tested to over 1 million cycles
- **MODEL 3** QuickFold-RAPID (7 second) option




FLEXARM™ System



FLEXGUIDE™ System

TORXUN QUICKFOLD™ System



QUICKFOLD™ FLEXGUIDE™ Typical System

Technical Data

Facility	Data
Max Gate Leaf Size	6 feet wide x 15 feet high
* Max opening (post-post) 24 feet 8 1/4 inch	
* Minimum Gate Leaf Width 3 feet wide	
Max Gate Leaf Weight	600#
Warranty	2-year limited
Design Considerations	Custom - airflow recommended - picket or perforated panels

Ordering Details

Product	Part #
QUICKFOLD™ FLEXARM™ Secure	1109.0010
QUICKFOLD™ FLEXARM™ SecureMAX	1109.0020
QUICKFOLD™ FLEXGUIDE™ Secure	1109.0030
QUICKFOLD™ FLEXGUIDE™ SecureMAX	1109.0040

About TORXUN

TORXUN engineers architectural-grade products for vehicle access controlled systems. Everything is produced in Tracy, California.



Rev. 2022-11-18



How to buy: Call 888-491-4283 • Visit www.TORXUN.com • Email sales@TORXUN.com

OUTDOOR WALK

AUTOPEDED OPERATOR | AMPED PEDESTRIAN GATE



TORXUN Walk Solutions are Designed for Safety and ADA Convenience: UL 325 Listing and ANSI 156.19 Compliance.




Installation Ease is at the Heart of TORXUN Solutions: Designed By Gate Installers For Gate Installers. Engineered to Support the Flexibility Architects Need for Unique Project Designs.



San Francisco Crime Lab | Two High Security Entrances



Columbia University New York | Access Controlled Parking Lot



Golden State Warriors San Francisco | Parking Structure



United Nations HQ New York | Sally Port/Airlock ADA entrance

TORXUN



AUTOPED



Features



- UL325 Listed
- ANSI 156.19 Compliant
- ADA requirements compatible
- Single Part Number used for left-hand, right-hand, push or pull applications
- Fully outdoor rated
- Multiple speed and time adjustments
- Push-N-Go feature
- 250 Pound Capacity Continual Duty

Scan QR Code
to see it in action!



How to buy: Call 888-491-4283 • Visit www.TORXUN.com • Email sales@TORXUN.com

TORXUN



Technical Data

Feature	Data
Duty Cycle	Continuous
Stainless Cover	316 SST
Gate swing	Max 105°
Opening time	Compliant with ANSI standards
Max gate width	63 inches
Max gate weight	250 lbs
Power	120v, 1.5 amp AUX 24V DC

Ordering Details

Product	Part #
AUTOPED Stainless Cover	M10S.0000
Optional Components	
Spindle Extension (+30)	M10S.0018
Open Physical Stop Kit	M10S.0040
Track Arm Assembly	M10S.0039
Header Stiffener Plate	M10S.0011
Standard Arm Assembly	M10S.0028
3-position Key Switch Assembly	M10S.0083
Pressure Gauge Tool	9700.0001
1-year limited warranty	

About TORXUN

TORXUN engineers architectural-grade products for vehicle access controlled systems. Everything is produced in Tracy, California.

TORXUN
50 Sloan Court, Tracy, CA 95304
(888) 491-4283

Rcv. 2022-12-06



Precision Handcrafted
in Northern California
from U.S. Steel.

AMPED™ Ped Gate Systems



Features

- Industrial or Multi-Use designs
- Mounting Options
 - Flange Base for surface mount
 - Embed Base for wet-set installations
- Automation (AutoPed), Closer and lock options
- Custom panels and finish options
- Long-life, quiet hinges
- Fully assembled and tested prior to shipping
- Full set of custom CAD drawings
- Fully illustrated instructions make for an easy system installation
- ADA compliant design
- Made in the USA with USA steel




BarGuard™ with Panic Hardware



AutoPed Operator
UL, ANSI 156.19 compliant,
Outdoor rated



- Or -
Hydraulic Closer



Technical Data

	Industrial (see above)	Multi-use
Outer Frame	2" x 3" x .120" Tube Steel	2" x 2" x .120" Tube steel
Gate Frame	2" x 2" x .120" Tube Steel	2" x 2" x .095" Tube Steel
Kickplate	12" x .125" Welded Steel Plate	12" x .125" Plate

Ordering Details

	Torxun Part Number	
	Industrial	Multi-Use
Wet-Set w/ AutoPed	1106.2010	1106.2110
Surface mount w/ AutoPed	1106.2020	1106.2120
Wet-Set w/ Hydraulic	1106.0010	1106.0110
Surface mount w/ Hydraulic	1106.0020	1106.0120

For help with ordering, use the [AMPED Sales Intake Form](#).

About TORXUN

TORXUN engineers architectural-grade products for vehicle access controlled systems. Everything is produced in Tracy, California.

TORXUN


MODEL 7 | SecureSlide™

Features


- Fully outdoor rated
- DC 24V motor and inherent battery back-up
- Built-in braking lock
- 1000 lb. capacity, 4 ft. wide, 15 ft. tall gate clear-opening
- Rated for continual use
- Tested to over 1 million cycles
- UL325 Listed
- ANSI 156.19 Compliant
- ADA-requirements compatible
- Made in the USA with USA steel




TORXUN MODEL 7 | SECURESLIDE™



TOP VIEW



FRONT VIEW



SIDE VIEW

Technical Data

Feature	Data
Duty Cycle	Continuous
Drive	Electro-Mechanical DC motor
Gate Length	4 feet (slide)
Max gate weight	1000 lbs
Opening time	1 foot/ second
Power	110v, 20 amp 5-year limited warranty

Ordering Details

Product	Part #
MODEL 7 Operator Slide Left OSLI	1113.0100
MODEL 7 Operator Slide Right OSLI	1113.0150
SecureSlide PEDPASS Secure Package	1113.0200
SecureSlide PEDPASS SecureMAX Package	1130.0300

About TORXUN

TORXUN engineers architectural-grade products for vehicle and pedestrian access controlled systems. Everything is produced in Tracy, California.

TORXUN
50 Sloan Court, Tracy, CA 95304
(888) 491-4283


Made in USA
Precision Handcrafted
in Northern California
from U.S. Steel.

How to buy: Call 888-491-4283 • Visit www.TORXUN.com • Email sales@TORXUN.com

Rev. 2022-11-13

COMPONENTS

VEHICLE


Heavy Duty Gate Systems Deserve **Heavy Duty Component Accessories**

Scan the QR Code
Near Each Component
to Discover More
Information + Sell
Sheets on Each Product


TORXUN



SENSORVAULT™
MOTION SENSOR
PROTECTION BOLLARDS



Scan SensorVault QR Code



SHIPSMART BARRIER
REPLACEMENT ARM



Scan ShipSmart Arms QR Code



PERFORMED PERFORM
INDUCTION LOOP



Scan Perform QR Code




HEAVY V TRACK




Scan Heavy V QR Code

FOLDING GATE



FLEXGUIDE FOLDING GATE KIT



FLEXARM FOLDING GATE KIT



HEAVYHINGE



Scan Folding Gate
Component QR Code

A 40 YEAR HISTORY OF INNOVATION

The

ORIGINAL & AUTHENTIC



All TORXUN Solutions are Designed for Safety and are UL 325 Listed.

Pedestrian Solutions are ANSI 156.19 Compliant



Extremely Quiet

Space Saving

Accommodates Your Design



Silent Operation

Outdoor Weather Rated

ADA Compliant

ARCHITECTS RELY ON TORXUN TO SOLVE THEIR DESIGN CHALLENGES

For Iconic Clients At Iconic Properties

UN BUILDING | APPLE COMPUTER |


When others stepped away, TORXUN stepped in and created solutions that have developed into exemplary trusted solutions used at diverse portfolio properties across North America.

View The Quickfold Gate In Action



View The Autoped In Action





TORXUN.COM

MOTION CRAFTED DESIGN™

PERFECTED AUTOMATED PERIMETER SOLUTIONS FOR DRIVE & WALK

(888) 491-4283 or (209) 830-4599

50 Sloan Court Tracy, CA 95304

TORXUN PRODUCTS ARE DESIGNED, BUILT AND SHIPPED FROM TRACY CALIFORNIA, USA

Built from USA Steel, Faster Time to Install, US Based Support and Design Assistance