



Detail Drawings Catalogue

Battens


Knotwood United States




1"x 2" Clip Batten	1.	Tripple Bracket Panel Batten	7.
2" x 2" Clip Batten	2.	Single Bracket Internal Corner	8.
KABBL25 Stand Up Batten	3.	Single Bracket External Corner	9.
KABBL50 Stand Up Batten	4.	Triple Bracket Internal Corner	10.
KABBM25 Stand Up Batten	5.	Triple Bracket External Corner	11.
Single Bracket Panel Batten	6.	2 9/16" x 5/8" Flip Batten	12.



Detail View



Profiles



KEB2550F-02
Batten - 1" x 2" (F) - V2



KEB2525M
Batten Bracket - 1" x 1" (M)

KNOTWOOD™

Detail Drawings Library

CLIP BATTENS
1" x 2" Batten V2 -Standard Fixing

References

- Knotwood :
- ① Batten - 1" x 2" (F) - V2 - KEB2550F-02
 - ② Batten Bracket - 1" x 1" (M) - KEB2525M
- 3rd Party:
- ③ #10 x 5/8" Hex Washer Head Self -Drilling Screws


Drawing

Version: V001
Date: 28-Jan 2026


Disclaimer

The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.


Detail View



Profiles



KEB5050F-03
Batten - 2" x 2" (F) - V3



KEB5050M-03
Batten Bracket - 2" x 2" (M) - V3

KNOTWOOD™

Detail Drawings Library

CLIP BATTENS

2" x 2" Batten V3 - Standard Fixing

References

Knotwood :

- ① Batten Bracket - 2" x 2" (M) - V3 - KEB5050M-03
- ② Batten - 2" x 2" (F) - V3 - KEB5050F-03

3rd Party:


- ③ #10 x 5/8" Hex Washer Head Self-Drilling Screws

Drawing


Version: V001
Date: 28-Jan 2026

Disclaimer


The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.



Detail View




Profiles



KEB50100F-03
Batten - 2" x 4" (F) - V3



KEB509M
Batten Bracket - 2" x 3/8"



KABBL50-03
Batten L Bracket for 2" V3 - Cast

KNOTWOOD™

Detail Drawings Library

STAND UP BATTENS

2" x 4" Batten KABBL50-03 - Standard Fixing

References

Knotwood :

- ① Batten - 2" x 4" (F) - V3 - KEB50100F-03
- ② Batten Bracket - 2" x 3/8" (M) - KEB509M
- ③ Batten L Bracket for 2" V3 - Cast - KABBL50-V3

3rd Party:


- ④ #10 x 5/8" Hex Washer Head Self-Drilling Screws

Drawing

Version: V001
Date: 28-Jan 2026


Disclaimer

The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.




Detail View

When fixing Knotwood battens to concrete surfaces, the Base Plate T-Bracket must be used for proper fastening




Profiles



KEB50100F-03
Batten - 2" x 4" (F) - V3



KEB509M
Batten Bracket - 2" x 3/8" (M)



KABBT50
T Batten Bracket for 2" V3 Suite

KNOTWOOD™

Detail Drawings Library

STAND UP BATTENS

2" x 4" Batten V2 T Bracket - Standard Fixing

References

Knotwood :

- ① Batten - 2" x 4" (F) - V3 - KEB50100F-03
- ② Batten Bracket - 2" x 3/8" (M) - KEB509M
- ③ T Batten Bracket for 2" V3 Suite - KABBT50

3rd Party:

- ④ #10 x 5/8" Hex Washer Head Self-Drilling Screws

Drawing


Version: V001
Date: 28-Jan 2026

Disclaimer

The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.



Detail View



KNOTWOOD[™]

Detail Drawings Library

PANEL BATTENS
1" x 3/8" Panel Batten Single Bracket
Starter - Standard Fixing

References

- Knotwood :
- ① Batten Panel - 1 Bracket - 1" x 3/8" (M) - KEBP259M
 - ② Batten - 1 1/4" x 1/2" (F) - KEB3214F
 - ③ Standard Profile - Top Hat - 3 1/2" x 1" - KECT9025
 - ④ Batten Panel - Starter - 2" - KEBP50S
- 3rd Party:
- ⑤ #10 x 5/8" Hex Washer Head Self -Drilling Screws

Drawing

Version: V001
Date: 28-Jan 2026

Disclaimer

The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.

Profiles



KEBP259M
Batten Panel - 1 Bracket - 1" x 3/8" (M)




KEB3214F
Batten - 1 1/4" x 1/2" (F)




KECT9025
Standard Profile - Top Hat - 3 1/2" x 1"



KEBP50S
Batten Panel - Starter - 2"



Detail View



Profiles



KEBP1359M
Batten Panel - 3 Bracket - 1" (M)



KEB3214FD
Dome Batten - 1 1/4" x 1/2" (F)



KECT9025
Standard Profile - Top Hat - 3 1/2" x 1"



KEBP50S
Batten Panel - Starter - 2"

KNOTWOOD™

Detail Drawings Library

PANEL BATTENS

Triple Bracket Starter -
Standard Fixing

References

- Knotwood :
- ① Batten Panel - 3 Bracket - 1" (M) - KEBP1359M
 - ② Dome Batten - 1 1/4" x 1/2" (F) - KEB3214FD
 - ③ Standard Profile - Top Hat - 3 1/2" x 1" - KECT9025
 - ④ Batten Panel - Starter - 2" - KEBP50S
- 3rd Party:
- ⑤ #10 x 5/8" Hex Washer Head Self -Drilling Screws

Drawing

Version: V001
Date: 28-Jan 2026

Disclaimer

The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.



Detail View

KNOTWOOD™

Detail Drawings Library

PANEL BATTENS
1" Panel Standard Fixing -
Internal Corner

References

- Knotwood :
- ① Batten Panel - 1 Bracket - 1" x 1" (M)
KEBP2525M
 - ② Batten - 1" x 1" (F) - V2 - KEB2525F-02
 - ③ Standard Profile - Top Hat - 3 1/2" x 1" - KECT9025
 - ④ Standard Profile - L - 2" x 2" (1/16") - KEGA505016
- 3rd Party:
- ⑤ #10 x 5/8" Hex Washer Head Self -Drilling Screws

Drawing

Version: V001
Date: 28-Jan 2026

Disclaimer

The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.

Profiles



KEBP2525M
Batten Panel - 1 Bracket - 1" x 1"




KEB2525F-02
Batten - 1" x 1" (F) - V2




KECT9025
Standard Profile - Top Hat - 3 1/2" x 1"



KEGA505016
Standard Profile - L - 2" x 2" (1/16")




Detail View



Profiles



KEBP2525M
Batten Panel - 1 Bracket - 1" x 1"



KEB4040F
Batten - 1 9/16" x 1 9/16" (F)



KECT9025
Standard Profile - Top Hat - 3 1/2" x 1"



KEGA252516
Standard Profile - L - 1" x 1"

KNOTWOOD™

Detail Drawings Library

PANEL BATTENS
1" Panel Standard Fixing -
External Corner

References

- Knotwood :
- ① Batten Panel - 1 Bracket - 1" x 1" (M) KEBP2525M
 - ② Batten - 1 9/16" x 1 9/16" (F) - KEB4040F
 - ③ Standard Profile - Top Hat - 3 1/2" x 1" - KECT9025
 - ④ Standard Profile - L - 1" x 1" (1/16) - KEGA252516
- 3rd Party:
- ⑤ #10 x 5/8" Hex Washer Head Self -Drilling Screws

Drawing


Version: V002
Date: 28-Jan 2026

Disclaimer

The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.



Detail View



Profiles



KEBP1359M
Batten Panel - 3 Bracket - 1" (M)



KEB3214FF
Flute Batten - 1 1/4" x 1/2" (F)



KECT9025
Standard Profile - Top Hat - 3 1/2" x 1"



KEGA505016
Standard Profile - L - 2" x 2" (1/16")

KNOTWOODTM

Detail Drawings Library

PANEL BATTENS
Triple Panel - Internal Corner - Standard Fixing

References


- Knotwood :
- ① Batten Panel - 3 Bracket - 1" (M) - KEBP1359M
 - ② Flute Batten - 1 1/4" x 1/2" (F) - KEB3214FF
 - ③ Standard Profile - Top Hat - 3 1/2" x 1" - KECT9025
 - ④ Standard Profile - L - 2" x 2" (1/16") - KEGA505016
- 3rd Party:
- ⑤ #10 x 5/8" Hex Washer Head Self -Drilling Screws

Drawing


Version: V001
Date: 28-Jan 2026

Disclaimer

The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.



Detail View



Profiles



KEBP1359M
Batten Panel - 3 Bracket - 1"



KEB3214F
Batten - 1 1/4" x 1/2" (F)



KECT9025
Standard Profile - Top Hat - 3 1/2" x 1"



KEGA252516
Standard Profile - L - 1" x 1" (1/16)

KNOTWOOD™

Detail Drawings Library

PANEL BATTENS
Triple Panel - External Corner - Standard
Fixing

References

- Knotwood :
- ① Batten Panel - 3 Bracket - 1" (M)
KEBP1359M
 - ② Batten - 1 1/4" x 1/2" (F) - KEB3214F
 - ③ Standard Profile - Top Hat - 3 1/2" x 1"
- KECT9025
 - ④ Standard Profile - L - 1" x 1" (1/16)
- KEGA252516
- 3rd Party:
- ⑤ #10 x 5/8" Hex Washer Head Self -Drilling Screws

Drawing


Version: V002
Date: 28-Jan 2026

Disclaimer

The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.



Detail View



Profiles



KEF6516
Flip Batten - 2 9/16" x 5/8"

KNOTWOOD™

Detail Drawings Library

Flip Battens

2 9/16" x 5/8" Flip Battens -
Standard Fixing

References

Knotwood :

- ① Flip Batten - 2 9/16" x 5/8" - KEF6516

3rd Party:

- ② #10 x 5/8" Hex Washer Head Self -Drilling Screws

Drawing

Version: V001
Date: 28-Jan 2026

Disclaimer

The information in this technical detail is given as a guide and is intended for use in relation to the relevant Knotwood products only. The customer's project designer is ultimately responsible for special design and detailing to ensure the product's use is fit for purpose. The customer's project designer needs to give extra consideration to product suitability to take into account any specialized factors of the project. This specification detail must be reviewed in conjunction with the relevant Knotwood product installation guide current at the time of installation, and all other relevant Knotwood product technical literature.